

TOGO

Unité de Recherche Démographique, Université de Lomé

**Enquête Comportementale et de Séroprévalence du VIH chez
les Professionnelles du Sexe et leurs Clients au Togo (2015)**

Study Documentation

December 4, 2015

Metadata Production

Metadata Producer(s)	Unitée de Recherche Démographique (URD) , Université de Lomé , Exécution de l'enquête AHLEGNAN Komla Jérôme , URD_UL , Responsable d'archivage
Production Date	December 30, 2015
Version	Version 1.1 (Novembre 2015) Première version de la documentation du EPSC 2015
Identification	DDI-TGO-URD-UL-EPSC-2015-001

Table of Contents

Overview.....	4
Scope & Coverage.....	5
Producers & Sponsors.....	6
Sampling.....	6
Data Collection.....	7
Data Processing & Appraisal.....	8
Accessibility.....	9
Rights & Disclaimer.....	9
Files Description.....	10
CL 2015 APUREE.....	10
CL TEST.....	10
PS 2015 APUREE.....	11
PS TEST.....	11
Variables List.....	12
CL 2015 APUREE.....	12
CL TEST.....	19
PS 2015 APUREE.....	27
PS TEST.....	41
Variables Description.....	57
CL 2015 APUREE.....	58
CL TEST.....	121
PS 2015 APUREE.....	182
PS TEST.....	274

Enquête Comportementale et de Séroprévalence du VIH chez les Professionnelles du Sexe et leurs Clients au Togo (2015) (EPSC 2015)

Overview	
Type	Enquête Socio-Economique / Monitoring [hh/sems]
Identification	TGO-URD-UL-EPSC-2015-001
Version	Production Date: 2015-09-09 Données apurées donc version finales Notes Aucun
Series	C'est la deuxième édition de cette enquête, En principe cette enquête se réalise après chaque 2 ans
Abstract La présente étude à double volets dénommée « Enquête comportementale et de séroprévalence du VIH chez les professionnelles du sexe et leurs clients ». Elle a été initiée par les partenaires intervenant dans la lutte contre le VIH/SIDA au Togo (CNLS/IST, PNLS, PSI, ONUSIDA etc.) avec l'appui financier du Fonds Mondial de lutte contre le SIDA, la Tuberculose et le Paludisme (FMLSTP). Au plan méthodologique, l'étude a comporté deux grands volets : * Une enquête "PS" réalisée auprès d'un échantillon de 1197 professionnelles du sexe ; * Une enquête "clients" réalisée auprès de 790 clients des PS. En plus de ce volet comportemental, le volet sérologique a concerné un prélèvement sanguin réalisé auprès de 1184 PS et de 776 clients pour la recherche du virus du SIDA. Les principaux objectifs spécifiques visés par l'étude sont : Chez les professionnelles du sexe (PS). - Caractéristiques socio-démographiques des PS - Connaissance des principaux modes de transmission et des moyens de prévention du VIH/SIDA par les PS - Le dépistage du VIH chez les PS - Utilisation systématique du préservatif par les PS pendant le dernier jour de travail Une proportion importante de PS (93%) a systématiquement utilisé le préservatif le dernier jour de travail. - Vécu des PS en matière d'IST et recours aux soins - Approvisionnement en préservatifs et lubrifiants par les PS - Exposition à une séance de démonstration du port correct du préservatif - Niveau et évolution de la séroprévalence du VIH chez les PS Pour 11,7% des PS enquêtées, le test de séroprévalence du VIH est positif. - Par rapport au profil des clients des PS Les résultats du profil des clients indiquent que le client type a atteint le niveau secondaire (37,1%) est âgé de 18 à 24 ans (30,3%) et habite Lomé. - Par rapport à la connaissance des modes de transmission du VIH/SIDA - Par rapport au dépistage volontaire du VIH/SIDA - Par rapport à l'approvisionnement en préservatifs et lubrifiants - En ce qui concerne la séroprévalence Il ressort des résultats que le niveau de prévalence du VIH chez les clients des PS au niveau national est de 1,8%.	

Kind of Data	Données échantillonnées [ssd]
Unit of Analysis	Professionnelles de sexe et leurs clients dans les maisons closes ou dans les points chauds

Scope & Coverage

Scope

Deux types de questionnaires ont été développés comme outils de cette enquête. Voici les principales sections ayant constitué l'architecture des questionnaires :

Questionnaire PS (Professionnelle de sexe)

- ° SECTION 1: CARACTERISTIQUES GENERALES
- ° SECTION 2 : SITUATION MATRIMONIALE, FAMILIALE ET PROFESSIONNELLE
- ° SECTION 3 : COMPOTEMENTS SEXUELS
- ° SECTION 4 : antécédents et existence d'IST
- ° SECTION 5 : CONNAISSANCES, OPINIONS ET ATTITUDES VIS-A-VIS DU VIH/SIDA
- ° SECTION 6 : EXPOSITION AUX ACTIONS DE PREVENTION DES IST/SIDA

Questionnaires CLIENTS des PS

- ° CARACTERISTIQUES SOCIO-DEMOGRAPHIQUES DES ENQUETES
- ° COMPORTEMENT SEXUEL
- ° UTILISATION ET APPROVISIONNEMENT EN PRÉSERVATIF
- ° IST/ MST
- ° CONSEIL ET DEPISTAGE VOLONTAIRE
- ° EXPOSITION GENERALE AUX DIFFERENTS MESSAGES SUR LE VIH/SIDA

Keywords	Caractéristiques socio-démographiques des PS, Connaissance des principaux modes de transmission et des moyens de prévention du VIH/SIDA par les PS, Le dépistage du VIH chez les PS, Utilisation systématique du préservatif par les PS pendant le dernier jour de travail, Vécu des PS en matière d'IST et recours aux soins, Approvisionnement en préservatifs et lubrifiants par les PS, Exposition à une séance de démonstration du port correct du préservatif, Niveau et évolution de la séroprévalence du VIH chez les PS, Connaissance des modes de transmission du VIH/SIDA des Clients des PS, Dépistage volontaire du VIH/SIDA des Clients, Approvisionnement en préservatifs et lubrifiants par les Clients des PS, Séroprévalence des Clients
Topics	Emploi [3.1], Soins et traitements médicaux [8.5], Attitudes et comportements sociaux [13.6], Indicateurs sociaux [13.8]
Time Period(s)	2015
Countries	TOGO

Geographic Coverage

Cette enquête a couvert toutes les régions sanitaires du Togo et quelques districts ou préfectures du Togo :

- 1 - Lomé Comme : Tous les 5 districts
- 2 - Maritime : Golfe, Lacs, Yoto
- 3 - Plateaux : Haho, Ogou, Kloto, Anié
- 4 - Centrale :Tchaoudjo
- 5 - KARA :Kozah
- 6 - Savanes : Tone, Cinkassé.

Universe

Cette enquête a couvert les professionnelles de sexe (femmes) des maisons closes et des points chauds et ensuite les clients (hommes) des PS dans les points chauds.

Producers & Sponsors	
Primary Investigator(s)	Unité de Recherche Démographique, Université de Lomé
Other Producer(s)	Institut Nationale d'Hygiène (INH) , Ministère de santé , Appui technique (biologique) Forces en Action pour le Mieux Etre de la Mère et de l'Enfant (FAMME) , ONG , Mobilisation de la cible
Funding Agency/ies	Population Services International (PSI) , Bailleurs
Other Acknowledgment(s)	Fonds Mondial , Bailleur CNLS , Appui technique , Présidence du Togo ONUSIDA , Appui technique , Système des Nations Unies

Sampling
<u>Sampling Procedure</u> L'enquête a été réalisée dans toutes les 6 régions sanitaires du Togo. Elle a couvert au total 16 districts sanitaires. Les effectifs à enquêter ont varié d'un district à un autre. Voici les effectifs pour les PS / 1 - Lomé Comme : Tous les 5 districts : D1 D2 D3 D4 D5 60 100 200 80 60 2 - Maritime : Golfe, Lacs, Yoto 210 50 20 3 - Plateaux : Haho, Ogou, Kloto, Anié 20 60 60 40 4 - Centrale :Tchaoudjo, 50 5 - KARA : Kozah, 100 6 - Savanes : Tone, Cinkassé 50 70 Ces effectifs sont les mêmes qui sont prévus pour les clients des PS; Ainsi, il est prévu dans l'échantillon de collecter les informations auprès de : - PS : 1230 - CLIENT : 1230 <u>Deviations from Sample Design</u> A la fin de la collecte des données, on a alors comme effectif réalisé : - PS : 1197 - CLIENTS : 790 Quelques difficultés sur le terrain - Le refus de certaines enquêtées de subir les prélèvements pour les tests biologiques (volet sérologique du VIH de l'étude) - La mauvaise compréhension (ou le peu de bonne volonté) de certains mobilisateurs et mobilisatrices de leurs rôles/tâches entraînant des suspensions de la collecte sur certains sites et la non réalisation de la collecte sur d'autres sites. - La difficulté de travailler avec certains clients qui veulent aussi recevoir les mêmes motivations comme les PS (lubrifiants, même quantité de préservatifs, participation aux frais de déplacement des PS, etc.) avant d'accepter l'entretien ; <u>Response Rate</u> Taux de réalisation

- PS : 97,3%
- CLIENTS : 64,2%

Weighting

Aucune pondération n'a été appliquée car l'étude a pris en compte toutes les PS des maisons closes et toutes les PS des points chauds.

Il en est de même pour leur client qui ont accepté de se faire interviewer

Data Collection

Data Collection Dates	10 jours: start 2015-03-27 10 jours: end 2015-04-04
Time Period(s)	10 jours: start 2015-03-27 10 jours: end 2015-04-04
Data Collection Mode	Interview face à face [f2f]

Data Collection Notes

Tout le schéma suivant ont été suivi lors de la collecte des données :

Mobilisateurs ou mobilisatrices

Agents de collectes (administration des questionnaires)

Agents biologistes (prélèvement du sang pour le test VIH)

Superviseurs de l'enquête

On peut préciser que les agents de collecte ont été formés pendant 4 jours et un jour a servi de prétest des questionnaires.

Afin de synchroniser la collecte et le prélèvement du sang, une journée a été consacrée pour la simulation.

Au cours de la même semaine, les mobilisateurs et les mobilisatrices sont aussi en tournée sur les différents sites des PS pour faire les sensibilisations auprès des PS.

Cette enquête a mobilisé 23 agents enquêteurs (sociologues) et de 19 biologistes et a duré une dizaine de jours.

Questionnaires

Trois types d'outils ont été utilisés :

1 - Questionnaires auprès des PS

SECTION 1: CARACTERISTIQUES GENERALES

SECTION 2 : SITUATION MATRIMONIALE, FAMILIALE ET PROFESSIONNELLE

SECTION 3 : COMPORTEMENTS SEXUELS

SECTION 4 : antécédents et existence d'IST

SECTION 5 : CONNAISSANCES, OPINIONS ET ATTITUDES VIS-A-VIS DU VIH/SIDA

SECTION 6 : EXPOSITION AUX ACTIONS DE PREVENTION DES IST/SIDA

2 - Questionnaires auprès des clients

° CARACTERISTIQUES SOCIO-DEMOGRAPHIQUES DES ENQUETES

° COMPORTEMENT SEXUEL

° UTILISATION ET APPROVISIONNEMENT EN PRÉSERVATIF

° IST/ MST

° CONSEIL ET DEPISTAGE VOLONTAIRE

° EXPOSITION GENERALE AUX DIFFERENTS MESSAGES SUR LE VIH/SIDA

3 - Fiche d'identification pour test de dépistage

Cette fiche comportant 11 cases pour l'inscription de l'identifiant

Data Collector(s)	Unité de recherche démographique (URD) , Université de Lomé Institut Nationale d'hygiène (INH) , Ministère de la Santé
--------------------------	---

Supervision

La supervision a été fait à trois niveaux :

Au niveau des mobilisateurs : Les responsables de l'ONG FAMME ont effectué 2 visites sur le terrains pour voir l'exécution des travaux et aussi ils ont gardé des contacts téléphoniques avec tous les mobilisateurs ou mobilisatrices.

Au niveau des agents de collecte (sociologues) : les responsables de l'URD ont effectué des supervisions quotidienne pour s'assurer de l'exécution des opérations de collecte. A la fin de la journée, toutes les statistiques ont été collectées sur le nombre d'individus enquêtés afin de respecter au maximum le quota de l'échantillon. Après la collecte sur un site des PS ou dans une région, la vérification est effectué sur le site et l'archivage des questionnaires dans des boîtes d'archives pour le couvoiment à Lomé. La dernière vérification est effectuée à Lomé avant la codification et la numérotation des questionnaires.

Au niveau des agents biologistes (laborantins) : Après le prélèvement du sang sur le site, les biologistes concoient le sant dans les hôpitaux appropriés pour le stockage. Enfin les tubes de song sont ramené à Lomé pour l'examen clique à l'INH. Il est à rappeler que tout le protocole de l'examen clique a été par les biologistes.

Tous ces trois niveau sont sous la responsabilité du directeur de projet qui tient après chaque 3 jours avec les autres membres de l'équipe pour s'assurer de l'évolution des opérations. Un debriefing a organisé et a réuni tous les personnes de collecte des données pour partager les expériences et les difficultés de terrain.

Data Processing & Appraisal

Data Editing

Les programmes de saisie sont élaborés dans CSPro 5.0 par un statisticien information.

Deux types de programmes de saisie ont été conçus : pour les PS et pour les Clients

Au total 8 agents de saisies ont été recrutés et formés pour la saisie des questionnaires qui sont sur la supervision de 2 agents de l'URD.

Après la saise, l'exportation des données A fait dans SPSS vesion 18, suivi de l'apurement des bases de données.

Bref les procédures suivant ont été suivies !

- Réception des boîte d'archives remplis des questionnaires remplis.
- Numérotation des questionnaires et vérification du nombre des questionnaires pour la saisie,
- Formation des agents de saisie pendant 2 jours pour la maîtrise du clavier et du programme,
- Répartiion par vague de 4 personnes des agents de saisie,
- Saisie des questionnaires apr les agents de saisie,
- Vérification par le superviseur de saisie pour l'enregistrement des données saisie,
- Matching des fichiers des différents agents de saisie
- Mise en exécution du fichier de contrôle pour la vérification des erreurs,
- Coorection eventuelles,
- Apurement pendant 2 semaines
- Fichiers apurés prêt pour l'exploitation des tableaux

Other Processing

Lorsque les 2 fichiers sont bien apurés, le responsable de traitement a procédé à l'édition des tableaux suite au plan d'analyse rédigé pour le rapport.

Estimates of Sampling Error

Aucune

Other Forms of Data Appraisal

Aucune

Accessibility

Access Authority	URD (UL) , www.urd-lome.org , urdlome@yahoo.fr
Contact(s)	VIGNIKIN Kokou (URD) , www.urd-lome.org GBETOGLO Dodzi (URD) , www.urd-lome.org , kgbetoglo@yahoo.fr EDORH Atavi (URD) , www.urd-lome.org , ataviedorh@yahoo.fr AHLEGNAN Komla (URD) , www.urd-lome.org , ahjeromeah@yahoo.fr

Confidentiality

Toutes utilisation des données produites ou gérées par l'URD doit faire l'objet d'une demande d'autorisation adressée à l'URD. Il y sera clairement mentionné l'utilisation qui sera faite des données et une copie en français ou en anglais du projet d'étude sera jointe à la demande

Access Conditions

Toute utilisation des données doit faire l'objet d'une demande d'autorisation adressée à l'URD. Il y sera mentionné l'utilisation qui sera faite des données et une copie en français ou en anglais du projet d'étude sera jointe à la demande.

Le service ou l'organisation demandeur devra s'engager à respecter les conditions suivantes :

1. L'utilisateur devra se conformer à garantir l'anonymat des personnes physiques ou morales concernées par l'enquête; et n'utiliser ces données qu'aux fins de diffuser ou de publier des résultats statistiques agrégés.
2. L'utilisateur est responsable de ses conclusions ou études tirées de ces données et en cela, la responsabilité de l'URD ne saurait être engagée de quelque manière que ce soit.
3. Les données ne devront être ni copiées ni transmises à d'autres personnes ou organisations, directement ou indirectement, sans l'accord écrit préalable de l'URD.
4. Une copie de tout rapport produit sur la base des données seront transmises pour information et commentaire à l'URD.
5. L'utilisateur est informé que l'URD se réserve le droit de recourir aux voies et moyens qu'il jugera utiles en cas de non respect de l'un (quelconque) de ces engagements, pour se faire restaurer dans ses droits.
6. L'utilisateur peut en cas de besoin s'adjoindre le concours de l'URD dans la réalisation de l'étude.
7. L'utilisateur citera la source comme indiquée à la rubrique "Citation".

Citation Requirements

Source : Enquête Comportementale et de Séroprévalence du VIH chez les Professionnelles du Sexe et leurs Clients, 2015, URD_UL, Togo

Rights & Disclaimer

Disclaimer

L'utilisateur est entièrement responsable de ses conclusions ou études tirées de ces données et en cela la responsabilité de l'URD ne serait être engagée de quelque manière que ce soit

Copyright	Copyright 2015. Tous les droits sont réservés à l'URD
------------------	---

Files Description

Dataset contains 4 file(s)

CL_2015_APUREE	
# Cases	790
# Variable(s)	227
<u>File Content</u> La base de cette enquête concerne les clients des professionnelles de sexe. Au cours de l'enquête, un prélèvement de sang a été fait pour chaque clients pour l'examen clinique du test du VIH. Tous les clients interviewés sont des hommes qui ont été retrouvé dans les maisons closes ou à son alentour ou bien sur les sites des points chauds. Les thèmes abordés concrenent le domaine de la santé à savoir l'utilisation des préservatif lors des rapports sexuel, les comprtements sexuels des clients. Cette base a été utilisée pour ressortir les résultats sur les comportements des clients	
<u>Producer</u> Unité de Recherche Démographique de l'Université de Lomé (URD_UL) Togo GBETOGLO Dodzi, Responsable du département de recherche, kgbetoglo@yahoo.fr AHLEGNAN Komla Jérôme, Assistant de recherche à l'URD, 90031795, ahjeromeah@yahoo.fr	
<u>Version</u> Données de version définitive utilisée pour la production des tableaux finales et du rapport final.	
<u>Processing Checks</u> Après la vérification des questionnaires remplis sur le terrain par les agents de collecte, on a procédé au point suivant : - Réception des boîte d'archives remplis des questionnaires remplis pour la salle de saisie. - Numérotation des questionnaires et vérification du nombre des questionnaires pour la saisie, - Formation des agents de saisie pendant 2 jours pour la maîtrise du clavier et du programme, - Répartiion par vague de 4 personnes des agents de saisie, - Saisie des questionnaires apr les agents de saisie, - Vérification par le superviseur de saisie pour l'enregistrement des données saisie, - Matching des fichiers des différents agents de saisie - Mise en exécution du fichier de contrôle pour la vérification des erreurs éventuelles, - Corection eventuelles, - Apurement pendant 2 semaines - Fichiers apurés prêt pour l'exploitation des tableaux	
<u>Missing Data</u> Les valeurs manquantes sont codés avec le chiffre 9 ou 99 ou 999. Ces chiffres ont pris le label suivant : pas de réponse.	
<u>Notes</u> Cette base a ressorti seulement les résultats sur la partie comportementale des Clients.	

CL_TEST	
# Cases	776
# Variable(s)	236
<u>File Content</u> La base de cette enquête concerne les clients des professionnelles de sexe. Au cours de l'enquête, un prélèvement de sang a été fait pour chaque clients pour l'examen clinique du test du VIH. Tous les clients interviewés sont des hommes qui ont été retrouvés dans les maisons closes ou à son alentour ou bien sur les sites des points chauds. Les thèmes abordés concrenent le domaine de la santé à savoir l'utilisation des préservatif lors des rapports sexuel, les comprtements sexuels des clients.	

Cette base a été utilisée pour ressortir les résultats sur l'association des variables comportementales et du test du VIH

PS_2015_APUREE

# Cases	1197
# Variable(s)	395

File Content

La base de cette enquête concerne les professionnelles de sexe. Au cours de l'enquête, un prélèvement de sang a été fait pour chaque PS pour l'examen clinique du test du VIH. Tous les PS interviewées sont des femmes qui ont été retrouvées dans les maisons closes ou à son alentour ou bien sur les sites des points chauds. Les thèmes abordés concernent le domaine de la santé à savoir l'utilisation des préservatifs lors des rapports sexuel, les comportements sexuels des PS.

Cette base a été utilisée pour ressortir les résultats sur les comportements des PS

PS_TEST

# Cases	1184
# Variable(s)	404

File Content

La base de cette enquête concerne les professionnelles de sexe. Au cours de l'enquête, un prélèvement de sang a été fait pour chaque PS pour l'examen clinique du test du VIH. Tous les PS interviewées sont des femmes qui ont été retrouvées dans les maisons closes ou à son alentour ou bien sur les sites des points chauds. Les thèmes abordés concernent le domaine de la santé à savoir l'utilisation des préservatif lors des rapports sexuel, les comportements sexuels des PS.

Cette base a été utilisée pour ressortir les résultats sur l'association des variables comportementales et du test du VIH.

Variables List

Dataset contains 1262 variable(s)

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	NUM_QEST	NUM_	continuous	numeric-4.0	790	0	Aucune question
2	QUEST_SITE	QUEST_SITE	continuous	numeric-3.0	790	0	Numéro du questionnaire dans la localité/le site
3	REGION	REGION	discrete	numeric-1.0	790	0	Ecrire la région de la collecte des données
4	PREFECT	PREFECTURE/DISTRICT	discrete	numeric-2.0	790	0	Ecrire la préfecture de la collecte des données
5	SITE	SITE	discrete	numeric-2.0	790	0	Ecrire le site de la collecte des données et son code
6	ENQUETEUR	ENQUETEUR	continuous	numeric-2.0	790	0	Nom de l'agent enquêteur
7	NOM_SITE	NOM_SITE	discrete	character-16	790	0	Nom du site de la collecte des données
8	HEUREDEB	HEURE DEBUT INTERVIEW	continuous	numeric-2.0	790	0	Ecrire l'heure de début du remplissage questionnaire
9	MINUTEDEB	MINUTE DU DEBUT	continuous	numeric-2.0	790	0	Ecrire la minute de début du remplissage questionnaire
10	RESULT1	RESULTAT1	discrete	numeric-1.0	790	0	A la fin du remplissage du questionnaire, encrer le code correspondant au résultat du remplissage du questionnaire
11	RESULT2	RESULT2	discrete	numeric-1.0	633	157	-
12	COMPORT	COMPORTEMENT	discrete	numeric-1.0	790	0	Est ce que la partie de comportement qui le questionnaire est-il rempli ?
13	BIOLOGIE	BIOLOGIE	discrete	numeric-1.0	790	0	Est ce que le test de dépistage a été fait par le client auprès au laborantin
14	CODE_BIO	CODE BIOLOGIQUE	continuous	numeric-11.0	790	0	-
15	Q10_SEXE1	Q101_SEXE	discrete	numeric-1.0	790	0	-
16	Q102_AGE	Q102 AGE	continuous	numeric-2.0	790	0	-
17	Q103_SIT_..	Q103 SITUATION MATRIMONIALE	discrete	numeric-1.0	790	0	-
18	Q104_REL_..	Q104_RELIGION	discrete	numeric-1.0	790	0	-
19	Q105_PRAT	Q105_PRATIKANT	discrete	numeric-1.0	790	0	-
20	Q106_FRE_..	Q106 FREQUENTATION SCOLAIRE	discrete	numeric-1.0	790	0	-
21	Q107_NIV_..	Q107_DERNIERE CLASSE	continuous	numeric-2.0	734	56	-
22	Q108_NB_..	Q108 NOMBRE ENFANTS VIVANTS	discrete	numeric-2.0	790	0	-
23	Q109_SOU_..	Q109 PRINCIPALE SOURCE DE REVENU	discrete	numeric-2.0	790	0	-
24	Q110_REV_..	Q110 REVENU MENSUEL	continuous	numeric-6.0	790	0	-
25	Q111A_BL_..	Q111A BICYCLETTE	discrete	numeric-1.0	790	0	-
26	Q111B_MO_..	Q111B MOTOCYCLETTE	discrete	numeric-1.0	790	0	-
27	Q111C_VO_..	Q111C VOITURE	discrete	numeric-1.0	790	0	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	Q111D_CA..	Q111D CAMION	discrete	numeric-1.0	790	0	-
29	Q111E_DV..	Q111E MAGNETO/DVD/ VCD	discrete	numeric-1.0	790	0	-
30	Q111F_RA..	Q111F RADIO-CASSETTE	discrete	numeric-1.0	790	0	-
31	Q111G_LE..	Q111G LECTEUR CD	discrete	numeric-1.0	790	0	-
32	Q111H_RA..	Q111H RADIO	discrete	numeric-1.0	790	0	-
33	Q111I_TELE	Q111I TELEVISION	discrete	numeric-1.0	790	0	-
34	Q111J_RE..	Q111J REFRIGERATEUR	discrete	numeric-1.0	790	0	-
35	Q111K_FE..	Q111K FERME	discrete	numeric-1.0	790	0	-
36	Q111L_MA..	Q111L MAISON	discrete	numeric-1.0	790	0	-
37	Q111M_PO..	Q111M POELE	discrete	numeric-1.0	790	0	-
38	Q111N_MA..	Q111N MACHINE A LAVER	discrete	numeric-1.0	790	0	-
39	Q111O_VENU	Q111O VENTILATEUR	discrete	numeric-1.0	790	0	-
40	Q111P_TE..	Q111P TELEPHONE FIXE	discrete	numeric-1.0	790	0	-
41	Q111Q_CEL	Q111Q CELLULAIRE	discrete	numeric-1.0	790	0	-
42	Q112_INF..	Q112 INFORMATION SUR LE VIH/SIDA	discrete	numeric-1.0	790	0	-
43	Q113	Q113 CIRCONCISION	discrete	numeric-1.0	790	0	-
44	Q202_AGE	Q202 AGE AU PREMIER RAPPORT SEXUEL	continuous	numeric-2.0	790	0	-
45	Q203_UTI..	Q203 DEJA UTILISER PRESERVATIF	discrete	numeric-1.0	790	0	-
46	Q204_UTI..	Q204 UTILISATION DU PRESERVATIF LORS DU 1ER RS	discrete	numeric-1.0	714	76	-
47	Q205_AGE..	Q205 AGE 1ER RS	continuous	numeric-2.0	790	0	-
48	Q206_RS..	Q206 RAPPORTS SEXUELS LES 12 DERNIERS MOIS	discrete	numeric-1.0	790	0	-
49	Q207_NB..	Q207 NOMBRE DE PARTENAIRES LES 12 DERNIERS MOIS	discrete	numeric-2.0	774	16	-
50	Q501_1P	Q501_1PART	discrete	numeric-1.0	774	16	-
51	Q502_1P	Q502_1PART	discrete	numeric-1.0	774	16	-
52	Q503_1P	Q503_1PART	discrete	numeric-1.0	774	16	-
53	Q504_1P	Q504_NB_ANNEES_1P	continuous	numeric-2.0	747	43	-
54	Q505A_1P	Q505A_UNITE_1PART	continuous	numeric-2.0	774	16	-
55	Q505B_1P	Q505B_1P	discrete	numeric-1.0	774	16	-
56	Q506A_1P	Q506A_UNITE_1PART	discrete	numeric-2.0	774	16	-
57	Q506B_1P	Q506B_1P	discrete	numeric-1.0	774	16	-
58	Q507A_1P	Q507A_UNITE_1PART	discrete	numeric-2.0	774	16	-
59	Q507B_1P	Q507B_1P	discrete	numeric-1.0	774	16	-
60	Q508_1P	Q508_PRES_1PART	discrete	numeric-2.0	774	16	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
61	Q509_1P	Q509_NON_UTI_1PART	discrete	numeric-1.0	545	245	-
62	Q510_1P	Q510_NB_NON_UTI_1PART	discrete	numeric-2.0	195	595	-
63	Q511_1P	Q511_DER_RS_1PART	discrete	numeric-1.0	545	245	-
64	Q512_1P	Q512_UTI_TJRS_1PART	discrete	numeric-1.0	545	245	-
65	Q513_1P	Q513_PRES_DECHIRE_1PA	discrete	numeric-1.0	545	245	-
66	Q514_1P	Q514_FRE_LUBRIFIANT_1P	discrete	numeric-1.0	774	16	-
67	Q515_1P	Q515_TJRS_RS_1PART	discrete	numeric-1.0	774	16	-
68	Q516	Q516_NB_PART_1PART	continuous	numeric-2.0	774	16	-
69	Q501_2P	Q501_2PART	discrete	numeric-1.0	593	197	-
70	Q502_2P	Q502_2PART	discrete	numeric-1.0	593	197	-
71	Q503_2P	Q503_2PART	discrete	numeric-1.0	593	197	-
72	Q504_2P	Q504_NB_ANNEES_2P	continuous	numeric-2.0	568	222	-
73	Q505A_2P	Q505A_UNITE_2PART	continuous	numeric-2.0	593	197	-
74	Q505B_2P	Q505B_2P	discrete	numeric-1.0	593	197	-
75	Q506A_2P	Q506A_UNITE_2PART	discrete	numeric-2.0	593	197	-
76	Q506B_2P	Q506B_2P	discrete	numeric-1.0	593	197	-
77	Q507A_2P	Q507A_UNITE_2PART	discrete	numeric-2.0	593	197	-
78	Q507B_2P	Q507B_2P	discrete	numeric-1.0	592	198	-
79	Q508_2P	Q508_PRES_2PART	discrete	numeric-2.0	593	197	-
80	Q509_2P	Q509_NON_UTI_2PART	discrete	numeric-1.0	435	355	-
81	Q510_2P	Q510_NB_NON_UTI_2PART	discrete	numeric-2.0	103	687	-
82	Q511_2P	Q511_DER_RS_2PART	discrete	numeric-1.0	435	355	-
83	Q512_2P	Q512_UTI_TJRS_2PART	discrete	numeric-1.0	435	355	-
84	Q513_2P	Q513_PRES_DECHIRE_2PA	discrete	numeric-1.0	435	355	-
85	Q514_2P	Q514_FRE_LUBRIFIANT_2P	discrete	numeric-1.0	593	197	-
86	Q515_2P	Q515_TJRS_RS_2PART	discrete	numeric-1.0	593	197	-
87	Q501_3P	Q501_3PART	discrete	numeric-1.0	318	472	-
88	Q502_3P	Q502_3PART	discrete	numeric-1.0	318	472	-
89	Q503_3P	Q503_3PART	discrete	numeric-1.0	318	472	-
90	Q504_3P	Q504_NB_ANNEES_3P	continuous	numeric-2.0	284	506	-
91	Q505A_3P	Q505A_UNITE_3PART	discrete	numeric-2.0	318	472	-
92	Q505B_3P	Q505B_3P	discrete	numeric-1.0	318	472	-
93	Q506A_3P	Q506A_UNITE_3PART	discrete	numeric-2.0	318	472	-
94	Q506B_3P	Q506B_3P	discrete	numeric-1.0	318	472	-
95	Q507A_3P	Q507A_UNITE_3PART	discrete	numeric-2.0	318	472	-
96	Q507B_3P	Q507B_3P	discrete	numeric-1.0	318	472	-
97	Q508_3P	Q508_PRES_3PART	discrete	numeric-2.0	318	472	-
98	Q509_3P	Q509_NON_UTI_3PART	discrete	numeric-1.0	238	552	-
99	Q510_3P	Q510_NB_NON_UTI_3PART	discrete	numeric-2.0	48	742	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
100	Q511_3P	Q511_DER_RS_3PART	discrete	numeric-1.0	238	552	-
101	Q512_3P	Q512_UTI_TJRS_3PART	discrete	numeric-1.0	238	552	-
102	Q513_3P	Q513_PRES_DECHIRE_3PA	discrete	numeric-1.0	238	552	-
103	Q514_3P	Q514_FRE_LUBRIFIANT_3P	discrete	numeric-1.0	318	472	-
104	Q515_3P	Q515_TJRS_RS_3PART	discrete	numeric-1.0	319	471	-
105	Q601	Q601_RS_APRES_ALCOOL	discrete	numeric-1.0	790	0	-
106	Q602	Q602_RS_APRES_DROGUE	discrete	numeric-1.0	790	0	-
107	Q603A	Q603A_PRES_RS_NON_COI	discrete	numeric-1.0	790	0	-
108	Q603B	Q603B_PRES_RS_NON_COI 12 DERNIER MOIS	discrete	numeric-1.0	522	268	-
109	Q604	Q604_PRES_RS_NON_CONJ	discrete	numeric-1.0	498	292	-
110	Q605	Q605_PRES_ENLEVE	discrete	numeric-1.0	790	0	-
111	Q606	Q606_NB_PRES_ENLEVE	discrete	numeric-2.0	152	638	-
112	Q607	Q607_PRES_DECHIRE	discrete	numeric-1.0	790	0	-
113	Q608	Q608_NB_PRES_DECHIRE	discrete	numeric-2.0	186	604	-
114	Q609	Q609_UTI_LUBRIFIANT	discrete	numeric-1.0	718	72	-
115	Q610	Q610_CONDOM_FEMININ	discrete	numeric-1.0	790	0	-
116	Q611	Q611_UTI_CONDOM_FEMI	discrete	numeric-1.0	637	153	-
117	Q612	Q612_ACHETE_PRESERVA	discrete	numeric-1.0	790	0	-
118	Q613	Q613_LIEU_ACHAT	discrete	numeric-1.0	616	174	-
119	Q614	Q614_RUPTURE_STOCK	discrete	numeric-1.0	616	174	-
120	Q615	Q615_PRIX_PRESERVATIF	continuous	numeric-4.0	740	50	-
121	Q300	Q300_ENTENDU_IST	discrete	numeric-1.0	790	0	-
122	Q301AA	Q301AA_DEMENGEAISON	discrete	numeric-1.0	724	66	-
123	Q301AB	Q301AB_DOULEURS EN URINANT	discrete	numeric-1.0	724	66	-
124	Q301AC	Q301AC_ECOULEMENT URETRAL	discrete	numeric-1.0	724	66	-
125	Q301AD	Q301AD_BOUTONS SUR LA VERGE	discrete	numeric-1.0	724	66	-
126	Q301AE	Q301AE_BRULURES/ PICOTEMENT	discrete	numeric-1.0	724	66	-
127	Q301AF	Q301AF_AUTRES	discrete	numeric-1.0	724	66	-
128	Q301BA	Q301BA_DEMENGEAISON	discrete	numeric-1.0	724	66	-
129	Q301BB	Q301BB_DOULEURS EN URINANT	discrete	numeric-1.0	724	66	-
130	Q301BC	Q301BC_DOULEURS ABDOMINALES	discrete	numeric-1.0	724	66	-
131	Q301BD	Q301BD_DOULEURS PENDANT LE COIT	discrete	numeric-1.0	724	66	-
132	Q301BE	Q301BE_ECOULEMENT VAGINAL	discrete	numeric-1.0	724	66	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
133	Q301BF	Q301BF_BOUTONS SUR LE SEXE	discrete	numeric-1.0	724	66	-
134	Q301BG	Q301BG_BRULURES/ PICOTEMENTS	discrete	numeric-1.0	724	66	-
135	Q301BH	Q301BH_AUTRES	discrete	numeric-1.0	724	66	-
136	Q302	Q302_IST_12DERNIERS_MC	discrete	numeric-1.0	724	66	-
137	Q303	Q303_NB_IST	discrete	numeric-2.0	84	706	-
138	Q304	Q304_TRAITER IST	discrete	numeric-1.0	84	706	-
139	Q305	Q305_NB_TRAITER_IST	discrete	numeric-2.0	75	715	-
140	Q306	Q306_LIEU_TRAITEMENT	discrete	numeric-1.0	75	715	-
141	Q307A	Q307A Le risque de transmission du VIH peut-il être réduit avec un seul partenaire fidèle et non infecté	discrete	numeric-1.0	790	0	-
142	Q307B	Q307B Le risque de transmission du VIH peut-il être réduit par l'utilisation de préservatifs à chaque RS ?	discrete	numeric-1.0	790	0	-
143	Q307C	Q307C Une personne paraissant en bonne santé peut-elle être séropositive ?	discrete	numeric-1.0	790	0	-
144	Q307D	Q307D Une piqûre de moustique peut-elle transmettre le VIH ?	discrete	numeric-1.0	790	0	-
145	Q307E	Q307E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?	discrete	numeric-1.0	790	0	-
146	Q308	Q308 Le VIH peut-il être transmis lors des rapports sexuels ?	discrete	numeric-1.0	790	0	-
147	Q309	Q309 Le virus du SIDA peut être transmis de la mère à l'enfant ?	discrete	numeric-1.0	790	0	-
148	Q310	Q310 Le virus du SIDA peut-il être transmis par le sang ?	discrete	numeric-1.0	790	0	-
149	Q311	Q311 Pensez-vous que vous courez un risque d'attraper le SIDA ?	discrete	numeric-1.0	790	0	-
150	Q312	Q312 Seriez-vous prêt(e) à partager un repas avec PVVIH ou malade du SIDA ?	discrete	numeric-1.0	790	0	-
151	Q313	Q313 Si un homme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?	discrete	numeric-1.0	790	0	-
152	Q314	Q314 Si un(e) élève/ étudiant(e) a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer ?	discrete	numeric-1.0	790	0	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
153	Q315	Q315 Si un professeur a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer à enseigner ?	discrete	numeric-1.0	790	0	-
154	Q316	Q316 Si une femme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?	discrete	numeric-1.0	790	0	-
155	Q350	Q350_TEST VIH	discrete	numeric-1.0	790	0	-
156	Q351	Q351_TEST VIH_12PROCHAIN	discrete	numeric-1.0	340	450	-
157	Q352	Q352_NB_TEST VIH	discrete	numeric-2.0	450	340	-
158	Q353	Q353_TEST VIH_12DERNIERS	discrete	numeric-2.0	450	340	-
159	Q354J	Q354J_JOUR_TEST VIH	continuous	numeric-2.0	450	340	-
160	Q354M	Q354M_MOIS_TEST VIH	discrete	numeric-2.0	450	340	-
161	Q354A	Q354A_ANNEES_TEST VIH	continuous	numeric-4.0	450	340	-
162	Q355A	Q355A_AVANT LE TEST	discrete	numeric-1.0	450	340	-
163	Q355B	Q355B_APRES LE TEST	discrete	numeric-1.0	450	340	-
164	Q356	Q356_RECU_RESULTAT_TEST VIH	discrete	numeric-1.0	450	340	-
165	Q357	Q357_PARTAGE_RESULTAT VIH	discrete	numeric-1.0	450	340	-
166	Q358A	Q358A_PARENT	discrete	numeric-1.0	242	548	-
167	Q358B	Q358B_PARTENAIRE	discrete	numeric-1.0	242	548	-
168	Q358C	Q358C_AMI	discrete	numeric-1.0	242	548	-
169	Q358D	Q358D_MEDECIN	discrete	numeric-1.0	242	548	-
170	Q358E	Q358E_ASSISTANT SOCIAL	discrete	numeric-1.0	242	548	-
171	Q358F	Q358F_AUTRES	discrete	numeric-1.0	242	548	-
172	Q358G	Q358G_PAS DE REPONSE	discrete	numeric-1.0	242	548	-
173	Q359	Q359_CONSEILS	discrete	numeric-1.0	450	340	-
174	Q360A	Q360A_PF	discrete	numeric-1.0	395	395	-
175	Q360B	Q360B_DP	discrete	numeric-1.0	395	395	-
176	Q360C	Q360C_VIH/SIDA	discrete	numeric-1.0	395	395	-
177	Q360D	Q360D_AUTRE IST	discrete	numeric-1.0	395	395	-
178	Q360E	Q360E_CIRCONCISION MASCULINE	discrete	numeric-1.0	395	395	-
179	Q360F	Q360F_PTME	discrete	numeric-1.0	395	395	-
180	Q360G	Q360G_TUBERCULOSE	discrete	numeric-1.0	395	395	-
181	Q360H	Q360H_UTILISATION DU PRESERVATIF	discrete	numeric-1.0	395	395	-
182	Q360I	Q360I_PARTENARIATS CONCOMITANTS	discrete	numeric-1.0	395	395	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
183	Q360J	Q360J_VIE DE SEROPOSITIF	discrete	numeric-1.0	395	395	-
184	Q360K	Q360K_TRAITEMENT ARV	discrete	numeric-1.0	395	395	-
185	Q360L	Q360L_TRAITEMENT DES MALADIESPF	discrete	numeric-1.0	395	395	-
186	Q360M	Q360M_SUPPORT PSYCHO-SOCIAL	discrete	numeric-1.0	395	395	-
187	Q360N	Q360N_AUTRE	discrete	numeric-1.0	395	395	-
188	Q360O	Q360O_NE SAIT PAS	discrete	numeric-1.0	395	395	-
189	Q360P	Q360P_PAS DE REPONSE	discrete	numeric-1.0	395	395	-
190	Q361	Q361_CANAL DE DEPISTAGE	discrete	numeric-2.0	450	340	-
191	Q362	Q362_REFERE A AUTRE SERVICES	discrete	numeric-1.0	450	340	-
192	Q363	Q363_CONSEILLE SEUL OU EN COUPLEREFERE A AUTRE SERVICES	discrete	numeric-1.0	450	340	-
193	Q364	Q364_APPRECIATION DES CONSEILS	discrete	numeric-1.0	450	340	-
194	Q365	Q365_APPRECIATION DES DES SERVICES RECUS	discrete	numeric-1.0	450	340	-
195	Q366	Q366_RETOUR DANS CE CENTRE	discrete	numeric-1.0	450	340	-
196	Q367	Q367_RECOMMANDER CE CENTRE	discrete	numeric-1.0	450	340	-
197	Q368	Q368_TEST DES PARTENAIRES	discrete	numeric-1.0	450	340	-
198	Q369	Q369_TEST EN COUPLE	discrete	numeric-1.0	450	340	-
199	Q401	Q401_ENTENDU PARLER DU SIDA	discrete	numeric-1.0	790	0	-
200	Q402A	Q402A_RADIO	discrete	numeric-1.0	734	56	-
201	Q402B	Q402B_TELEVISION	discrete	numeric-1.0	734	56	-
202	Q402C	Q402C_PANNEAUX	discrete	numeric-1.0	734	56	-
203	Q402D	Q402D_JOURNAUX	discrete	numeric-1.0	734	56	-
204	Q402E	Q402E_BROCHURE	discrete	numeric-1.0	734	56	-
205	Q402F	Q402F_AUTRE	discrete	numeric-1.0	734	56	-
206	Q403A	Q403A_ASSISTE A UNE ANIMATION	discrete	numeric-1.0	790	0	-
207	Q403B	Q403B_NB_12DERNIERS_M	discrete	numeric-2.0	522	268	-
208	Q404A	Q404A_ASSISTE A UNE CAUSERIE	discrete	numeric-1.0	790	0	-
209	Q404B	Q404B_NB_12DERNIERS MOIS	discrete	numeric-2.0	534	256	-
210	Q405A	Q405A_MODE DE TRANSMISSION DU SIDA	discrete	numeric-1.0	534	256	-

File CL_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
211	Q405B	Q405B_MOYEN DE PREVENTION	discrete	numeric-1.0	534	256	-
212	Q405C	Q405C_SIDA _PAS GUERISSABLE	discrete	numeric-1.0	534	256	-
213	Q405D	Q405D_BONNE SANTE ET INFECTE	discrete	numeric-1.0	534	256	-
214	Q405E	Q405E_CONDOM SEUL MOYEN	discrete	numeric-1.0	534	256	-
215	Q405F	Q405F_AUTRE	discrete	numeric-1.0	534	256	-
216	Q407	Q407_PUBLICITE SUR DEPISTAGE VOLONTAIRE	discrete	numeric-1.0	790	0	-
217	Q408	Q408_EFFECTIVEMENT VU OU ENTENDU	discrete	numeric-2.0	663	127	-
218	HEUREFIN	HEURE DE FIN	discrete	numeric-2.0	790	0	-
219	MINUTE_D..	MINUTE DE FIN	continuous	numeric-2.0	790	0	-
220	ACCUEIL	ACCUEIL	discrete	numeric-1.0	790	0	-
221	IMPRESSION	IMPRESSION	discrete	numeric-1.0	789	1	-
222	grage	Groupes d'âges	discrete	numeric-1.0	790	0	-
223	nivins	Niveau d'instruction	discrete	numeric-1.0	790	0	-
224	age_15	Rapport sexuel avant 15 ans	discrete	numeric-1.0	790	0	-
225	age_18	Rapport sexuel avant 18 ans	discrete	numeric-1.0	790	0	-
226	Q207NBPART	Nombre de partenaires	discrete	numeric-1.0	771	19	-
227	UTIL_PO	Utilisation systématique du préservatif avec les partenaires occasionnelles	discrete	numeric-8.0	175	615	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	NUM_QEST	NUM_	continuous	numeric-4.0	776	0	-
2	QUEST_SITE	QUEST_SITE	continuous	numeric-3.0	776	0	-
3	REGION	REGION	discrete	numeric-1.0	776	0	-
4	PREFECT	PREFECTURE/DISTRICT	discrete	numeric-2.0	776	0	-
5	SITE	SITE	discrete	numeric-2.0	776	0	-
6	ENQUETEUR	ENQUETEUR	continuous	numeric-2.0	776	0	-
7	NOM_SITE	NOM_SITE	discrete	character-16	776	0	-
8	HEUREDEB	HEURE DEBUT INTERVIEW	continuous	numeric-2.0	776	0	-
9	MINUTEDEB	MINUTE DU DEBUT	continuous	numeric-2.0	776	0	-
10	RESULT1	RESULTAT1	discrete	numeric-1.0	776	0	-
11	RESULT2	RESULT2	discrete	numeric-1.0	620	156	-
12	COMPORT	COMPORTEMENT	discrete	numeric-1.0	776	0	-
13	BIOLOGIE	BIOLOGIE	discrete	numeric-1.0	776	0	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
14	CODE_BIO	CODE BIOLOGIQUE	continuous	numeric-11.0	776	0	-
15	Q10_SEXE1	Q101_SEXE	discrete	numeric-1.0	776	0	-
16	Q102_AGE	Q102 AGE	continuous	numeric-2.0	776	0	-
17	Q103_SIT..	Q103 SITUATION MATRIMONIALE	discrete	numeric-1.0	776	0	-
18	Q104_REL..	Q104_RELIGION	discrete	numeric-1.0	776	0	-
19	Q105_PRAT	Q105_PRATIKANT	discrete	numeric-1.0	776	0	-
20	Q106_FRE..	Q106 FREQUENTATION SCOLAIRE	discrete	numeric-1.0	776	0	-
21	Q107_NIV..	Q107_DERNIERE CLASSE	continuous	numeric-2.0	720	56	-
22	Q108_NB..	Q108 NOMBRE ENFANTS VIVANTS	discrete	numeric-2.0	776	0	-
23	Q109_SOU..	Q109 PRINCIPALE SOURCE DE REVENU	discrete	numeric-2.0	776	0	-
24	Q110_REV..	Q110 REVENU MENSUEL	continuous	numeric-6.0	776	0	-
25	Q111A_BI..	Q111A BICYCLETTE	discrete	numeric-1.0	776	0	-
26	Q111B_MO..	Q111B MOTOCYCLETTE	discrete	numeric-1.0	776	0	-
27	Q111C_VO..	Q111C VOITURE	discrete	numeric-1.0	776	0	-
28	Q111D_CA..	Q111D CAMION	discrete	numeric-1.0	776	0	-
29	Q111E_DV..	Q111E MAGNETO/DVD/VCD	discrete	numeric-1.0	776	0	-
30	Q111F_RA..	Q111F RADIO-CASSETTE	discrete	numeric-1.0	776	0	-
31	Q111G_LE..	Q111G LECTEUR CD	discrete	numeric-1.0	776	0	-
32	Q111H_RA..	Q111H RADIO	discrete	numeric-1.0	776	0	-
33	Q111I_TELE	Q111I TELEVISION	discrete	numeric-1.0	776	0	-
34	Q111J_RE..	Q111J REFRIGERATEUR	discrete	numeric-1.0	776	0	-
35	Q111K_FE..	Q111K FERME	discrete	numeric-1.0	776	0	-
36	Q111L_MA..	Q111L MAISON	discrete	numeric-1.0	776	0	-
37	Q111M_PO..	Q111M POELE	discrete	numeric-1.0	776	0	-
38	Q111N_MA..	Q111N MACHINE A LAVER	discrete	numeric-1.0	776	0	-
39	Q111O_VENU	Q111O VENTILATEUR	discrete	numeric-1.0	776	0	-
40	Q111P_TE..	Q111P TELEPHONE FIXE	discrete	numeric-1.0	776	0	-
41	Q111Q_CEL	Q111Q CELLULAIRE	discrete	numeric-1.0	776	0	-
42	Q112_INF..	Q112 INFORMATION SUR LE VIH/SIDA	discrete	numeric-1.0	776	0	-
43	Q113	Q113 CIRCONCISION	discrete	numeric-1.0	776	0	-
44	Q202_AGE	Q202 AGE AU PREMIER RAPPORT SEXUEL	continuous	numeric-2.0	776	0	-
45	Q203_UTI..	Q203 DEJA UTILISER PRESERVATIF	discrete	numeric-1.0	776	0	-
46	Q204_UTI..	Q204 UTILISATION DU PRESERVATIF LORS DU 1ER RS	discrete	numeric-1.0	702	74	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
47	Q205_AGE_..	Q205 AGE 1ER RS	continuous	numeric-2.0	776	0	-
48	Q206_RS_..	Q206 RAPPORTS SEXUELS LES 12 DERNIERS MOIS	discrete	numeric-1.0	776	0	-
49	Q207_NB_..	Q207 NOMBRE DE PARTENAIRES LES 12 DERNIERS MOIS	discrete	numeric-2.0	760	16	-
50	Q501_1P	Q501_1PART	discrete	numeric-1.0	760	16	-
51	Q502_1P	Q502_1PART	discrete	numeric-1.0	760	16	-
52	Q503_1P	Q503_1PART	discrete	numeric-1.0	760	16	-
53	Q504_1P	Q504_NB_ANNEES_1P	continuous	numeric-2.0	735	41	-
54	Q505A_1P	Q505A_UNITE_1PART	continuous	numeric-2.0	760	16	-
55	Q505B_1P	Q505B_1P	discrete	numeric-1.0	760	16	-
56	Q506A_1P	Q506A_UNITE_1PART	discrete	numeric-2.0	760	16	-
57	Q506B_1P	Q506B_1P	discrete	numeric-1.0	760	16	-
58	Q507A_1P	Q507A_UNITE_1PART	discrete	numeric-2.0	760	16	-
59	Q507B_1P	Q507B_1P	discrete	numeric-1.0	760	16	-
60	Q508_1P	Q508_PRES_1PART	discrete	numeric-2.0	760	16	-
61	Q509_1P	Q509_NON_UTI_1PART	discrete	numeric-1.0	533	243	-
62	Q510_1P	Q510_NB_NON_UTI_1PART	discrete	numeric-2.0	190	586	-
63	Q511_1P	Q511_DER_RS_1PART	discrete	numeric-1.0	533	243	-
64	Q512_1P	Q512_UTI_TJRS_1PART	discrete	numeric-1.0	533	243	-
65	Q513_1P	Q513_PRES_DECHIRE_1PA	discrete	numeric-1.0	533	243	-
66	Q514_1P	Q514_FRE_LUBRIFIANT_1P	discrete	numeric-1.0	760	16	-
67	Q515_1P	Q515_TJRS_RS_1PART	discrete	numeric-1.0	760	16	-
68	Q516	Q516_NB_PART_1PART	continuous	numeric-2.0	760	16	-
69	Q501_2P	Q501_2PART	discrete	numeric-1.0	582	194	-
70	Q502_2P	Q502_2PART	discrete	numeric-1.0	582	194	-
71	Q503_2P	Q503_2PART	discrete	numeric-1.0	582	194	-
72	Q504_2P	Q504_NB_ANNEES_2P	continuous	numeric-2.0	559	217	-
73	Q505A_2P	Q505A_UNITE_2PART	continuous	numeric-2.0	582	194	-
74	Q505B_2P	Q505B_2P	discrete	numeric-1.0	582	194	-
75	Q506A_2P	Q506A_UNITE_2PART	discrete	numeric-2.0	582	194	-
76	Q506B_2P	Q506B_2P	discrete	numeric-1.0	582	194	-
77	Q507A_2P	Q507A_UNITE_2PART	discrete	numeric-2.0	582	194	-
78	Q507B_2P	Q507B_2P	discrete	numeric-1.0	581	195	-
79	Q508_2P	Q508_PRES_2PART	discrete	numeric-2.0	582	194	-
80	Q509_2P	Q509_NON_UTI_2PART	discrete	numeric-1.0	426	350	-
81	Q510_2P	Q510_NB_NON_UTI_2PART	discrete	numeric-2.0	100	676	-
82	Q511_2P	Q511_DER_RS_2PART	discrete	numeric-1.0	426	350	-
83	Q512_2P	Q512_UTI_TJRS_2PART	discrete	numeric-1.0	426	350	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
84	Q513_2P	Q513_PRES_DECHIRE_2PA	discrete	numeric-1.0	426	350	-
85	Q514_2P	Q514_FRE_LUBRIFIANT_2P	discrete	numeric-1.0	582	194	-
86	Q515_2P	Q515_TJRS_RS_2PART	discrete	numeric-1.0	582	194	-
87	Q501_3P	Q501_3PART	discrete	numeric-1.0	313	463	-
88	Q502_3P	Q502_3PART	discrete	numeric-1.0	313	463	-
89	Q503_3P	Q503_3PART	discrete	numeric-1.0	313	463	-
90	Q504_3P	Q504_NB_ANNEES_3P	continuous	numeric-2.0	280	496	-
91	Q505A_3P	Q505A_UNITE_3PART	discrete	numeric-2.0	313	463	-
92	Q505B_3P	Q505B_3P	discrete	numeric-1.0	313	463	-
93	Q506A_3P	Q506A_UNITE_3PART	discrete	numeric-2.0	313	463	-
94	Q506B_3P	Q506B_3P	discrete	numeric-1.0	313	463	-
95	Q507A_3P	Q507A_UNITE_3PART	discrete	numeric-2.0	313	463	-
96	Q507B_3P	Q507B_3P	discrete	numeric-1.0	313	463	-
97	Q508_3P	Q508_PRES_3PART	discrete	numeric-2.0	313	463	-
98	Q509_3P	Q509_NON_UTI_3PART	discrete	numeric-1.0	234	542	-
99	Q510_3P	Q510_NB_NON_UTI_3PART	discrete	numeric-2.0	47	729	-
100	Q511_3P	Q511_DER_RS_3PART	discrete	numeric-1.0	234	542	-
101	Q512_3P	Q512_UTI_TJRS_3PART	discrete	numeric-1.0	234	542	-
102	Q513_3P	Q513_PRES_DECHIRE_3PA	discrete	numeric-1.0	234	542	-
103	Q514_3P	Q514_FRE_LUBRIFIANT_3P	discrete	numeric-1.0	313	463	-
104	Q515_3P	Q515_TJRS_RS_3PART	discrete	numeric-1.0	314	462	-
105	Q601	Q601_RS_APRES_ALCOOL	discrete	numeric-1.0	776	0	-
106	Q602	Q602_RS_APRES_DROGUE	discrete	numeric-1.0	776	0	-
107	Q603A	Q603A_PRES_RS_NON_CON	discrete	numeric-1.0	776	0	-
108	Q603B	Q603B_PRES_RS_NON_CON 12 DERNIER MOIS	discrete	numeric-1.0	511	265	-
109	Q604	Q604_PRES_RS_NON_CONJ	discrete	numeric-1.0	487	289	-
110	Q605	Q605_PRES_ENLEVE	discrete	numeric-1.0	776	0	-
111	Q606	Q606_NB_PRES_ENLEVE	discrete	numeric-2.0	150	626	-
112	Q607	Q607_PRES_DECHIRE	discrete	numeric-1.0	776	0	-
113	Q608	Q608_NB_PRES_DECHIRE	discrete	numeric-2.0	184	592	-
114	Q609	Q609_UTI_LUBRIFIANT	discrete	numeric-1.0	704	72	-
115	Q610	Q610_CONDOM_FEMININ	discrete	numeric-1.0	776	0	-
116	Q611	Q611_UTI_CONDOM_FEMI	discrete	numeric-1.0	625	151	-
117	Q612	Q612_ACHETE_PRESERVA	discrete	numeric-1.0	776	0	-
118	Q613	Q613_LIEU_ACHAT	discrete	numeric-1.0	604	172	-
119	Q614	Q614_RUPTURE_STOCK	discrete	numeric-1.0	604	172	-
120	Q615	Q615_PRIX_PRESERVATIF	continuous	numeric-4.0	726	50	-
121	Q300	Q300_ENTENDU_IST	discrete	numeric-1.0	776	0	-
122	Q301AA	Q301AA_DEMENGEAISON	discrete	numeric-1.0	710	66	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
123	Q301AB	Q301AB_DOULEURS EN URINANT	discrete	numeric-1.0	710	66	-
124	Q301AC	Q301AC_ECOULEMENT URETRAL	discrete	numeric-1.0	710	66	-
125	Q301AD	Q301AD_BOUTONS SUR LA VERGE	discrete	numeric-1.0	710	66	-
126	Q301AE	Q301AE_BRULURES/ PICOTEMENT	discrete	numeric-1.0	710	66	-
127	Q301AF	Q301AF_AUTRES	discrete	numeric-1.0	710	66	-
128	Q301BA	Q301BA_DEMENGEAISON	discrete	numeric-1.0	710	66	-
129	Q301BB	Q301BB_DOULEURS EN URINANT	discrete	numeric-1.0	710	66	-
130	Q301BC	Q301BC_DOULEURS ABDOMINALES	discrete	numeric-1.0	710	66	-
131	Q301BD	Q301BD_DOULEURS PENDANT LE COIT	discrete	numeric-1.0	710	66	-
132	Q301BE	Q301BE_ECOULEMENT VAGINAL	discrete	numeric-1.0	710	66	-
133	Q301BF	Q301BF_BOUTONS SUR LE SEXE	discrete	numeric-1.0	710	66	-
134	Q301BG	Q301BG_BRULURES/ PICOTEMENTS	discrete	numeric-1.0	710	66	-
135	Q301BH	Q301BH_AUTRES	discrete	numeric-1.0	710	66	-
136	Q302	Q302_IST_12DERNIERS_MC	discrete	numeric-1.0	710	66	-
137	Q303	Q303_NB_IST	discrete	numeric-2.0	81	695	-
138	Q304	Q304_TRAITER IST	discrete	numeric-1.0	81	695	-
139	Q305	Q305_NB_TRAITER IST	discrete	numeric-2.0	73	703	-
140	Q306	Q306_LIEU_TRAITEMENT	discrete	numeric-1.0	73	703	-
141	Q307A	Q307A Le risque de transmission du VIH peut-il être réduit avec un seul partenaire fidèle et non infecté	discrete	numeric-1.0	776	0	-
142	Q307B	Q307B Le risque de transmission du VIH peut-il être réduit par l'utilisation de préservatifs à chaque RS ?	discrete	numeric-1.0	776	0	-
143	Q307C	Q307C Une personne paraissant en bonne santé peut-elle être séropositive ?	discrete	numeric-1.0	776	0	-
144	Q307D	Q307D Une piqûre de moustique peut-elle transmettre le VIH ?	discrete	numeric-1.0	776	0	-
145	Q307E	Q307E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?	discrete	numeric-1.0	776	0	-
146	Q308	Q308 Le VIH peut-il être transmis lors des rapports sexuels ?	discrete	numeric-1.0	776	0	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
147	Q309	Q309 Le virus du SIDA peut être transmis de la mère à l'enfant ?	discrete	numeric-1.0	776	0	-
148	Q310	Q310 Le virus du SIDA peut-il être transmis par le sang ?	discrete	numeric-1.0	776	0	-
149	Q311	Q311 Pensez-vous que vous courez un risque d'attraper le SIDA ?	discrete	numeric-1.0	776	0	-
150	Q312	Q312 Seriez-vous prêt(e) à partager un repas avec PVVIH ou malade du SIDA ?	discrete	numeric-1.0	776	0	-
151	Q313	Q313 Si un homme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?	discrete	numeric-1.0	776	0	-
152	Q314	Q314 Si un(e) élève/ étudiant(e) a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer ?	discrete	numeric-1.0	776	0	-
153	Q315	Q315 Si un professeur a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer à enseigner ?	discrete	numeric-1.0	776	0	-
154	Q316	Q316 Si une femme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?	discrete	numeric-1.0	776	0	-
155	Q350	Q350_TEST VIH	discrete	numeric-1.0	776	0	-
156	Q351	Q351_TEST VIH_12PROCHAIN	discrete	numeric-1.0	337	439	-
157	Q352	Q352_NB_TEST VIH	discrete	numeric-2.0	439	337	-
158	Q353	Q353_TEST VIH_12DERNIERS	discrete	numeric-2.0	439	337	-
159	Q354J	Q354J_JOUR_TEST VIH	continuous	numeric-2.0	439	337	-
160	Q354M	Q354M_MOIS_TEST VIH	discrete	numeric-2.0	439	337	-
161	Q354A	Q354A_ANNEES_TEST VIH	continuous	numeric-4.0	439	337	-
162	Q355A	Q355A_AVANT LE TEST	discrete	numeric-1.0	439	337	-
163	Q355B	Q355B_APRES LE TEST	discrete	numeric-1.0	439	337	-
164	Q356	Q356_RECUS_RESULTAT_T VIH	discrete	numeric-1.0	439	337	-
165	Q357	Q357_PARTAGE_RESULTAT VIH	discrete	numeric-1.0	439	337	-
166	Q358A	Q358A_PARENT	discrete	numeric-1.0	234	542	-
167	Q358B	Q358B_PARTENAIRE	discrete	numeric-1.0	234	542	-
168	Q358C	Q358C_AMI	discrete	numeric-1.0	234	542	-
169	Q358D	Q358D_MEDECIN	discrete	numeric-1.0	234	542	-
170	Q358E	Q358E_ASSISTANT SOCIAL	discrete	numeric-1.0	234	542	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
171	Q358F	Q358F_AUTRES	discrete	numeric-1.0	234	542	-
172	Q358G	Q358G_PAS DE REPONSE	discrete	numeric-1.0	234	542	-
173	Q359	Q359_CONSEILS	discrete	numeric-1.0	439	337	-
174	Q360A	Q360A_PF	discrete	numeric-1.0	384	392	-
175	Q360B	Q360B_DP	discrete	numeric-1.0	384	392	-
176	Q360C	Q360C_VIH/SIDA	discrete	numeric-1.0	384	392	-
177	Q360D	Q360D_AUTRE IST	discrete	numeric-1.0	384	392	-
178	Q360E	Q360E_CIRCONCISION MASCULINE	discrete	numeric-1.0	384	392	-
179	Q360F	Q360F_PTME	discrete	numeric-1.0	384	392	-
180	Q360G	Q360G_TUBERCULOSE	discrete	numeric-1.0	384	392	-
181	Q360H	Q360H_UTILISATION DU PRESERVATIF	discrete	numeric-1.0	384	392	-
182	Q360I	Q360I_PARTENARIATS CONCOMITANTS	discrete	numeric-1.0	384	392	-
183	Q360J	Q360J_VIE DE SEROPOSITIF	discrete	numeric-1.0	384	392	-
184	Q360K	Q360K_TRAITEMENT ARV	discrete	numeric-1.0	384	392	-
185	Q360L	Q360L_TRAITEMENT DES MALADIESPF	discrete	numeric-1.0	384	392	-
186	Q360M	Q360M_SUPPORT PSYCHO-SOCIAL	discrete	numeric-1.0	384	392	-
187	Q360N	Q360N_AUTRE	discrete	numeric-1.0	384	392	-
188	Q360O	Q360O_NE SAIT PAS	discrete	numeric-1.0	384	392	-
189	Q360P	Q360P_PAS DE REPONSE	discrete	numeric-1.0	384	392	-
190	Q361	Q361_CANAL DE DEPISTAGE	discrete	numeric-2.0	439	337	-
191	Q362	Q362_REFERE A AUTRE SERVICES	discrete	numeric-1.0	439	337	-
192	Q363	Q363_CONSEILLE SEUL OU EN COUPLEREFERE A AUTRE SERVICES	discrete	numeric-1.0	439	337	-
193	Q364	Q364_APPRECIATION DES CONSEILS	discrete	numeric-1.0	439	337	-
194	Q365	Q365_APPRECIATION DES DES SERVICES RECUS	discrete	numeric-1.0	439	337	-
195	Q366	Q366_RETOUR DANS CE CENTRE	discrete	numeric-1.0	439	337	-
196	Q367	Q367_RECOMMANDER CE CENTRE	discrete	numeric-1.0	439	337	-
197	Q368	Q368_TEST DES PARTENAIRES	discrete	numeric-1.0	439	337	-
198	Q369	Q369_TEST EN COUPLE	discrete	numeric-1.0	439	337	-
199	Q401	Q401_ENTENDU PARLER DU SIDA	discrete	numeric-1.0	776	0	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
200	Q402A	Q402A_RADIO	discrete	numeric-1.0	720	56	-
201	Q402B	Q402B_TELEVISION	discrete	numeric-1.0	720	56	-
202	Q402C	Q402C_PANNEAUX	discrete	numeric-1.0	720	56	-
203	Q402D	Q402D_JOURNAUX	discrete	numeric-1.0	720	56	-
204	Q402E	Q402E_BROCHURE	discrete	numeric-1.0	720	56	-
205	Q402F	Q402F_AUTRE	discrete	numeric-1.0	720	56	-
206	Q403A	Q403A_ASSISTE A UNE ANIMATION	discrete	numeric-1.0	776	0	-
207	Q403B	Q403B_NB_12DERNIERS_M	discrete	numeric-2.0	508	268	-
208	Q404A	Q404A_ASSISTE A UNE CAUSERIE	discrete	numeric-1.0	776	0	-
209	Q404B	Q404B_NB_12DERNIERS MOIS	discrete	numeric-2.0	522	254	-
210	Q405A	Q405A_MODE DE TRANSMISSION DU SIDA	discrete	numeric-1.0	522	254	-
211	Q405B	Q405B_MOYEN DE PREVENTION	discrete	numeric-1.0	522	254	-
212	Q405C	Q405C_SIDA_PAS GUERISSABLE	discrete	numeric-1.0	522	254	-
213	Q405D	Q405D_BONNE SANTE ET INFECTE	discrete	numeric-1.0	522	254	-
214	Q405E	Q405E_CONDOM SEUL MOYEN	discrete	numeric-1.0	522	254	-
215	Q405F	Q405F_AUTRE	discrete	numeric-1.0	522	254	-
216	Q407	Q407_PUBLICITE SUR DEPISTAGE VOLONTAIRE	discrete	numeric-1.0	776	0	-
217	Q408	Q408_EFFECTIVEMENT VU OU ENTENDU	discrete	numeric-2.0	650	126	-
218	HEUREFIN	HEURE DE FIN	discrete	numeric-2.0	776	0	-
219	MINUTE_D..	MINUTE DE FIN	continuous	numeric-2.0	776	0	-
220	ACCUEIL	ACCUEIL	discrete	numeric-1.0	776	0	-
221	IMPRESSION	IMPRESSION	discrete	numeric-1.0	775	1	-
222	grage	Groupes d'âges	discrete	numeric-1.0	776	0	-
223	nivins	Niveau d'instruction	discrete	numeric-1.0	776	0	-
224	age_15	Rapport sexuel avant 15 ans	discrete	numeric-1.0	776	0	-
225	age_18	Rapport sexuel avant 18 ans	discrete	numeric-1.0	776	0	-
226	Q207NBPART	Nombre de partenaires	discrete	numeric-1.0	757	19	-
227	UTIL_PO	Utilisation systématique du préservatif avec les partenaires occasionnelles	discrete	numeric-8.0	173	603	-
228	Q307A1	-	discrete	numeric-8.0	776	0	-
229	Q307A2	-	discrete	numeric-8.0	776	0	-
230	Q307A3	-	discrete	numeric-8.0	776	0	-

File CL_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
231	Q307A4	-	discrete	numeric-8.0	776	0	-
232	Q307A5	-	discrete	numeric-8.0	776	0	-
233	SCORE	Score	discrete	numeric-8.0	776	0	-
234	IDENT	-	continuous	numeric-8.0	776	0	-
235	Conclusion	Séroprévalence	discrete	character-1	776	0	-
236	Q516MULTI	Multipartenaria	discrete	numeric-8.0	760	16	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	NUM_QEST	NUM_	continuous	numeric-4.0	1197	0	-
2	QUEST_SITE	QUEST_SITE	continuous	numeric-3.0	1197	0	-
3	REGION	REGION	discrete	numeric-1.0	1197	0	-
4	PREFECT	PREFECTURE/DISTRICT	discrete	numeric-2.0	1197	0	-
5	SITE	SITE	continuous	numeric-2.0	1197	0	-
6	ENQUETEUR	ENQUETEUR	continuous	numeric-2.0	1197	0	-
7	NOM_SITE	NOM_SITE	discrete	character-16	1197	0	-
8	HEUREDEB	HEURE DEBUT INTERVIEW	continuous	numeric-2.0	1197	0	-
9	MINUTEDEB	MINUTE DU DEBUT	continuous	numeric-2.0	1197	0	-
10	RESULT1	RESULTAT1	discrete	numeric-1.0	1197	0	-
11	RESULT2	RESULT2	discrete	numeric-1.0	876	321	-
12	COMPORT	COMPORTEMENT	discrete	numeric-1.0	1197	0	-
13	BIOLOGIE	BIOLOGIE	discrete	numeric-1.0	1197	0	-
14	CODE_BIO	CODE BIOLOGIQUE	continuous	numeric-11.0	1197	0	-
15	Q101	Q101_TYPE PS	discrete	numeric-1.0	1197	0	-
16	Q102_AGE	Q102 AGE	continuous	numeric-2.0	1197	0	-
17	Q103_A_E..	Q103 A ECOLE	discrete	numeric-1.0	1197	0	-
18	Q104_NIV..	Q104 NIVEAU ETUDE	discrete	numeric-1.0	948	249	-
19	Q105A1_T..	Q105A1 TEMPS DS MILIEU	discrete	numeric-1.0	1197	0	-
20	Q105A2_D..	Q105A2 DUREE DS MILIEU	discrete	numeric-2.0	1197	0	-
21	Q105B1_T..	Q105B1 TEMPS DS PS	discrete	numeric-1.0	1197	0	-
22	Q105B2_D..	Q105B2 DUREE DS PS	continuous	numeric-2.0	1197	0	-
23	Q106_HAB..	Q106 HABITEZ ET TRAVAILLEZ	discrete	numeric-1.0	1197	0	-
24	Q107_PRI..	Q107 PRINCIPALE RELIGION	discrete	numeric-1.0	1197	0	-
25	Q108_NAT	Q108 NATIONALITE	discrete	numeric-1.0	1197	0	-
26	Q108AUTRE	Q108AUTRE	discrete	character-20	8	0	-
27	Q201_ENF	Q201 DES ENFANTS	discrete	numeric-1.0	1197	0	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	Q202_NB_..	Q202 NOMBRE ENFANTS	discrete	numeric-2.0	773	424	-
29	Q203_PER_..	Nombre de personnes à charge	discrete	numeric-2.0	1197	0	-
30	Q204_AGE_..	Q204 AGE 1ER RS	continuous	numeric-2.0	1197	0	-
31	Q205_MAR	Q205 DEJA MARIEE	discrete	numeric-1.0	1197	0	-
32	Q206_AGE_..	Q206 AGE 1ER MARIAGE	continuous	numeric-2.0	643	554	-
33	Q207_ACT_..	Q207 ACTUELLEMENT MARIEE	discrete	numeric-1.0	1197	0	-
34	Q208_AUT_..	Q208 AUTRES FEMMES	discrete	numeric-1.0	346	851	-
35	Q209_1_TMP	Q209_1 TEMPS	discrete	numeric-1.0	346	851	-
36	Q209_2_DUR	Q209_2 DUREE	continuous	numeric-2.0	346	851	-
37	Q210_CLI_..	Q210 CLIENT AVANT MARI	discrete	numeric-1.0	346	851	-
38	Q211_MAR_..	Q211 MARI AU COURANT ACTIVITE	discrete	numeric-1.0	346	851	-
39	Q212_NB_UN	Q212 NOMBRE UNIONS	discrete	numeric-1.0	1197	0	-
40	Q213A_AG_..	Q213A AGE RAPPORT AVEC ARGENT	continuous	numeric-2.0	1197	0	-
41	Q213B1_U_..	Q213B1 UNITE	discrete	numeric-1.0	0	1197	-
42	Q213B_DU_..	Q213B DUREE PS	discrete	numeric-2.0	0	1197	-
43	Q214_AUT_..	Q214 AUTRES ACTIVITES	discrete	numeric-1.0	1197	0	-
44	Q215A	Q215A PETIT COMMERCE AU MARCHÉ	discrete	numeric-1.0	741	456	-
45	Q215B	Q215B PETIT COMMERCE AMBULANT	discrete	numeric-1.0	741	456	-
46	Q215C	Q215C TRAVAIL AU BAR	discrete	numeric-1.0	741	456	-
47	Q215D	Q215D TRAVAIL A HOTEL	discrete	numeric-1.0	741	456	-
48	Q215E	Q215E COIFFURES	discrete	numeric-1.0	741	456	-
49	Q215F	Q215F VEND BOISSON A LA MAISON	discrete	numeric-1.0	741	456	-
50	Q215G	Q215G DOMESTIQUE	discrete	numeric-1.0	741	456	-
51	Q215H	Q215H PORTEFAIX	discrete	numeric-1.0	741	456	-
52	Q215I	Q215I AUTRE	discrete	numeric-1.0	741	456	-
53	Q215J	Q215J NE SAIT PAS	discrete	numeric-1.0	741	456	-
54	Q215K	Q215K NON REPONSE	discrete	numeric-1.0	741	456	-
55	Q216_EXC_..	Q216_EXCISEE	discrete	numeric-1.0	1197	0	-
56	Q217_AGE_..	Q217_AGE_EXCISEE	discrete	numeric-2.0	40	1157	-
57	Q218_BAT_..	Q218_BATTUE	discrete	numeric-1.0	1197	0	-
58	Q219_POU_..	Q219_POURQUOI_BATTUE	discrete	numeric-1.0	208	989	-
59	Q220_NB_..	Q220_NBRE_BATTUE	discrete	numeric-1.0	208	989	-
60	Q221	Q221 TENTER UNE ACTION	discrete	numeric-1.0	128	1069	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
61	Q222A	Q222A LIEU DE PLAINTE 1	discrete	numeric-2.0	23	1174	-
62	Q222B	Q222B LIEU DE PLAINTE 2	discrete	numeric-2.0	2	1195	-
63	Q222C	Q222C LIEU DE PLAINTE 3	discrete	numeric-2.0	0	1197	-
64	Q223	Q223 SUITE FINALE DONNEE	discrete	numeric-1.0	23	1174	-
65	Q224	Q224 UNE COLLEAGUE BATTUE PAR UN CLIENT	discrete	numeric-1.0	1197	0	-
66	Q301_RS_..	Q301_RS_CONDOM	discrete	numeric-1.0	1197	0	-
67	Q302_AGE_..	Q302_AGE_UTILISATION_C	continuous	numeric-2.0	1161	36	-
68	Q303_UT_..	Q303_UT_LUBRIFIANT	discrete	numeric-1.0	1197	0	-
69	Q304_PRO_..	Q304_PRODUT	discrete	numeric-1.0	747	450	-
70	Q305_LIE_..	Q305_LIEU_APPROVISIONN	discrete	numeric-1.0	747	450	-
71	Q306_PRE	Q306_PRECAUTION	discrete	numeric-1.0	1197	0	-
72	Q307_NB_..	Q307_NBRE_CLIENTS_SEM	continuous	numeric-2.0	1197	0	-
73	Q308_NB_..	Q308_NBRE_SEMAINE_AN	continuous	numeric-3.0	1197	0	-
74	Q309A_PR_..	Q309A_PRIX_CONDOM	discrete	numeric-3.0	1197	0	-
75	Q309B_LI_..	Q309B_LIEU_RENDEZ-VOUS	discrete	numeric-1.0	1197	0	-
76	Q309C_UT_..	Q309C_UTILISATION A CH_RS	discrete	numeric-1.0	1197	0	-
77	Q309D_TY_..	Q309D_TYPE DRE CLIENTS	discrete	numeric-1.0	1197	0	-
78	Q309E_PR_..	Q309E_PROFIL_CLIENTS	discrete	numeric-1.0	1197	0	-
79	Q309EAUTRE	Q309EAUTRE	discrete	character-12	107	0	-
80	Q310_SOM_..	Q310_SOMME DERNIER CLIENT	continuous	numeric-6.0	1197	0	-
81	Q311_UT_..	Q311_UTILISATION CONDOM DER RS	discrete	numeric-1.0	1197	0	-
82	Q312_PRO_..	Q312_PROPOSITION	discrete	numeric-1.0	1122	75	-
83	Q313_RAI_..	Q313_RAISON NON UTILISATION	discrete	numeric-1.0	75	1122	-
84	Q314_PRO_..	Q314_PROPOSITION UTILISATION	discrete	numeric-1.0	20	1177	-
85	Q315_N E_..	Q315_NON EXISTENCE CONDOM	discrete	numeric-1.0	2	1195	-
86	Q316_REF_..	Q316_REFUS CLIENT	discrete	numeric-1.0	950	247	-
87	Q317_ARG_..	Q317_ARGUMENT DU REFUS	discrete	numeric-1.0	38	1159	-
88	Q319_NB_..	Q319_NBRE CLIENTS DERNIER JOUR	discrete	numeric-2.0	1197	0	-
89	Q320_CL_..	Q320_NBRE CLIENTS UYILISENT CONDOM	discrete	numeric-2.0	1096	101	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
90	Q321_CL_..	Q321_NBRE CLIENTS NON UTILISE CONDOM	discrete	numeric-2.0	1096	101	-
91	Q322_NB_..	Q322_NBRE CLIENTS DERNIERE SEMAINE	continuous	numeric-2.0	1197	0	-
92	Q323_N_CL	Q323_NBRE NOUVEAUX CLIENTS	continuous	numeric-2.0	1197	0	-
93	Q324_A_CL	Q324_NBRE ANCIENTS CLIENTS	discrete	numeric-2.0	1197	0	-
94	Q325_FRE_..	Q325_FREQUENCE UTILISATION	discrete	numeric-1.0	1197	0	-
95	Q327_NB_..	Q327_NBRE NON_CLIENTS LES 3 DERNIERS MOIS	discrete	numeric-2.0	1197	0	-
96	Q328_CL_A	Q328_NBRE CLIENTS AMIS	discrete	numeric-2.0	574	623	-
97	Q329_A_CL	Q329_NBRE AMIS CLIENTS	discrete	numeric-2.0	1197	0	-
98	Q330_A_N_..	Q330_NBRE AMIS NOUVEAUX CLIENTS	discrete	numeric-2.0	1197	0	-
99	Q331_FR_UT	Q331_FREQUENCE UTILISATION CONDOM AVEC AMIS	discrete	numeric-1.0	1197	0	-
100	Q332_UT_..	Q332_UTILISATION CONDOM AVEC CONJOINT	discrete	numeric-1.0	1197	0	-
101	Q333_PROP	Q333 QUI A PROPOSE	discrete	numeric-1.0	360	837	-
102	Q334_N_UT	Q334_NON UTILISATION CONDOM	discrete	numeric-1.0	837	360	-
103	Q335_R_N_..	Q335_RAISON NON UTILISATION	discrete	numeric-1.0	119	1078	-
104	Q336	Q336_POURQUOI PAS DE CONDOM	discrete	numeric-1.0	7	1190	-
105	Q337_ARG_..	Q337_ARGUMENT DU REFUS	discrete	numeric-1.0	837	360	-
106	Q342_GAYS	Q342_EXISTENCE DES GAYS	discrete	numeric-1.0	1197	0	-
107	Q343_H_F	Q343_HOMME OU FEMME	discrete	numeric-1.0	679	518	-
108	Q344_AGE_..	Q344_GROUPES AGES DES GAYS	discrete	numeric-1.0	679	518	-
109	Q345_NIV	Q345_NIVEAU INSTRUCTION	discrete	numeric-1.0	679	518	-
110	Q346_S_MAT	Q346_STATUT MATRIMONIAL	discrete	numeric-1.0	679	518	-
111	Q347	Q347_RELATIONS SEXUELLES AVEC MEME SEXE	discrete	numeric-1.0	679	518	-
112	Q348A	Q348A FINGUERS	discrete	numeric-1.0	43	1154	-
113	Q348B	Q348B FELLATION	discrete	numeric-1.0	43	1154	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
114	Q348C	Q348C PENETRATION ACTIVE	discrete	numeric-1.0	43	1154	-
115	Q348D	Q348D PENETRATION PASSIVE	discrete	numeric-1.0	43	1154	-
116	Q348E	Q348E ANNULINGUS	discrete	numeric-1.0	43	1154	-
117	Q348F	Q348F AUTRE	discrete	numeric-1.0	43	1154	-
118	Q349	Q349 PROTECTION DE CETTE RELATION	discrete	numeric-1.0	43	1154	-
119	Q350	Q350 CONNAISSANCE DES TRANSGENRES	discrete	numeric-1.0	1197	0	-
120	Q351	Q351 CONNAISSANCE DES PS MASCULINS	discrete	numeric-1.0	1197	0	-
121	Q401_EC_..	Q401_ECOULEMENT VAGINAL	discrete	numeric-1.0	1197	0	-
122	Q402A	Q402A DEJA EU DES CONDYLOMES	discrete	numeric-1.0	1197	0	-
123	Q402B	Q402B BOUTONS SUR LE SEXE	discrete	numeric-1.0	1197	0	-
124	Q402C	Q402C ULCERATION GENITALE	discrete	numeric-1.0	1197	0	-
125	Q403_LIE_..	Q403_LIEU DE RECOURS IST	discrete	numeric-1.0	313	884	-
126	Q404_PREF	Q404_PREFERENCE	discrete	numeric-1.0	313	884	-
127	Q405_AP	Q405_APPRECIATION	discrete	numeric-1.0	313	884	-
128	Q406_UT_C	Q406_UTILISATION CONDOM	discrete	numeric-1.0	1197	0	-
129	Q407A	Q407A_EVITER IST	discrete	numeric-1.0	1146	51	-
130	Q407B	Q407B_EVITER VIH/SIDA	discrete	numeric-1.0	1146	51	-
131	Q407C	Q407C_EVITER GROSSESSE	discrete	numeric-1.0	1146	51	-
132	Q407D	Q407D_DEMANDE PARTENAIRÉE	discrete	numeric-1.0	1146	51	-
133	Q407E	Q407E_AUTRE	discrete	numeric-1.0	1146	51	-
134	Q407F	Q407F_NE SAIT PAS	discrete	numeric-1.0	1146	51	-
135	Q407G	Q407G_NON REPONSE	discrete	numeric-1.0	1146	51	-
136	Q408_UT_..	Q408_UTILISATION CONDOM ET LUBRIFIANT	discrete	numeric-1.0	1197	0	-
137	Q409A	Q409A_VASELINE	discrete	numeric-1.0	674	523	-
138	Q409B	Q409B_GLYCERINE	discrete	numeric-1.0	674	523	-
139	Q409C	Q409C_GEL LUBRIFIANT	discrete	numeric-1.0	674	523	-
140	Q409D	Q409D_MIEL	discrete	numeric-1.0	674	523	-
141	Q409E	Q409E_AUTRE 1	discrete	numeric-1.0	674	523	-
142	Q409F	Q409F_AUTRE 2	discrete	numeric-1.0	674	523	-
143	Q409G	Q409G_NE SAIT PAS	discrete	numeric-1.0	674	523	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
144	Q409H	Q409H_NON REPONSE	discrete	numeric-1.0	674	523	-
145	Q410	Q410_NBRE DE CONDOMS	continuous	numeric-4.0	1197	0	-
146	Q411_UT1	Q411_UTILISATION DE PLUS D'UN CONDOM	discrete	numeric-1.0	1197	0	-
147	Q412A	Q412A_DOUTE DE LA SANTE DU PARTENAIRE	discrete	numeric-1.0	310	887	-
148	Q412B	Q412B_AVEC LES CLIENTS	discrete	numeric-1.0	310	887	-
149	Q412C	Q412C_NE CONNAIT PAS LE PARTENAIRE	discrete	numeric-1.0	310	887	-
150	Q412D	Q412D_DOUTE DE LA RESISTANCE DU CONDOM	discrete	numeric-1.0	310	887	-
151	Q412E	Q412E_AUTRE	discrete	numeric-1.0	310	887	-
152	Q412F	Q412F_NE SAIT PAS	discrete	numeric-1.0	310	887	-
153	Q412G	Q412G_NON REPONSE	discrete	numeric-1.0	310	887	-
154	Q413	Q413_ENLEVEMENT CONDOM	discrete	numeric-1.0	1197	0	-
155	Q414	Q414_FREQUENCE ENLEVEMENT	discrete	numeric-1.0	514	683	-
156	Q415A	Q415A_MAUVAISE QUALITE	discrete	numeric-1.0	514	683	-
157	Q415B	Q415B_CONDOM NON RESISTANT	discrete	numeric-1.0	514	683	-
158	Q415C	Q415C_MAUVAISE CONSERVATION	discrete	numeric-1.0	514	683	-
159	Q415D	Q415D_MANIERE INCORRECTE	discrete	numeric-1.0	514	683	-
160	Q415E	Q415E_AUTRE	discrete	numeric-1.0	514	683	-
161	Q415F	Q415F_NE SAIT PAS	discrete	numeric-1.0	514	683	-
162	Q415G	Q415G_NON REPONSE	discrete	numeric-1.0	514	683	-
163	Q416	Q416_LIEU APPROVISIONNEMENT	discrete	numeric-1.0	1197	0	-
164	Q417A	Q417A_ALIMENTATION/ SUPERMARCHÉ	discrete	numeric-1.0	1118	79	-
165	Q417B	Q417B_BOUTIQUE	discrete	numeric-1.0	1118	79	-
166	Q417C	Q417C_KIOSTE	discrete	numeric-1.0	1118	79	-
167	Q417D	Q417D_STATION ESSENCE	discrete	numeric-1.0	1118	79	-
168	Q417E	Q417E_PHARMACIE	discrete	numeric-1.0	1118	79	-
169	Q417F	Q417F_DEPOT PHARMACEUTIQUE	discrete	numeric-1.0	1118	79	-
170	Q417G	Q417G_MARCHE	discrete	numeric-1.0	1118	79	-
171	Q417H	Q417H_VENDEUR AMBULANT	discrete	numeric-1.0	1118	79	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
172	Q417I	Q417I_VENDEUR DE MEDICAMENTS	discrete	numeric-1.0	1118	79	-
173	Q417J	Q417J_FORMATION SANITAIRE	discrete	numeric-1.0	1118	79	-
174	Q417K	Q417K_HOTEL/MOTEL/AUBERGE	discrete	numeric-1.0	1118	79	-
175	Q417L	Q417L_RESTAURANT/CAFETARIAT/BOITE DE NUIT	discrete	numeric-1.0	1118	79	-
176	Q417M	Q417M_ATELIER/LIEU DE TRAVAIL	discrete	numeric-1.0	1118	79	-
177	Q417N	Q417N_ECOLE/COLLEGE/UNIVERSITE	discrete	numeric-1.0	1118	79	-
178	Q417O	Q417O_AGENT DE VENTE DE PRUDENCE	discrete	numeric-1.0	1118	79	-
179	Q417P	Q417P_ANOMATEUR DE SANTE	discrete	numeric-1.0	1118	79	-
180	Q417Q	Q417Q_PAIR EDUCATEUR	discrete	numeric-1.0	1118	79	-
181	Q417R	Q417R_AMI	discrete	numeric-1.0	1118	79	-
182	Q417S	Q417S_AUTRE	discrete	numeric-1.0	1118	79	-
183	Q417T	Q417T_NE SAIT PAS	discrete	numeric-1.0	1118	79	-
184	Q417U	Q417U_NON REPONSE	discrete	numeric-1.0	1118	79	-
185	Q418	Q418_TEMPS	discrete	numeric-1.0	1118	79	-
186	Q419	Q419_CONDOM FEMINI	discrete	numeric-1.0	1197	0	-
187	Q420	Q420_UTILISATION DU FEMIDON	discrete	numeric-1.0	1086	111	-
188	Q421	Q421_LIEU DE VENTE FEMIDON	discrete	numeric-1.0	1086	111	-
189	Q422A	Q422A_ALIMENTATION/SUPERMARCHE	discrete	numeric-1.0	773	424	-
190	Q422B	Q422B_BOUTIQUE	discrete	numeric-1.0	773	424	-
191	Q422C	Q422C_PHARMACIE	discrete	numeric-1.0	773	424	-
192	Q422D	Q422D_DEPOT PHARMACEUTIQUE	discrete	numeric-1.0	773	424	-
193	Q422E	Q422E_MARCHE	discrete	numeric-1.0	773	424	-
194	Q422F	Q422F_FORMATION SANITAIRE	discrete	numeric-1.0	773	424	-
195	Q422G	Q422G_HOTEL/MOTEL/BOITE DE NUIT	discrete	numeric-1.0	773	424	-
196	Q422H	Q422H_ATELIER/LIEU DE TRAVAIL	discrete	numeric-1.0	773	424	-
197	Q422I	Q422I_ECOLE/COLLEGE/UNIVERSITE	discrete	numeric-1.0	773	424	-
198	Q422J	Q422J_ANIMATEUR DE SANTE	discrete	numeric-1.0	773	424	-
199	Q422K	Q422K_AMIS	discrete	numeric-1.0	773	424	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
200	Q422L	Q422L_AUTRE	discrete	numeric-1.0	773	424	-
201	Q422M	Q422M_NE SAIT PAS	discrete	numeric-1.0	773	424	-
202	Q422N	Q422N_NON REPONSE	discrete	numeric-1.0	773	424	-
203	Q501	Q501_ENTENDU PARLER DE SIDA	discrete	numeric-1.0	1197	0	-
204	Q502	Q502_CROYANCE DU SIDA	discrete	numeric-1.0	1197	0	-
205	Q503A	Q503A_RS NON PROTEGES AVEC PARTENAIRE INFIDELE	discrete	numeric-1.0	1197	0	-
206	Q503B	Q503B_PAR SERINGUE LAME	discrete	numeric-1.0	1197	0	-
207	Q503C	Q503C_MERE/ENFANT	discrete	numeric-1.0	1197	0	-
208	Q503D	Q503D_SANG CONTAMINE	discrete	numeric-1.0	1197	0	-
209	Q503E	Q503E_AUTRE	discrete	numeric-1.0	1197	0	-
210	Q503F	Q503F_NE SAIT PAS	discrete	numeric-1.0	1197	0	-
211	Q504A	Q504A_CONNAISSANCE DE PERSONNE INFECTEE	discrete	numeric-1.0	1197	0	-
212	Q504B	Q504B_CONNAISSANCE DE PERSONNE MORTE DE SIDA	discrete	numeric-1.0	1197	0	-
213	Q505A	Q505A_OUI PROCHE PARENT	discrete	numeric-1.0	1197	0	-
214	Q505B	Q505B_OUI PROCHE AMI	discrete	numeric-1.0	1197	0	-
215	Q505C	Q505C_NON	discrete	numeric-1.0	1197	0	-
216	Q505D	Q505D_NON REPONSE	discrete	numeric-1.0	1197	0	-
217	Q506A	Q506A_UTILISATION CORRECTE D'UN CONDOM	discrete	numeric-1.0	1197	0	-
218	Q506B	Q506B_UTILISATION D'UN CONDOM	discrete	numeric-1.0	1197	0	-
219	Q506C	Q506C_AVOIR PEU DE PARTENAIRES	discrete	numeric-1.0	1197	0	-
220	Q506D	Q506D_FIDELE A UN PARTENAIRE FIDELE	discrete	numeric-1.0	1197	0	-
221	Q506E	Q506E_PARTENAIRE SEXUEL FIDELE NON INFECTE	discrete	numeric-1.0	1197	0	-
222	Q506F	Q506F_S'ABSTENIR DES RS	discrete	numeric-1.0	1197	0	-
223	Q506G	Q506G_EVITER SERINGUE LAME	discrete	numeric-1.0	1197	0	-
224	Q506H	Q506H_AMI	discrete	numeric-1.0	1197	0	-
225	Q506I	Q506I_NE SAIT PAS	discrete	numeric-1.0	1197	0	-
226	Q507A	Q507A Le risque de transmission du VIH peut-il être réduit par le fait d'avoir	discrete	numeric-1.0	1197	0	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
		des rapports sexuels avec un seul partenaire fidèle et non infecté ?					
227	Q507B	Q507B Le risque de transmission du VIH peut-il être réduit par l'utilisation du préservatif lors de chaque rapport ?	discrete	numeric-1.0	1197	0	-
228	Q507C	Q507C Une personne paraissant en bonne santé peut-elle être séropositive ?	discrete	numeric-1.0	1197	0	-
229	Q507D	Q507D Une piqûre de moustique peut-elle transmettre le VIH ?	discrete	numeric-1.0	1197	0	-
230	Q507E	Q507E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?	discrete	numeric-1.0	1197	0	-
231	Q509	Q509_PAR SERINGUE	discrete	numeric-1.0	1197	0	-
232	Q511	Q511_CONTAMINATION PAR ACCOLADE	discrete	numeric-1.0	1197	0	-
233	Q512	Q512_UTILISATION MEME DOUCHE	discrete	numeric-1.0	1197	0	-
234	Q513	Q513_UTILISATION MEME BROUSSE	discrete	numeric-1.0	1197	0	-
235	Q514	Q514_MANGER DANS LE MEME PLAT	discrete	numeric-1.0	1197	0	-
236	Q515	Q515_TRANSMISSION MERE/ZNFANT	discrete	numeric-1.0	1197	0	-
237	Q516	Q516_TRANSMISSION PAR ALLAITEMENT	discrete	numeric-1.0	1197	0	-
238	Q517A	Q517A_PRENDRE DES MEDICAMENTS	discrete	numeric-1.0	1197	0	-
239	Q517B	Q517B_NE PAS ALLAITER AU SEIN	discrete	numeric-1.0	1197	0	-
240	Q517C	Q517C_AUTRE	discrete	numeric-1.0	1197	0	-
241	Q517D	Q517D_NE SAIT PAS	discrete	numeric-1.0	1197	0	-
242	Q518	Q518_PARTAGER REPAS AVEC PERSONNE INFECTEE	discrete	numeric-1.0	1197	0	-
243	Q519	Q519_HEBERGER ET SOIGNER HOMME. INFECTE	discrete	numeric-1.0	1197	0	-
244	Q520	Q520_HEBERGER ET SOIGNER FEMME INFECTEE	discrete	numeric-1.0	1197	0	-
245	Q521	Q521_ETUDIANT INFECTE DE CONTINUER	discrete	numeric-1.0	1197	0	-
246	Q522	Q522_APPRENTI INFECTE DE CONTINUER	discrete	numeric-1.0	1197	0	-
247	Q523	Q523_ENSEIGNANT INFECTE	discrete	numeric-1.0	1197	0	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
248	Q524	Q524_BOUTIQUEUR INFECTE	discrete	numeric-1.0	1197	0	-
249	Q525	Q525_PARENT INFECTE	discrete	numeric-1.0	1197	0	-
250	Q526	Q526_ENTENDU/ VU DEPISTAGE VOLONTAIRE	discrete	numeric-1.0	1197	0	-
251	Q527	Q527_TEST DE VIH/SIDA	discrete	numeric-1.0	1197	0	-
252	Q528	Q528_DEPISTAGE VOLONTAIRE	discrete	numeric-1.0	889	308	-
253	Q529	Q529_TYPE DE STRUCTURE	discrete	numeric-1.0	889	308	-
254	Q530	Q530_CHERCHER LES RESULTATS DU TEST	discrete	numeric-1.0	889	308	-
255	Q601	Q601_ENTENDU DES MESSAGES SUR LES IST/ VIH/SIDA	discrete	numeric-1.0	1197	0	-
256	Q602	Q602_FREQUENCE D'ECOUTE	discrete	numeric-1.0	871	326	-
257	Q603AA	Q603AA_RADIO	discrete	numeric-1.0	871	326	-
258	Q603AB	Q603AB_TV	discrete	numeric-1.0	871	326	-
259	Q603AC	Q603AC_SEANCE DE PROJECTION DE VIDEO	discrete	numeric-1.0	871	326	-
260	Q603AD	Q603AD_JOURNAUX/ MAGASINE	discrete	numeric-1.0	871	326	-
261	Q603AE	Q603AE_DEPLIANTS/ PROSPECTUS	discrete	numeric-1.0	871	326	-
262	Q603AF	Q603AF_AGENT DE SANTE MODERNE	discrete	numeric-1.0	871	326	-
263	Q603AG	Q603AG_AGENT DE SANTE TRADITIONNEL	discrete	numeric-1.0	871	326	-
264	Q603AH	Q603AH_AGENT SOCIAL	discrete	numeric-1.0	871	326	-
265	Q603AI	Q603AI_ECOLE/ ENSEIGNANT	discrete	numeric-1.0	871	326	-
266	Q603AJ	Q603AJ_ECOLE/ELEVE	discrete	numeric-1.0	871	326	-
267	Q603AK	Q603AK_ECOLE/ CONFERENCE	discrete	numeric-1.0	871	326	-
268	Q603AL	Q603AL_LIEU DE TRAVAIL	discrete	numeric-1.0	871	326	-
269	Q603AM	Q603AM_CONFERENCE PLACE PUBLIQUE	discrete	numeric-1.0	871	326	-
270	Q603AN	Q603AN_AUTORITE/ LEADER LOCAL	discrete	numeric-1.0	871	326	-
271	Q603AO	Q603AO_EGLISE/ MOSQUEE	discrete	numeric-1.0	871	326	-
272	Q603AP	Q603AP_POSTE/AFFICHE/ PANCARTE	discrete	numeric-1.0	871	326	-
273	Q603AQ	Q603AQ_LIEU D'APPROVISIONNEMENT	discrete	numeric-1.0	871	326	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
		DE BIENS DE CONSOMMATION					
274	Q603AR	Q603AR_LIEUX/ ETABLISSEMENTS DE LOISIRS	discrete	numeric-1.0	871	326	-
275	Q603AS	Q603AS_ABORDS DES RUES	discrete	numeric-1.0	871	326	-
276	Q603AT	Q603AT_PROCHE PARENT/PERE/MERE/ FRERE/SOEUR	discrete	numeric-1.0	871	326	-
277	Q603AU	Q603AU_AMIS	discrete	numeric-1.0	871	326	-
278	Q603AV	Q603AV_ANIMATEUR ONG	discrete	numeric-1.0	871	326	-
279	Q603AW	Q603AW_PAIRS EDUCATEURS	discrete	numeric-1.0	871	326	-
280	Q603AX	Q603AX_MILIEU DE PROSTITUTION	discrete	numeric-1.0	871	326	-
281	Q603AY	Q603AY_AUTRE	discrete	numeric-1.0	871	326	-
282	Q603AZ	Q603AZ_NE SAIT PAS	discrete	numeric-1.0	871	326	-
283	Q603B	Q603B_PRINCIPALE SOURCE	discrete	numeric-1.0	871	326	-
284	Q604	Q604_VU MESSAGE SUR MALADIES APRES RS	discrete	numeric-1.0	1197	0	-
285	Q605	Q605_VU MESSAGE 6 DERNIERS MOIS	discrete	numeric-1.0	838	359	-
286	Q606	Q606_FREQUENCE 6 DERNIERS MOIS	discrete	numeric-1.0	672	525	-
287	Q607A	Q607A_CENTRE DE SANTE	discrete	numeric-1.0	672	525	-
288	Q607B	Q607B_CENTRE SOCIAL	discrete	numeric-1.0	672	525	-
289	Q607C	Q607C_ATELIER/LIEU DE TRAVAIL	discrete	numeric-1.0	672	525	-
290	Q607D	Q607D_ECOLE/COLLEGE/ UNIVERSITE	discrete	numeric-1.0	672	525	-
291	Q607E	Q607E_MARCHE/LIEU APPRO. DE BIENS DE CONSOMMATION	discrete	numeric-1.0	672	525	-
292	Q607F	Q607F_MAISON	discrete	numeric-1.0	672	525	-
293	Q607G	Q607G_MAISON D'UN PARENT	discrete	numeric-1.0	672	525	-
294	Q607H	Q607H_MAISON D'UN AMI	discrete	numeric-1.0	672	525	-
295	Q607I	Q607I_LIEU/ ETABLISSEMENT DE LOISIRS	discrete	numeric-1.0	672	525	-
296	Q607J	Q607J_GARE ROUTIERE	discrete	numeric-1.0	672	525	-
297	Q607K	Q607K_MAISON DE JEUNES	discrete	numeric-1.0	672	525	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
298	Q607L	Q607K_EGLISE/ MOSQUEE	discrete	numeric-1.0	672	525	-
299	Q607M	Q607M_ABORDS DES RUES	discrete	numeric-1.0	672	525	-
300	Q607N	Q607N_MILIEU DE PROSTITUTION	discrete	numeric-1.0	672	525	-
301	Q607O	Q607O_AUTRE	discrete	numeric-1.0	672	525	-
302	Q607P	Q607P_NE SAIT PAS	discrete	numeric-1.0	672	525	-
303	Q608	Q608_VU MESSAGE 6 DERNIERS MOIS	discrete	numeric-1.0	1031	166	-
304	Q609A	Q609A_SIGNES OU SYMPTOMES D'ITS	discrete	numeric-1.0	693	504	-
305	Q609B	Q609B_MOYEN POUR EVITER UNE ITS	discrete	numeric-1.0	693	504	-
306	Q609C	Q609C_MOYEN POUR EVITER UNE VIH/SIDA	discrete	numeric-1.0	693	504	-
307	Q609D	Q609D_MODE DE TRANSMISSION DES DES ITS	discrete	numeric-1.0	693	504	-
308	Q609E	Q609E_MODE DE TRANSMISSION DES DES VIH/SIDA	discrete	numeric-1.0	693	504	-
309	Q609F	Q609F_UTILISATION CORRECTE DE CONDOM	discrete	numeric-1.0	693	504	-
310	Q609G	Q609G_QUALITE DE CONDOM	discrete	numeric-1.0	693	504	-
311	Q609H	Q609H_LIEU D'ACHAT DE CONDOM	discrete	numeric-1.0	693	504	-
312	Q609I	Q609I_CS DE REFERENCE POUR IST	discrete	numeric-1.0	693	504	-
313	Q609J	Q609J_PRISE EN CHARGE IST	discrete	numeric-1.0	693	504	-
314	Q609K	Q609K_CONSEQUENCE D'UBE IST MAL TRAITEE	discrete	numeric-1.0	693	504	-
315	Q609L	Q609L_PRISE EN CHARGE PVIH	discrete	numeric-1.0	693	504	-
316	Q609M	Q609M_AUTRE	discrete	numeric-1.0	693	504	-
317	Q609N	Q609N_NE SAIT PAS	discrete	numeric-1.0	693	504	-
318	Q610	Q610_VU IMAGES AUDIOVISUELLES	discrete	numeric-1.0	1197	0	-
319	Q611	Q611_VU 6 DERNIERS MOIS	discrete	numeric-1.0	831	366	-
320	Q612	Q612_FREQUENCE SUR LES SIGNES	discrete	numeric-1.0	519	678	-
321	Q613	Q613_FREQUENCE EVOLUTION	discrete	numeric-1.0	519	678	-
322	Q614A	Q614A_RADIO	discrete	numeric-1.0	1197	0	-
323	Q614B	Q614B_TV	discrete	numeric-1.0	1197	0	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
324	Q614C	Q614C_PROJECTIONS VIDEO	discrete	numeric-1.0	1197	0	-
325	Q614D	Q614D_JOURNAUX/ MAGAZINES	discrete	numeric-1.0	1197	0	-
326	Q614E	Q614E_DEPLIANTS/ PROSPECTUS	discrete	numeric-1.0	1197	0	-
327	Q614F	Q614F_AGENTS DE SANTE MODERNE	discrete	numeric-1.0	1197	0	-
328	Q614G	Q614G_AGENTS DE SANTE DE SANTE TRADITIONNEL	discrete	numeric-1.0	1197	0	-
329	Q614H	Q614H_AGENTS SOCIAL	discrete	numeric-1.0	1197	0	-
330	Q614I	Q614I_ECOLE/ ENSEIGNANT	discrete	numeric-1.0	1197	0	-
331	Q614J	Q614J_ECOLE/ELEVE	discrete	numeric-1.0	1197	0	-
332	Q614K	Q614K_ECOLE/ CONFERENCE	discrete	numeric-1.0	1197	0	-
333	Q614L	Q614L_LIEU DE TRAVAIL	discrete	numeric-1.0	1197	0	-
334	Q614M	Q614M_PLACE PUBLIQUE	discrete	numeric-1.0	1197	0	-
335	Q614N	Q614N_AUTORITE/ LEADER LOCAL	discrete	numeric-1.0	1197	0	-
336	Q614O	Q614O_EGLISE/ MOSQUEE	discrete	numeric-1.0	1197	0	-
337	Q614P	Q614P_POSTERS/ AFFICHES	discrete	numeric-1.0	1197	0	-
338	Q614Q	Q614Q_APPROVISIONNEMENT DES BIENS DE CONSO	discrete	numeric-1.0	1197	0	-
339	Q614R	Q614R_ETABLISSEMENT DE LOISIRS	discrete	numeric-1.0	1197	0	-
340	Q614S	Q614S_ABORDS DES RUES	discrete	numeric-1.0	1197	0	-
341	Q614T	Q614T_PROCHE PARENT/ PERE/MERE/FRERE/ SOEUR	discrete	numeric-1.0	1197	0	-
342	Q614U	Q614U_AMIS	discrete	numeric-1.0	1197	0	-
343	Q614V	Q614V_ANIMATEURS ONG	discrete	numeric-1.0	1197	0	-
344	Q614W	Q614W_PAIRS EDUCATEURS	discrete	numeric-1.0	1197	0	-
345	Q614X	Q614X_MILIEU DE PROSTITUTION	discrete	numeric-1.0	1197	0	-
346	Q614Y	Q614Y_AUTRE	discrete	numeric-1.0	1197	0	-
347	Q614Z	Q614Z_NE SAIT PAS	discrete	numeric-1.0	1197	0	-
348	Q615	Q615_VU DEMONSTRATION	discrete	numeric-1.0	1197	0	-
349	Q616	Q616_TYPE DE CONDOM	discrete	numeric-1.0	1075	122	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
350	Q617	Q617_VU DEMONSTRATION 6 DERNIERS MOIS	discrete	numeric-1.0	1075	122	-
351	Q618	Q618_FREQUENCE VU DEMONSTRATION 6 DERNIERS MOIS	discrete	numeric-1.0	620	577	-
352	Q619	Q619_CENTRE DE SANTEION 12 DERNIERS MOIS	discrete	numeric-1.0	1197	0	-
353	Q620	Q620_NBRE DE FOIS CENTRE DE SANTEION 12 DERNIERS MOIS	discrete	numeric-2.0	803	394	-
354	Q621A	Q621A_VISITE AUX MALADES	discrete	numeric-1.0	803	394	-
355	Q621B	Q621B_CONSULTATION POUR IST	discrete	numeric-1.0	803	394	-
356	Q621C	Q621C_CONSULTATION POUR AUTRE QUE IST	discrete	numeric-1.0	803	394	-
357	Q621D	Q621D_AUTRE 1	discrete	numeric-1.0	803	394	-
358	Q621F	Q621F_NE SAIT PAS	discrete	numeric-1.0	803	394	-
359	Q621G	Q621G_NON REPONSE	discrete	numeric-1.0	803	394	-
360	Q622A	Q622A_CENTRE DE SANTE PUBLIC	discrete	numeric-1.0	803	394	-
361	Q622B	Q622B_CENTRE DE SANTE PRIVE NON CONF.	discrete	numeric-1.0	803	394	-
362	Q622C	Q622C_CENTRE DE SANTE PRIVE CONF.	discrete	numeric-1.0	803	394	-
363	Q622D	Q622D_ONG OFFRANT DES SERVICES DE SANTE	discrete	numeric-1.0	803	394	-
364	Q622E	Q622E_FREQUENTE PAS CENTRE DE SANTE	discrete	numeric-1.0	803	394	-
365	Q622F	Q622F_NE SAIT PAS	discrete	numeric-1.0	803	394	-
366	Q622G	Q622G_NON REPONSE	discrete	numeric-1.0	803	394	-
367	Q623	Q623 LIEU DE DEPISTAGE DU VIH	discrete	numeric-1.0	1197	0	-
368	Q624A	Q624A RECU DES PRESERVATIFS LES 12 DERNIERS MOIS	discrete	numeric-1.0	1197	0	-
369	Q624BA	Q624BA Pairs éducateurs/ paires éducatrices	discrete	numeric-1.0	1197	0	-
370	Q624BB	Q624BB Lors des sensibilisations de masse	discrete	numeric-1.0	1197	0	-
371	Q624BC	Q624BC Dans les centres de santé ou conviviaux	discrete	numeric-1.0	1197	0	-
372	Q625A	Q625A_CIGARETTE	discrete	numeric-1.0	1197	0	-
373	Q625B	Q625B_ALCOOL	discrete	numeric-1.0	1197	0	-
374	Q625C	Q625C_DROGUE INJECTABLE	discrete	numeric-1.0	1197	0	-

File PS_2015_APUREE							
#	Name	Label	Type	Format	Valid	Invalid	Question
375	Q625D	Q625D_DROGUE NON INJECTABLE	discrete	numeric-1.0	1197	0	-
376	HEUREFIN	HEURE DE FIN	continuous	numeric-2.0	1197	0	-
377	MINUTE_D..	MINUTE DE FIN	continuous	numeric-2.0	1197	0	-
378	ACCUEIL	ACCUEIL	discrete	numeric-1.0	1197	0	-
379	IMPRESSION	IMPRESSION	discrete	numeric-1.0	1197	0	-
380	grage	Groupe d'âges	discrete	numeric-1.0	1197	0	-
381	nivins	Niveau d'instruction	discrete	numeric-1.0	1197	0	-
382	etatm	Etat matrimonial de la PS	discrete	numeric-1.0	1197	0	-
383	age_15	Rapport sexuel avant 15 ans	discrete	numeric-1.0	1161	36	-
384	age_18	Rapport sexuel avant 18 ans	discrete	numeric-1.0	1161	36	-
385	Q212NBUN..	Nombre d'unions	discrete	numeric-1.0	1197	0	-
386	Q202NBENE	Nombre d'enfants	discrete	numeric-1.0	773	424	-
387	Q203NBPERS	Nombre de personnes à charge	discrete	numeric-1.0	1197	0	-
388	SQ507A	-	discrete	numeric-8.0	1197	0	-
389	SQ507B	-	discrete	numeric-1.0	1197	0	-
390	SQ507C	-	discrete	numeric-1.0	1197	0	-
391	SQ507D	-	discrete	numeric-1.0	1197	0	-
392	SQ507E	-	discrete	numeric-1.0	1197	0	-
393	SQ507	Score sue les connaissances vis à vis du VIH/SIDA	discrete	numeric-1.0	1197	0	-
394	Q307NBCL	Nombre de clients par semaine	discrete	numeric-1.0	1197	0	-
395	filter_ \$	Q309A_PRIX_COND > 0 (FILTER)	discrete	numeric-1.0	1197	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IDENT	-	continuous	numeric-8.0	1184	0	-
2	NUM_QEST	NUM_	continuous	numeric-4.0	1184	0	-
3	QUEST_SITE	QUEST_SITE	continuous	numeric-3.0	1184	0	-
4	REGION	REGION	discrete	numeric-1.0	1184	0	-
5	PREFECT	PREFECTURE/DISTRICT	discrete	numeric-2.0	1184	0	-
6	SITE	SITE	continuous	numeric-2.0	1184	0	-
7	ENQUETEUR	ENQUETEUR	continuous	numeric-2.0	1184	0	-
8	NOM_SITE	NOM_SITE	discrete	character-16	1184	0	-
9	HEUREDEB	HEURE DEBUT INTERVIEW	continuous	numeric-2.0	1184	0	-
10	MINUTEDEB	MINUTE DU DEBUT	continuous	numeric-2.0	1184	0	-
11	RESULT1	RESULTAT1	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
12	RESULT2	RESULT2	discrete	numeric-1.0	864	320	-
13	COMPORT	COMPORTEMENT	discrete	numeric-1.0	1184	0	-
14	BIOLOGIE	BIOLOGIE	discrete	numeric-1.0	1184	0	-
15	CODE_BIO	CODE BIOLOGIQUE	continuous	numeric-11.0	1184	0	-
16	Q101	Q101_TYPE PS	discrete	numeric-1.0	1184	0	-
17	Q102_AGE	Q102 AGE	continuous	numeric-2.0	1184	0	-
18	Q103_A_E..	Q103 A ECOLE	discrete	numeric-1.0	1184	0	-
19	Q104_NIV..	Q104 NIVEAU ETUDE	discrete	numeric-1.0	941	243	-
20	Q105A1_T..	Q105A1 TEMPS DS MILIEU	discrete	numeric-1.0	1184	0	-
21	Q105A2_D..	Q105A2 DUREE DS MILIEU	discrete	numeric-2.0	1184	0	-
22	Q105B1_T..	Q105B1 TEMPS DS PS	discrete	numeric-1.0	1184	0	-
23	Q105B2_D..	Q105B2 DUREE DS PS	continuous	numeric-2.0	1184	0	-
24	Q106_HAB..	Q106 HABITEZ ET TRAVAILLEZ	discrete	numeric-1.0	1184	0	-
25	Q107_PRI..	Q107 PRINCIPALE RELIGION	discrete	numeric-1.0	1184	0	-
26	Q108_NAT	Q108 NATIONALITE	discrete	numeric-1.0	1184	0	-
27	Q108AUTRE	Q108AUTRE	discrete	character-20	8	0	-
28	Q201_ENF	Q201 DES ENFANTS	discrete	numeric-1.0	1184	0	-
29	Q202_NB ..	Q202 NOMBRE ENFANTS	discrete	numeric-2.0	767	417	-
30	Q203_PER..	Nombre de personnes à charge	discrete	numeric-2.0	1184	0	-
31	Q204_AGE..	Q204 AGE 1ER RS	continuous	numeric-2.0	1184	0	-
32	Q205_MAR	Q205 DEJA MARIEE	discrete	numeric-1.0	1184	0	-
33	Q206_AGE..	Q206 AGE 1ER MARIAGE	continuous	numeric-2.0	638	546	-
34	Q207_ACT..	Q207 ACTUELLEMENT MARIEE	discrete	numeric-1.0	1184	0	-
35	Q208_AUT..	Q208 AUTRES FEMMES	discrete	numeric-1.0	344	840	-
36	Q209_1_TMP	Q209_1 TEMPS	discrete	numeric-1.0	344	840	-
37	Q209_2_DUR	Q209_2 DUREE	continuous	numeric-2.0	344	840	-
38	Q210_CLI..	Q210 CLIENT AVANT MARI	discrete	numeric-1.0	344	840	-
39	Q211_MAR..	Q211 MARI AU COURANT ACTIVITE	discrete	numeric-1.0	344	840	-
40	Q212_NB_UN	Q212 NOMBRE UNIONS	discrete	numeric-1.0	1184	0	-
41	Q213A_AG..	Q213A AGE RAPPORT AVEC ARGENT	continuous	numeric-2.0	1184	0	-
42	Q213B1_U..	Q213B1 UNITE	discrete	numeric-1.0	0	1184	-
43	Q213B_DU..	Q213B DUREE PS	discrete	numeric-2.0	0	1184	-
44	Q214_AUT..	Q214 AUTRES ACTIVITES	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
45	Q215A	Q215A PETIT COMMERCE AU MARCHÉ	discrete	numeric-1.0	736	448	-
46	Q215B	Q215B PETIT COMMERCE AMBULANT	discrete	numeric-1.0	736	448	-
47	Q215C	Q215C TRAVAIL AU BAR	discrete	numeric-1.0	736	448	-
48	Q215D	Q215D TRAVAIL A HOTEL	discrete	numeric-1.0	736	448	-
49	Q215E	Q215E COIFFURES	discrete	numeric-1.0	736	448	-
50	Q215F	Q215F VEND BOISSON A LA MAISON	discrete	numeric-1.0	736	448	-
51	Q215G	Q215G DOMESTIQUE	discrete	numeric-1.0	736	448	-
52	Q215H	Q215H PORTEFAIX	discrete	numeric-1.0	736	448	-
53	Q215I	Q215I AUTRE	discrete	numeric-1.0	736	448	-
54	Q215J	Q215J NE SAIT PAS	discrete	numeric-1.0	736	448	-
55	Q215K	Q215K NON REPONSE	discrete	numeric-1.0	736	448	-
56	Q216_EXC_..	Q216_EXCISEE	discrete	numeric-1.0	1184	0	-
57	Q217_AGE_..	Q217_AGE_EXCISEE	discrete	numeric-2.0	39	1145	-
58	Q218_BAT_..	Q218_BATTUE	discrete	numeric-1.0	1184	0	-
59	Q219_POU_..	Q219_POURQUOI_BATTUE	discrete	numeric-1.0	208	976	-
60	Q220_NB_..	Q220_NBRE_BATTUE	discrete	numeric-1.0	208	976	-
61	Q221	Q221 TENTER UNE ACTION	discrete	numeric-1.0	128	1056	-
62	Q222A	Q222A LIEU DE PLAINTE 1	discrete	numeric-2.0	23	1161	-
63	Q222B	Q222B LIEU DE PLAINTE 2	discrete	numeric-2.0	2	1182	-
64	Q222C	Q222C LIEU DE PLAINTE 3	discrete	numeric-2.0	0	1184	-
65	Q223	Q223 SUITE FINALE DONNEE	discrete	numeric-1.0	23	1161	-
66	Q224	Q224 UNE COLLEGUE BATTUE PAR UN CLIENT	discrete	numeric-1.0	1184	0	-
67	Q301_RS_..	Q301_RS_CONDOM	discrete	numeric-1.0	1184	0	-
68	Q302_AGE_..	Q302_AGE_UTILISATION_C	continuous	numeric-2.0	1150	34	-
69	Q303_UT_..	Q303_UT_LUBRIFIANT	discrete	numeric-1.0	1184	0	-
70	Q304_PRO_..	Q304_PRODUIIT	discrete	numeric-1.0	745	439	-
71	Q305_LIE_..	Q305_LIEU_APPROVISIONN	discrete	numeric-1.0	745	439	-
72	Q306_PRE	Q306_PRECAUTION	discrete	numeric-1.0	1184	0	-
73	Q307_NB_..	Q307_NBRE_CLIENTS_SEM	continuous	numeric-2.0	1184	0	-
74	Q308_NB_..	Q308_NBRE_SEMAINE_AN	continuous	numeric-3.0	1184	0	-
75	Q309A_PR_..	Q309A_PRIX_CONDOM	discrete	numeric-3.0	1184	0	-
76	Q309B_LI_..	Q309B_LIEU_RENDEZ-VOUS	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
77	Q309C_UT..	Q309C_UTILISATION A CH_RS	discrete	numeric-1.0	1184	0	-
78	Q309D_TY..	Q309D_TYPE DRE CLIENTS	discrete	numeric-1.0	1184	0	-
79	Q309E_PR..	Q309E_PROFIL_CLIENTS	discrete	numeric-1.0	1184	0	-
80	Q309EAUTRE	Q309EAUTRE	discrete	character-12	98	0	-
81	Q310_SOM..	Q310_SOMME DERNIER CLIENT	continuous	numeric-6.0	1184	0	-
82	Q311_UT ..	Q311_UTILISATION CONDOM DER RS	discrete	numeric-1.0	1184	0	-
83	Q312_PRO..	Q312_PROPOSITION	discrete	numeric-1.0	1110	74	-
84	Q313_RAI..	Q313_RAISON NON UTILISATION	discrete	numeric-1.0	74	1110	-
85	Q314_PRO..	Q314_PROPOSITION UTILISATION	discrete	numeric-1.0	20	1164	-
86	Q315_N E..	Q315_NON EXISTENCE CONDOM	discrete	numeric-1.0	2	1182	-
87	Q316_REF..	Q316_REFUS CLIENT	discrete	numeric-1.0	938	246	-
88	Q317_ARG ..	Q317_ARGUMENT DU REFUS	discrete	numeric-1.0	38	1146	-
89	Q319_NB ..	Q319_NBRE CLIENTS DERNIER JOUR	discrete	numeric-2.0	1184	0	-
90	Q320_CL ..	Q320_NBRE CLIENTS UYILISENT CONDOM	discrete	numeric-2.0	1083	101	-
91	Q321_CL ..	Q321_NBRE CLIENTS NON UTILISE CONDOM	discrete	numeric-2.0	1083	101	-
92	Q322_NB ..	Q322_NBRE CLIENTS DERNIERE SEMAINE	continuous	numeric-2.0	1184	0	-
93	Q323_N_CL	Q323_NBRE NOUVEAUX CLIENTS	continuous	numeric-2.0	1184	0	-
94	Q324_A_CL	Q324_NBRE ANCIENTS CLIENTS	discrete	numeric-2.0	1184	0	-
95	Q325_FRE..	Q325_FREQUENCE UTILISATION	discrete	numeric-1.0	1184	0	-
96	Q327_NB ..	Q327_NBRE NON_CLIENTS LES 3 DERNIERS MOIS	discrete	numeric-2.0	1184	0	-
97	Q328_CL_A	Q328_NBRE CLIENTS AMIS	discrete	numeric-2.0	570	614	-
98	Q329_A_CL	Q329_NBRE AMIS CLIENTS	discrete	numeric-2.0	1184	0	-
99	Q330_A_N..	Q330_NBRE AMIS NOUVEAUX CLIENTS	discrete	numeric-2.0	1184	0	-
100	Q331_FR UT	Q331_FREQUENCE UTILISATION CONDOM AVEC AMIS	discrete	numeric-1.0	1184	0	-
101	Q332_UT ..	Q332_UTILISATION CONDOM AVEC CONJOINT	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
102	Q333_PROP	Q333 QUI A PROPOSE	discrete	numeric-1.0	355	829	-
103	Q334_N_UT	Q334_NON UTILISATION CONDOM	discrete	numeric-1.0	829	355	-
104	Q335_R_N..	Q335_RAISON NON UTILISATION	discrete	numeric-1.0	119	1065	-
105	Q336	Q336_POURQUOI PAS DE CONDOM	discrete	numeric-1.0	7	1177	-
106	Q337_ARG..	Q337_ARGUMENT DU REFUS	discrete	numeric-1.0	829	355	-
107	Q342_GAYS	Q342_EXISTENCE DES GAYS	discrete	numeric-1.0	1184	0	-
108	Q343_H_F	Q343_HOMME OU FEMME	discrete	numeric-1.0	675	509	-
109	Q344_AGE..	Q344_GROUPES AGES DES GAYS	discrete	numeric-1.0	675	509	-
110	Q345_NIV	Q345_NIVEAU INSTRUCTION	discrete	numeric-1.0	675	509	-
111	Q346_S_MAT	Q346_STATUT MATRIMONIAL	discrete	numeric-1.0	675	509	-
112	Q347	Q347_RELATIONS SEXUELLES AVEC MEME SEXE	discrete	numeric-1.0	675	509	-
113	Q348A	Q348A FINGUERS	discrete	numeric-1.0	43	1141	-
114	Q348B	Q348B FELLATION	discrete	numeric-1.0	43	1141	-
115	Q348C	Q348C PENETRATION ACTIVE	discrete	numeric-1.0	43	1141	-
116	Q348D	Q348D PENETRATION PASSIVE	discrete	numeric-1.0	43	1141	-
117	Q348E	Q348E ANNULINGUS	discrete	numeric-1.0	43	1141	-
118	Q348F	Q348F AUTRE	discrete	numeric-1.0	43	1141	-
119	Q349	Q349 PROTECTION DE CETTE RELATION	discrete	numeric-1.0	43	1141	-
120	Q350	Q350 CONNAISSANCE DES TRANSGENRES	discrete	numeric-1.0	1184	0	-
121	Q351	Q351 CONNAISSANCE DES PS MASCULINS	discrete	numeric-1.0	1184	0	-
122	Q401_EC_..	Q401_ECOULEMENT VAGINAL	discrete	numeric-1.0	1184	0	-
123	Q402A	Q402A DEJA EU DES CONDYLOMES	discrete	numeric-1.0	1184	0	-
124	Q402B	Q402B BOUTONS SUR LE SEXE	discrete	numeric-1.0	1184	0	-
125	Q402C	Q402C ULCERATION GENITALE	discrete	numeric-1.0	1184	0	-
126	Q403_LIE..	Q403_LIEU DE RECOURS IST	discrete	numeric-1.0	312	872	-
127	Q404_PREF	Q404_PREFERENCE	discrete	numeric-1.0	312	872	-
128	Q405_AP	Q405_APPRECIATION	discrete	numeric-1.0	312	872	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
129	Q406 UT_C	Q406_UTILISATION CONDOM	discrete	numeric-1.0	1184	0	-
130	Q407A	Q407A_EVITER IST	discrete	numeric-1.0	1133	51	-
131	Q407B	Q407B_EVITER VIH/SIDA	discrete	numeric-1.0	1133	51	-
132	Q407C	Q407C_EVITER GROSSESSE	discrete	numeric-1.0	1133	51	-
133	Q407D	Q407D_DEMANDE PARTENAIRE	discrete	numeric-1.0	1133	51	-
134	Q407E	Q407E_AUTRE	discrete	numeric-1.0	1133	51	-
135	Q407F	Q407F_NE SAIT PAS	discrete	numeric-1.0	1133	51	-
136	Q407G	Q407G_NON REPONSE	discrete	numeric-1.0	1133	51	-
137	Q408 UT_..	Q408_UTILISATION CONDOM ET LUBRIFIANT	discrete	numeric-1.0	1184	0	-
138	Q409A	Q409A_VASELINE	discrete	numeric-1.0	671	513	-
139	Q409B	Q409B_GLYCERINE	discrete	numeric-1.0	671	513	-
140	Q409C	Q409C_GEL LUBRIFIANT	discrete	numeric-1.0	671	513	-
141	Q409D	Q409D_MIEL	discrete	numeric-1.0	671	513	-
142	Q409E	Q409E_AUTRE 1	discrete	numeric-1.0	671	513	-
143	Q409F	Q409F_AUTRE 2	discrete	numeric-1.0	671	513	-
144	Q409G	Q409G_NE SAIT PAS	discrete	numeric-1.0	671	513	-
145	Q409H	Q409H_NON REPONSE	discrete	numeric-1.0	671	513	-
146	Q410	Q410_NBRE DE CONDOMS	continuous	numeric-4.0	1184	0	-
147	Q411 UT1	Q411_UTILISATION DE PLUS D'UN CONDOM	discrete	numeric-1.0	1184	0	-
148	Q412A	Q412A_DOUTE DE LA SANTE DU PARTENAIRE	discrete	numeric-1.0	310	874	-
149	Q412B	Q412B_AVEC LES CLIENTS	discrete	numeric-1.0	310	874	-
150	Q412C	Q412C_NE CONNAIT PAS LE PARTENAIRE	discrete	numeric-1.0	310	874	-
151	Q412D	Q412D_DOUTE DE LA RESISTANCE DU CONDOM	discrete	numeric-1.0	310	874	-
152	Q412E	Q412E_AUTRE	discrete	numeric-1.0	310	874	-
153	Q412F	Q412F_NE SAIT PAS	discrete	numeric-1.0	310	874	-
154	Q412G	Q412G_NON REPONSE	discrete	numeric-1.0	310	874	-
155	Q413	Q413_ENLEVEMENT CONDOM	discrete	numeric-1.0	1184	0	-
156	Q414	Q414_FREQUENCE ENLEVEMENT	discrete	numeric-1.0	513	671	-
157	Q415A	Q415A_MAUVAISE QUALITE	discrete	numeric-1.0	513	671	-
158	Q415B	Q415B_CONDOM NON RESISTANT	discrete	numeric-1.0	513	671	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
159	Q415C	Q415C_MAUVAISE CONSERVATION	discrete	numeric-1.0	513	671	-
160	Q415D	Q415D_MANIERE INCORRECTE	discrete	numeric-1.0	513	671	-
161	Q415E	Q415E_AUTRE	discrete	numeric-1.0	513	671	-
162	Q415F	Q415F_NE SAIT PAS	discrete	numeric-1.0	513	671	-
163	Q415G	Q415G_NON REPONSE	discrete	numeric-1.0	513	671	-
164	Q416	Q416_LIEU APPROVISIONNEMENT	discrete	numeric-1.0	1184	0	-
165	Q417A	Q417A_ALIMENTATION/ SUPERMARCHÉ	discrete	numeric-1.0	1107	77	-
166	Q417B	Q417B_BOUTIQUE	discrete	numeric-1.0	1107	77	-
167	Q417C	Q417C_KIOSTE	discrete	numeric-1.0	1107	77	-
168	Q417D	Q417D_STATION ESSENCE	discrete	numeric-1.0	1107	77	-
169	Q417E	Q417E_PHARMACIE	discrete	numeric-1.0	1107	77	-
170	Q417F	Q417F_DEPOT PHARMACEUTIQUE	discrete	numeric-1.0	1107	77	-
171	Q417G	Q417G_MARCHÉ	discrete	numeric-1.0	1107	77	-
172	Q417H	Q417H_VENDEUR AMBULANT	discrete	numeric-1.0	1107	77	-
173	Q417I	Q417I_VENDEUR DE MEDICAMENTS	discrete	numeric-1.0	1107	77	-
174	Q417J	Q417J_FORMATION SANITAIRE	discrete	numeric-1.0	1107	77	-
175	Q417K	Q417K_HOTEL/MOTEL/ AUBERGE	discrete	numeric-1.0	1107	77	-
176	Q417L	Q417L_RESTAURANT/ CAFETARIAT/BOITE DE NUIT	discrete	numeric-1.0	1107	77	-
177	Q417M	Q417M_ATELIER/LIEU DE TRAVAIL	discrete	numeric-1.0	1107	77	-
178	Q417N	Q417N_ECOLE/COLLEGE/ UNIVERSITE	discrete	numeric-1.0	1107	77	-
179	Q417O	Q417O_AGENT DE VENTE DE PRUDENCE	discrete	numeric-1.0	1107	77	-
180	Q417P	Q417P_ANOMATEUR DE SANTE	discrete	numeric-1.0	1107	77	-
181	Q417Q	Q417Q_PAIR EDUCATEUR	discrete	numeric-1.0	1107	77	-
182	Q417R	Q417R_AMI	discrete	numeric-1.0	1107	77	-
183	Q417S	Q417S_AUTRE	discrete	numeric-1.0	1107	77	-
184	Q417T	Q417T_NE SAIT PAS	discrete	numeric-1.0	1107	77	-
185	Q417U	Q417U_NON REPONSE	discrete	numeric-1.0	1107	77	-
186	Q418	Q418_TEMPS	discrete	numeric-1.0	1107	77	-
187	Q419	Q419_CONDOM FEMINI	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
188	Q420	Q420_UTILISATION DU FEMIDON	discrete	numeric-1.0	1079	105	-
189	Q421	Q421_LIEU DE VENTE FEMIDON	discrete	numeric-1.0	1079	105	-
190	Q422A	Q422A_ALIMENTATION/ SUPERMARCHE	discrete	numeric-1.0	771	413	-
191	Q422B	Q422B_BOUTIQUE	discrete	numeric-1.0	771	413	-
192	Q422C	Q422C_PHARMACIE	discrete	numeric-1.0	771	413	-
193	Q422D	Q422D_DEPOT PHARMACEUTIQUE	discrete	numeric-1.0	771	413	-
194	Q422E	Q422E_MARCHE	discrete	numeric-1.0	771	413	-
195	Q422F	Q422F_FORMATION SANITAIRE	discrete	numeric-1.0	771	413	-
196	Q422G	Q422G_HOTEL/MOTEL/ BOITE DE NUIT	discrete	numeric-1.0	771	413	-
197	Q422H	Q422H_ATELIER/LIEU DE TRAVAIL	discrete	numeric-1.0	771	413	-
198	Q422I	Q422I_ECOLE/COLLEGE/ UNIVERSITE	discrete	numeric-1.0	771	413	-
199	Q422J	Q422J_ANIMATEUR DE SANTE	discrete	numeric-1.0	771	413	-
200	Q422K	Q422K_AMIS	discrete	numeric-1.0	771	413	-
201	Q422L	Q422L_AUTRE	discrete	numeric-1.0	771	413	-
202	Q422M	Q422M_NE SAIT PAS	discrete	numeric-1.0	771	413	-
203	Q422N	Q422N_NON REPONSE	discrete	numeric-1.0	771	413	-
204	Q501	Q501_ENTENDU PARLER DE SIDA	discrete	numeric-1.0	1184	0	-
205	Q502	Q502_CROYANCE DU SIDA	discrete	numeric-1.0	1184	0	-
206	Q503A	Q503A_RS NON PROTEGES AVEC PARTENAIRE INFIDELE	discrete	numeric-1.0	1184	0	-
207	Q503B	Q503B_PAR SERINGUE LAME	discrete	numeric-1.0	1184	0	-
208	Q503C	Q503C_MERE/ENFANT	discrete	numeric-1.0	1184	0	-
209	Q503D	Q503D_SANG CONTAMINE	discrete	numeric-1.0	1184	0	-
210	Q503E	Q503E_AUTRE	discrete	numeric-1.0	1184	0	-
211	Q503F	Q503F_NE SAIT PAS	discrete	numeric-1.0	1184	0	-
212	Q504A	Q504A_CONNAISSANCE DE PERSONNE INFECTEE	discrete	numeric-1.0	1184	0	-
213	Q504B	Q504B_CONNAISSANCE DE PERSONNE MORTE DE SIDA	discrete	numeric-1.0	1184	0	-
214	Q505A	Q505A_OUI PROCHE PARENT	discrete	numeric-1.0	1184	0	-
215	Q505B	Q505B_OUI PROCHE AMI	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
216	Q505C	Q505C_NON	discrete	numeric-1.0	1184	0	-
217	Q505D	Q505D_NON REPONSE	discrete	numeric-1.0	1184	0	-
218	Q506A	Q506A_UTILISATION CORRECTE D'UN CONDOM	discrete	numeric-1.0	1184	0	-
219	Q506B	Q506B_UTILISATION D'UN CONDOM	discrete	numeric-1.0	1184	0	-
220	Q506C	Q506C_AVOIR PEU DE PARTENAIRES	discrete	numeric-1.0	1184	0	-
221	Q506D	Q506D_FIDELE A UN PARTENAIRE FIDELE	discrete	numeric-1.0	1184	0	-
222	Q506E	Q506E_PARTENAIRE SEXUEL FIDELE NON INFECTE	discrete	numeric-1.0	1184	0	-
223	Q506F	Q506F_S'ABSTENIR DES RS	discrete	numeric-1.0	1184	0	-
224	Q506G	Q506G_EVITER SERINGUE LAME	discrete	numeric-1.0	1184	0	-
225	Q506H	Q506H_AMI	discrete	numeric-1.0	1184	0	-
226	Q506I	Q506I_NE SAIT PAS	discrete	numeric-1.0	1184	0	-
227	Q507A	Q507A Le risque de transmission du VIH peut-il être réduit par le fait d'avoir des rapports sexuels avec un seul partenaire fidèle et non infecté ?	discrete	numeric-1.0	1184	0	-
228	Q507B	Q507B Le risque de transmission du VIH peut-il être réduit par l'utilisation du préservatif lors de chaque rapport ?	discrete	numeric-1.0	1184	0	-
229	Q507C	Q507C Une personne paraissant en bonne santé peut-elle être séropositive ?	discrete	numeric-1.0	1184	0	-
230	Q507D	Q507D Une piqûre de moustique peut-elle transmettre le VIH ?	discrete	numeric-1.0	1184	0	-
231	Q507E	Q507E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?	discrete	numeric-1.0	1184	0	-
232	Q509	Q509_PAR SERINGUE	discrete	numeric-1.0	1184	0	-
233	Q511	Q511_CONTAMINATION PAR ACCOLADE	discrete	numeric-1.0	1184	0	-
234	Q512	Q512_UTILISATION MEME DOUCHE	discrete	numeric-1.0	1184	0	-
235	Q513	Q513_UTILISATION MEME BROSSE	discrete	numeric-1.0	1184	0	-
236	Q514	Q514_MANGER DANS LE MEME PLAT	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
237	Q515	Q515_TRANSMISSION MERE/ZNFANT	discrete	numeric-1.0	1184	0	-
238	Q516	Q516_TRANSMISSION PAR ALLAITEMENT	discrete	numeric-1.0	1184	0	-
239	Q517A	Q517A_PRENDRE DES MEDICAMENTS	discrete	numeric-1.0	1184	0	-
240	Q517B	Q517B_NE PAS ALLAITER AU SEIN	discrete	numeric-1.0	1184	0	-
241	Q517C	Q517C_AUTRE	discrete	numeric-1.0	1184	0	-
242	Q517D	Q517D_NE SAIT PAS	discrete	numeric-1.0	1184	0	-
243	Q518	Q518_PARTAGER REPAS AVEC PERSONNE INFECTEE	discrete	numeric-1.0	1184	0	-
244	Q519	Q519_HEBERGER ET SOIGNER HOMME. INFECTE	discrete	numeric-1.0	1184	0	-
245	Q520	Q520_HEBERGER ET SOIGNER FEMME INFECTEE	discrete	numeric-1.0	1184	0	-
246	Q521	Q521_ETUDIANT INFECTE DE CONTINUER	discrete	numeric-1.0	1184	0	-
247	Q522	Q522_APPRENTI INFECTE DE CONTINUER	discrete	numeric-1.0	1184	0	-
248	Q523	Q523_ENSEIGNANT INFECTE	discrete	numeric-1.0	1184	0	-
249	Q524	Q524_BOUTIQUEUR INFECTE	discrete	numeric-1.0	1184	0	-
250	Q525	Q525_PARENT INFECTE	discrete	numeric-1.0	1184	0	-
251	Q526	Q526_ENTENDU/ VU DEPISTAGE VOLONTAIRE	discrete	numeric-1.0	1184	0	-
252	Q527	Q527_TEST DE VIH/SIDA	discrete	numeric-1.0	1184	0	-
253	Q528	Q528_DEPISTAGE VOLONTAIRE	discrete	numeric-1.0	883	301	-
254	Q529	Q529_TYPE DE STRUCTURE	discrete	numeric-1.0	883	301	-
255	Q530	Q530_CHERCHER LES RESULTATS DU TEST	discrete	numeric-1.0	883	301	-
256	Q601	Q601_ENTENDU DES MESSAGES SUR LES IST/ VIH/SIDA	discrete	numeric-1.0	1184	0	-
257	Q602	Q602_FREQUENCE D'ECOUTE	discrete	numeric-1.0	867	317	-
258	Q603AA	Q603AA_RADIO	discrete	numeric-1.0	867	317	-
259	Q603AB	Q603AB_TV	discrete	numeric-1.0	867	317	-
260	Q603AC	Q603AC_SEANCE DE PROJECTION DE VIDEO	discrete	numeric-1.0	867	317	-
261	Q603AD	Q603AD_JOURNAUX/ MAGASINE	discrete	numeric-1.0	867	317	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
262	Q603AE	Q603AE_DEPLIANTS/ PROSPECTUS	discrete	numeric-1.0	867	317	-
263	Q603AF	Q603AF_AGENT DE SANTE MODERNE	discrete	numeric-1.0	867	317	-
264	Q603AG	Q603AG_AGENT DE SANTE TRADITIONEL	discrete	numeric-1.0	867	317	-
265	Q603AH	Q603AH_AGENT SOCIAL	discrete	numeric-1.0	867	317	-
266	Q603AI	Q603AI_ECOLE/ ENSEIGNANT	discrete	numeric-1.0	867	317	-
267	Q603AJ	Q603AJ_ECOLE/ELEVE	discrete	numeric-1.0	867	317	-
268	Q603AK	Q603AK_ECOLE/ CONFERENCE	discrete	numeric-1.0	867	317	-
269	Q603AL	Q603AL_LIEU DE TRAVAIL	discrete	numeric-1.0	867	317	-
270	Q603AM	Q603AM_CONFERENCE PLACE PUBLIQUE	discrete	numeric-1.0	867	317	-
271	Q603AN	Q603AN AUTORITE/ LEADER LOCAL	discrete	numeric-1.0	867	317	-
272	Q603AO	Q603AO_EGLISE/ MOSQUEE	discrete	numeric-1.0	867	317	-
273	Q603AP	Q603AP_POSTE/AFFICHE/ PANCARTE	discrete	numeric-1.0	867	317	-
274	Q603AQ	Q603AQ_LIEU D'APPROVISIONNEMENT DE BIENS DE CONSOMMATION	discrete	numeric-1.0	867	317	-
275	Q603AR	Q603AR_LIEUX/ ETABLISSEMENTS DE LOISIRS	discrete	numeric-1.0	867	317	-
276	Q603AS	Q603AS_ABORDS DES RUES	discrete	numeric-1.0	867	317	-
277	Q603AT	Q603AT_PROCHE PARENT/PERE/MERE/ FRERE/SOEUR	discrete	numeric-1.0	867	317	-
278	Q603AU	Q603AU_AMIS	discrete	numeric-1.0	867	317	-
279	Q603AV	Q603AV_ANIMATEUR ONG	discrete	numeric-1.0	867	317	-
280	Q603AW	Q603AW_PAIRS EDUCATEURS	discrete	numeric-1.0	867	317	-
281	Q603AX	Q603AX_MILIEU DE PROSTITUTION	discrete	numeric-1.0	867	317	-
282	Q603AY	Q603AY_AUTRE	discrete	numeric-1.0	867	317	-
283	Q603AZ	Q603AZ_NE SAIT PAS	discrete	numeric-1.0	867	317	-
284	Q603B	Q603B_PRINCIPALE SOURCE	discrete	numeric-1.0	867	317	-
285	Q604	Q604_VU MESSAGE SUR MALADIES APRES RS	discrete	numeric-1.0	1184	0	-
286	Q605	Q605_VU MESSAGE 6 DERNIERS MOIS	discrete	numeric-1.0	833	351	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
287	Q606	Q606_FREQUENCE 6 DERNIERS MOIS	discrete	numeric-1.0	668	516	-
288	Q607A	Q607A_CENTRE DE SANTE	discrete	numeric-1.0	668	516	-
289	Q607B	Q607B_CENTRE SOCIAL	discrete	numeric-1.0	668	516	-
290	Q607C	Q607C_ATELIER/LIEU DE TRAVAIL	discrete	numeric-1.0	668	516	-
291	Q607D	Q607D_ECOLE/COLLEGE/ UNIVERSITE	discrete	numeric-1.0	668	516	-
292	Q607E	Q607E_MARCHE/LIEU APPRO. DE BIENS DE CONSOMMATION	discrete	numeric-1.0	668	516	-
293	Q607F	Q607F_MAISON	discrete	numeric-1.0	668	516	-
294	Q607G	Q607G_MAISON D'UN PARENT	discrete	numeric-1.0	668	516	-
295	Q607H	Q607H_MAISON D'UN AMI	discrete	numeric-1.0	668	516	-
296	Q607I	Q607I_LIEU/ ETABLISSEMENT DE LOISIRS	discrete	numeric-1.0	668	516	-
297	Q607J	Q607J_GARE ROUTIERE	discrete	numeric-1.0	668	516	-
298	Q607K	Q607K_MAISON DE JEUNES	discrete	numeric-1.0	668	516	-
299	Q607L	Q607K_EGLISE/ MOSQUEE	discrete	numeric-1.0	668	516	-
300	Q607M	Q607M_ABORDS DES RUES	discrete	numeric-1.0	668	516	-
301	Q607N	Q607N_MILIEU DE PROSTITUTION	discrete	numeric-1.0	668	516	-
302	Q607O	Q607O_AUTRE	discrete	numeric-1.0	668	516	-
303	Q607P	Q607P_NE SAIT PAS	discrete	numeric-1.0	668	516	-
304	Q608	Q608_VU MESSAGE 6 DERNIERS MOIS	discrete	numeric-1.0	1019	165	-
305	Q609A	Q609A_SIGNES OU SYMPTOMES D'ITS	discrete	numeric-1.0	689	495	-
306	Q609B	Q609B_MOYEN POUR EVITER UNE ITS	discrete	numeric-1.0	689	495	-
307	Q609C	Q609C_MOYEN POUR EVITER UNE VIH/SIDA	discrete	numeric-1.0	689	495	-
308	Q609D	Q609D_MODE DE TRANSMISSION DES DES ITS	discrete	numeric-1.0	689	495	-
309	Q609E	Q609E_MODE DE TRANSMISSION DES DES VIH/SIDA	discrete	numeric-1.0	689	495	-
310	Q609F	Q609F_UTILISATION CORRECTE DE CONDOM	discrete	numeric-1.0	689	495	-
311	Q609G	Q609G_QUALITE DE CONDOM	discrete	numeric-1.0	689	495	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
312	Q609H	Q609H_LIEU D'ACHAT DE CONDOM	discrete	numeric-1.0	689	495	-
313	Q609I	Q609I_CS DE REFERENCE POUR IST	discrete	numeric-1.0	689	495	-
314	Q609J	Q609J_PRISE EN CHARGE IST	discrete	numeric-1.0	689	495	-
315	Q609K	Q609K_CONSEQUENCE D'UBE IST MAL TRAITEE	discrete	numeric-1.0	689	495	-
316	Q609L	Q609L_PRISE EN CHARGE PVVIH	discrete	numeric-1.0	689	495	-
317	Q609M	Q609M_AUTRE	discrete	numeric-1.0	689	495	-
318	Q609N	Q609N_NE SAIT PAS	discrete	numeric-1.0	689	495	-
319	Q610	Q610_VU IMAGES AUDIOVISUELLES	discrete	numeric-1.0	1184	0	-
320	Q611	Q611_VU 6 DERNIERS MOIS	discrete	numeric-1.0	828	356	-
321	Q612	Q612_FREQUENCE SUR LES SIGNES	discrete	numeric-1.0	519	665	-
322	Q613	Q613_FREQUENCE EVOLUTION	discrete	numeric-1.0	519	665	-
323	Q614A	Q614A_RADIO	discrete	numeric-1.0	1184	0	-
324	Q614B	Q614B_TV	discrete	numeric-1.0	1184	0	-
325	Q614C	Q614C_PROJECTIONS VIDEO	discrete	numeric-1.0	1184	0	-
326	Q614D	Q614D_JOURNAUX/ MAGAZINES	discrete	numeric-1.0	1184	0	-
327	Q614E	Q614E_DEPLIANTS/ PROSPECTUS	discrete	numeric-1.0	1184	0	-
328	Q614F	Q614F_AGENTS DE SANTE MODERNE	discrete	numeric-1.0	1184	0	-
329	Q614G	Q614G_AGENTS DE SANTE DE SANTE TRADITIONNEL	discrete	numeric-1.0	1184	0	-
330	Q614H	Q614H_AGENTS SOCIAL	discrete	numeric-1.0	1184	0	-
331	Q614I	Q614I_ECOLE/ ENSEIGNANT	discrete	numeric-1.0	1184	0	-
332	Q614J	Q614J_ECOLE/ELEVE	discrete	numeric-1.0	1184	0	-
333	Q614K	Q614K_ECOLE/ CONFERENCE	discrete	numeric-1.0	1184	0	-
334	Q614L	Q614L_LIEU DE TRAVAIL	discrete	numeric-1.0	1184	0	-
335	Q614M	Q614M_PLACE PUBLIQUE	discrete	numeric-1.0	1184	0	-
336	Q614N	Q614N_AUTORITE/ LEADER LOCAL	discrete	numeric-1.0	1184	0	-
337	Q614O	Q614O_EGLISE/ MOSQUEE	discrete	numeric-1.0	1184	0	-
338	Q614P	Q614P_POSTERS/ AFFICHES	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
339	Q614Q	Q614Q_APPROVISIONNEMENT DES BIENS DE CONSO	discrete	numeric-1.0	1184	0	-
340	Q614R	Q614R_ETABLISSEMENT DE LOISIRS	discrete	numeric-1.0	1184	0	-
341	Q614S	Q614S_ABORDS DES RUES	discrete	numeric-1.0	1184	0	-
342	Q614T	Q614T_PROCHE PARENT/ PERE/MERE/FRERE/ SOEUR	discrete	numeric-1.0	1184	0	-
343	Q614U	Q614U_AMIS	discrete	numeric-1.0	1184	0	-
344	Q614V	Q614V_ANIMATEURS ONG	discrete	numeric-1.0	1184	0	-
345	Q614W	Q614W_PAIRS EDUCATEURS	discrete	numeric-1.0	1184	0	-
346	Q614X	Q614X_MILIEU DE PROSTITUTION	discrete	numeric-1.0	1184	0	-
347	Q614Y	Q614Y_AUTRE	discrete	numeric-1.0	1184	0	-
348	Q614Z	Q614Z_NE SAIT PAS	discrete	numeric-1.0	1184	0	-
349	Q615	Q615_VU DEMONSTRATION	discrete	numeric-1.0	1184	0	-
350	Q616	Q616_TYPE DE CONDOM	discrete	numeric-1.0	1070	114	-
351	Q617	Q617_VU DEMONSTRATION 6 DERNIERS MOIS	discrete	numeric-1.0	1070	114	-
352	Q618	Q618_FREQUENCE VU DEMONSTRATION 6 DERNIERS MOIS	discrete	numeric-1.0	617	567	-
353	Q619	Q619_CENTRE DE SANTEION 12 DERNIERS MOIS	discrete	numeric-1.0	1184	0	-
354	Q620	Q620_NBRE DE FOIS CENTRE DE SANTEION 12 DERNIERS MOIS	discrete	numeric-2.0	798	386	-
355	Q621A	Q621A_VISITE AUX MALADES	discrete	numeric-1.0	798	386	-
356	Q621B	Q621B_CONSULTATION POUR IST	discrete	numeric-1.0	798	386	-
357	Q621C	Q621C_CONSULTATION POUR AUTRE QUE IST	discrete	numeric-1.0	798	386	-
358	Q621D	Q621D_AUTRE 1	discrete	numeric-1.0	798	386	-
359	Q621F	Q621F_NE SAIT PAS	discrete	numeric-1.0	798	386	-
360	Q621G	Q621G_NON REPONSE	discrete	numeric-1.0	798	386	-
361	Q622A	Q622A_CENTRE DE SANTE PUBLIC	discrete	numeric-1.0	798	386	-
362	Q622B	Q622B_CENTRE DE SANTE PRIVE NON CONF.	discrete	numeric-1.0	798	386	-
363	Q622C	Q622C_CENTRE DE SANTE PRIVE CONF.	discrete	numeric-1.0	798	386	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
364	Q622D	Q622D_ONG OFFRANT DES SERVICES DE SANTE	discrete	numeric-1.0	798	386	-
365	Q622E	Q622E_FREQUENTE PAS CENTRE DE SANTE	discrete	numeric-1.0	798	386	-
366	Q622F	Q622F_NE SAIT PAS	discrete	numeric-1.0	798	386	-
367	Q622G	Q622G_NON REPONSE	discrete	numeric-1.0	798	386	-
368	Q623	Q623 LIEU DE DEPISTAGE DU VIH	discrete	numeric-1.0	1184	0	-
369	Q624A	Q624A RECU DES PRESERVATIFS LES 12 DERNIERS MOIS	discrete	numeric-1.0	1184	0	-
370	Q624BA	Q624BA Pairs éducateurs/ paires éducatrices	discrete	numeric-1.0	1184	0	-
371	Q624BB	Q624BB Lors des sensibilisations de masse	discrete	numeric-1.0	1184	0	-
372	Q624BC	Q624BC Dans les centres de santé ou conviviaux	discrete	numeric-1.0	1184	0	-
373	Q625A	Q625A_CIGARETTE	discrete	numeric-1.0	1184	0	-
374	Q625B	Q625B_ALCOOL	discrete	numeric-1.0	1184	0	-
375	Q625C	Q625C_DROGUE INJECTABLE	discrete	numeric-1.0	1184	0	-
376	Q625D	Q625D_DROGUE NON INJECTABLE	discrete	numeric-1.0	1184	0	-
377	HEUREFIN	HEURE DE FIN	continuous	numeric-2.0	1184	0	-
378	MINUTE_D..	MINUTE DE FIN	continuous	numeric-2.0	1184	0	-
379	ACCUEIL	ACCUEIL	discrete	numeric-1.0	1184	0	-
380	IMPRESSION	IMPRESSION	discrete	numeric-1.0	1184	0	-
381	grage	Groupes d'âges	discrete	numeric-1.0	1184	0	-
382	nivins	Niveau d'instruction	discrete	numeric-1.0	1184	0	-
383	etatm	Etat matrimonial de la PS	discrete	numeric-1.0	1184	0	-
384	age_15	Rapport sexuel avec préservatif avant 15 ans	discrete	numeric-1.0	1150	34	-
385	age_18	Rapport sexuel avec préservatif avant 18 ans	discrete	numeric-1.0	1150	34	-
386	Q212NBUN..	Nombre d'unions	discrete	numeric-1.0	1184	0	-
387	Q202NBENF	Nombre d'enfants	discrete	numeric-1.0	767	417	-
388	Q203NBPERS	Nombre de personnes à charge	discrete	numeric-1.0	1184	0	-
389	SQ507A	-	discrete	numeric-8.0	1184	0	-
390	SQ507B	-	discrete	numeric-1.0	1184	0	-
391	SQ507C	-	discrete	numeric-1.0	1184	0	-
392	SQ507D	-	discrete	numeric-1.0	1184	0	-
393	SQ507E	-	discrete	numeric-1.0	1184	0	-
394	SQ507	Score sue les connaissances vis à vis du VIH/SIDA	discrete	numeric-1.0	1184	0	-

File PS_TEST							
#	Name	Label	Type	Format	Valid	Invalid	Question
395	Q307NBCL	Nombre de clients par semaine	discrete	numeric-1.0	1184	0	-
396	I9	PS qui ont répondu «oui» aux deux questions précédentes Q623=1 et Q624a=1	discrete	numeric-1.0	1184	0	-
397	age1_15	Premier rapport sexuel avant 15 ans	discrete	numeric-1.0	1184	0	-
398	age1_18	Premier rapport sexuel avant 18 ans	discrete	numeric-1.0	1184	0	-
399	MODE	Mode de transmission	discrete	numeric-8.0	1184	0	-
400	Conclusion	Séroprévalence	discrete	numeric-1.0	1184	0	-
401	Q306PREC..	Précaution de prévention des IST/VIH	discrete	numeric-8.0	1184	0	-
402	Q325_UTI..	Utilisation du préservatif à chaque rapport sexuel	discrete	numeric-8.0	1184	0	-
403	NBCL_SP	-	discrete	numeric-8.0	89	1095	-
404	CNBCL_SP	Nombre de clients sans préservatifs	discrete	numeric-8.0	89	1095	-

Variables Description

Dataset contains 1262 variable(s)

File : CL_2015_APUREE

NUM_QEST: NUM_

Information	[Type= continuous] [Format=numeric] [Range= 1-7700] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=434.006 /-] [StdDev=557.335 /-]
Definition	NUM_QEST : Numéro du questionnaire
Source	Agents de saisie
Pre-question	Cette question n'est pas posé, ce sont les agents de saisie qui attribuent un numéro unique pour chaque questionnaire
Literal question	Aucune question
Post-question	Aucune question
Interviewer's instructions	Note pour agent enquêteur : Ne remplir pas cette partie, elle est réservée pour les agents de saisie.
Imputation	Applicable à toutes les questions
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Numéro du questionnaire
Notes	Aucun

QUEST_SITE: QUEST_SITE

Information	[Type= continuous] [Format=numeric] [Range= 1-302] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=21.423 /-] [StdDev=23.212 /-]
Definition	Numéro du questionnaire dans la localité/le site
Source	Superviseurs et Agent enquêteur
Pre-question	L'agent enquêteur doit rapporté le code et le nom du site
Literal question	Numéro du questionnaire dans la localité/le site
Post-question	Aucun
Interviewer's instructions	Inscrire le numéro d'ordre du questionnaire rempli sur le site
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Site des clients
Notes	Aucun

REGION: REGION

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	Région de la collecte des données
Source	Enquêteurs
Pre-question	Aucun
Literal question	Ecrire la région de la collecte des données
Post-question	Aucun
Interviewer's instructions	Inscrire le code correspondant à la région
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun

File : CL_2015_APUREE

REGION: REGION

Concepts	Région
Notes	Aucun

Value	Label	Cases	Percentage
0	Lomé	310	39.2%
1	Maritime	74	9.4%
2	Plateaux	160	20.3%
3	Centrale	50	6.3%
4	Kara	75	9.5%
5	Savanes	121	15.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PREFECT: PREFECTURE/DISTRICT

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	Préfecture de la collecte des données
Source	Enquêteurs
Pre-question	Aucun
Literal question	Ecrire la préfecture de la collecte des données
Post-question	Aucun
Interviewer's instructions	Inscrire le code correspondant à la préfecture
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Préfecture
Notes	Aucun

Value	Label	Cases	Percentage
1	DISTRICT 1	46	5.8%
2	DISTRICT 2	78	9.9%
3	DISTRICT 3	64	8.1%
4	DISTRICT 4	17	2.2%
5	DISTRICT 5	58	7.3%
6	GOLFE	80	10.1%
7	LACS	33	4.2%
10	HAHO	20	2.5%
11	OGOU	60	7.6%
12	KLOTO	40	5.1%
13	ANIE	40	5.1%
14	TCHAOUDJO	50	6.3%
15	KOZAH	76	9.6%
16	TONE	52	6.6%
17	CINKASSE	70	8.9%
18	YOTO	6	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : CL_2015_APUREE

SITE: SITE

Information	[Type= discrete] [Format=numeric] [Range= 1-90] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	Site de la collecte des données
Source	Enquêteurs
Pre-question	Aucun
Literal question	Ecrire le site de la collecte des données et son code
Post-question	Aucun
Interviewer's instructions	Inscrire le code correspondant au site et l'écrire lisiblement
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Site
Notes	Aucun

Value	Label	Cases	Percentage
1	DISTRICT 1	46	5.8%
5	DISTRICT 2	78	9.9%
10	DISTRICT 3	64	8.1%
15	DISTRICT 4	18	2.3%
20	DISTRICT 5	59	7.5%
25	BAGUIDA	31	3.9%
30	ADIDOGOME	4	0.5%
35	AGOE	44	5.6%
40	ANEHO	29	3.7%
45	KPEME	3	0.4%
46	AGBODRAFO	1	0.1%
50	TABLIGBO	6	0.8%
55	NOTSE	20	2.5%
60	KPALIME	40	5.1%
65	ATAKPAME	60	7.6%
70	ANIE	40	5.1%
75	SOKODE	50	6.3%
80	KARA	75	9.5%
85	DAPAONG	52	6.6%
90	CINKASSE	70	8.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ENQUETEUR: ENQUETEUR

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	Nom de l'agent enquêteur
Source	Enquêteur
Pre-question	Aucun

File : CL_2015_APUREE

ENQUETEUR: ENQUETEUR

Literal question	Nom de l'agent enquêteur
Post-question	Aucun
Interviewer's instructions	Ecrire lisiblement votre nom d'agent enquêteur et de reporter dans les bacs code code d'agent enquêteur
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Nom de l'agent enquêteur
Notes	Aucun

Value	Label	Cases	Percentage
1	LARE YENDOUBE	38	4.8%
2	AMEGAVIE KOSSI	44	5.6%
3	SAMA NANKPAKOU	42	5.3%
4	BAKASSIBATA BENBADINI	38	4.8%
5	ALI MAGILUWE	37	4.7%
6	BANIZI PIYABA	50	6.3%
7	BAGNISSI MAWUSSE	60	7.6%
8	YOMEKPE RADRIGUE	60	7.6%
9	GAVI AKOKO	40	5.1%
10	APEDO FIACRE	24	3.0%
11	DEGBE EMMANUEL	15	1.9%
12	EZIN-DOSSA KOSSI	20	2.5%
13	GABA ADAMA	33	4.2%
14	ARREGBA NASSI	7	0.9%
15	HOUNNOU CALISTO	12	1.5%
16	ANTHONY VILMA	23	2.9%
17	GBODJOR KOMI	20	2.5%
18	HALIYAKI BADA IEN	24	3.0%
19	KOURIMA KADJAMA	10	1.3%
20	KLOUTSE MARCUS	45	5.7%
21	ALLADO HUGUETTE	46	5.8%
22	ADJIGNON MIREILLE	40	5.1%
23	DEAWARE HELENE	37	4.7%
24	YENU CELINE	25	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NOM_SITE: NOM_SITE

Information	[Type= discrete] [Format=character] [Missing=*/Ž9tÔ]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	Nom du site de la collecte des données
Universe	Agent enquêteur
Pre-question	Aucun
Literal question	Nom du site de la collecte des données
Post-question	Aucun

File : CL_2015_APUREE

NOM_SITE: NOM_SITE

Interviewer's instructions	Ecrire lisiblement le nom du Site de la collecte des données
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Nom du site
Notes	Aucun

Value	Label	Cases	Percentage
3 K		1	0.1%
A COTE DE LA STA		1	0.1%
ABLODE KPAME		6	0.8%
ABLODEKPAMI		2	0.3%
ADAWLATO		7	0.9%
ADIDOGOME		1	0.1%
AGBALIPEDO		6	0.8%
AGBEKOKO		2	0.3%
AGBODRAFO		1	0.1%
AGBONOU (LOME II		3	0.4%
AGBONOU (LOMEII)		1	0.1%
AGBONOU (LOMEII°		1	0.1%
AGBONOU CARREFOU		7	0.9%
AGBONOU SAHELIN		2	0.3%
AGIE		1	0.1%
AGOE		42	5.3%
AGOE ZONGO		1	0.1%
AKODESSEWA		7	0.9%
ALINOU		2	0.3%
AMOUTIEVE		2	0.3%
ANEHO		19	2.4%
ANIE		40	5.1%
ANLAKODZI		1	0.1%
ANLOKODZI		10	1.3%
ASIYEYE		1	0.1%
ATIKOUME		5	0.6%
AUBERGE BOUCANE		6	0.8%
AUBERGE LE BOUCA		1	0.1%
BA AKLASSOU		1	0.1%

File : CL_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
BAGUIDA		9	1.1%
BAGUIDA M.CLOSE		1	0.1%
BAR ABLODE		1	0.1%
BAR AGBEKOKO		2	0.3%
BAR COSMOS		2	0.3%
BAR G 20		1	0.1%
BAR G20		1	0.1%
BAR LA PLAGE		1	0.1%
BAR MAQUIS OUF		1	0.1%
BAR MONUMA		3	0.4%
BAR PLAGE		5	0.6%
BAR RABINET		1	0.1%
BAR ROBINET		3	0.4%
BE ADIDAPE		1	0.1%
BE AGBEKOKO		1	0.1%
BE AHLIGO		1	0.1%
BE AKLASSOU		21	2.7%
BE KPEHENOU		6	0.8%
BE KPEHENOU ABLO		1	0.1%
BEAU CAMION		7	0.9%
BEL AIR		1	0.1%
BEL AIR(BON GOUT		1	0.1%
BENIGLATO		8	1.0%
CHELSEA BAR		2	0.3%
DAPAONG		2	0.3%
DELALI		2	0.3%
DIDJOLE		1	0.1%
DISTRICT		2	0.3%
DISTRICT (SYSTEM		1	0.1%
DISTRICT 5		6	0.8%
DISTRICT 5 (MAIS		1	0.1%
DISTRICT 5 (SYST		1	0.1%
DISTRICT 5 GOBIN		1	0.1%
DISTRICT 5(3 K)		1	0.1%



File : CL_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
DISTRICT 5(SYSTEME)		2	0.3%
DISTRICT5		2	0.3%
DISTRICT5(3K)		1	0.1%
DISTRICT5(SYSTEME)		1	0.1%
DISTRITS(MAIS)		1	0.1%
DJIDJOLE		6	0.8%
DOUANE		5	0.6%
ESPOIR		24	3.0%
EXPLOSIF		3	0.4%
EXPLOSIT		1	0.1%
FIAKOME		9	1.1%
FOREVER		1	0.1%
FUCEC		3	0.4%
GOVINA		2	0.3%
GTEM		1	0.1%
HIHEATRO		8	1.0%
JEUNESSE BAR		2	0.3%
KADES I		2	0.3%
KADES III		1	0.1%
KARA		76	9.6%
KHADES 1		2	0.3%
KODJOVIAKOP		2	0.3%
KPANGALAM		13	1.6%
KPEHENOU		4	0.5%
KPEME		3	0.4%
LA PAIX		6	0.8%
LA SAGACITE		5	0.6%
LE CHATEAU		4	0.5%
MADIBA		3	0.4%
MAISON BLANCHE		3	0.4%
MAISON CLOSE DJA		1	0.1%
MARMITE CHAUDE		4	0.5%
MISS DE MISS		3	0.4%
MISS DES MISS		19	2.4%
MISS DES MISS212		1	0.1%
MONUMENT		5	0.6%
MSON CLOSE DJAMA		4	0.5%
N'TIFAFA		3	0.4%

File : CL_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
NOTSE		18	 2.3%
NOUKAFU		1	 0.1%
NTIFAFA		1	 0.1%
NUKAFU		25	 3.2%
NYEKONAKPOI		2	 0.3%
ONE WAY		4	 0.5%
PANINI		18	 2.3%
PHARMACIE AKOFA		8	 1.0%
PLAGE		4	 0.5%
PRESTIGE		7	 0.9%
RICARDO ANNEXE		1	 0.1%
SAINT JOSEPH		41	 5.2%
SOVIEPE		4	 0.5%
STATION AGBELEPE		2	 0.3%
STATION CINKASSE		5	 0.6%
STATION D'ESSENC		1	 0.1%
STATION MC		4	 0.5%
STATION WOLGOU		2	 0.3%
STATION WORGOU		4	 0.5%
SYSTEME		1	 0.1%
TAGBLIGBO		4	 0.5%
TALO (CASCADE)		4	 0.5%
TALO CARCADE		1	 0.1%
TALO CASCADE		1	 0.1%
TCHAMBA KOME		7	 0.9%
TCHAMBAKOM		2	 0.3%
TCHAMRAKOM		1	 0.1%
TCHAWANDA		1	 0.1%
TEMPLE		2	 0.3%
TIGBANE		3	 0.4%
TIKPAN MAN		2	 0.3%
TIKPANMAN		4	 0.5%
TINEGBANE		8	 1.0%
TOTSI		1	 0.1%
TOTSI BATOME		1	 0.1%

File : CL_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
ZOMAYI		3	0.4%
ZONGO		28	3.5%
ZORO BAR		2	0.3%
aneho		10	1.3%
bar plage		6	0.8%
dapaong		4	0.5%
marmite chaude		3	0.4%
one way		2	0.3%
station worgou		1	0.1%
tabligbo		2	0.3%
tigbane		4	0.5%
vertue		7	0.9%
zongo		8	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HEUREDEB: HEURE DEBUT INTERVIEW

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=14.367 /-] [StdDev=7.226 /-]
Definition	Heure de début de la collecte
Source	Agents enquêteurs
Pre-question	Aucun
Literal question	Ecrire l'heure de début du remplissage questionnaire
Post-question	Aucun
Interviewer's instructions	Ecrire l'heure de début du remplissage questionnaire
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Heure de début du remplissage du questionnaire
Notes	Aucun

MINUTEDEB: MINUTE DU DEBUT

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=26.816 /-] [StdDev=17.478 /-]
Definition	Minute de début de la collecte
Source	Enquêteur
Pre-question	Aucun
Literal question	Ecrire la minute de début du remplissage questionnaire
Post-question	Aucun
Interviewer's instructions	Ecrire la minute de début du remplissage questionnaire
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun

File : CL_2015_APUREE

MINUTEDEB: MINUTE DU DEBUT

Concepts	Heure de début de remplissage du questionnaire
Notes	Aucun

RESULT1: RESULTAT1

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	Codes des Résultats : c'est à dire de voir le niveau de remplissage du questionnaire à savoir Entretien achevé ou Enquêté(e) absent(e) ou Refus de participer ou Entretien non-achevé
Source	Enquêteurs
Pre-question	Aucun
Literal question	A la fin du remplissage du questionnaire, encrer le code correspondant au résultat du remplissage du questionnaire
Post-question	Aucun
Interviewer's instructions	A la fin du remplissage du questionnaire, encrer le code correspondant au résultat du remplissage du questionnaire
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Code de résultat de remplissage du questionnaire
Notes	Aucun

Value	Label	Cases	Percentage
1	Entretitn achevé	790	100.0%
2	Enquêté abscent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RESULT2: RESULT2

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=633 /-] [Invalid=157 /-]
Definition	Ce type de résultat n'est pas considéré dans le traitement de la base des données

Value	Label	Cases	Percentage
1	Entretitn achevé	633	100.0%
2	Enquêté abscent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	
Sysmiss		157	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

COMPORT: COMPORTEMENT

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	C'est aussi un type de résultat pour savoir si le questionnaire concernant la partie commportementale est terminé complètement

File : CL_2015_APUREE

COMPORT: COMPORTEMENT

Source	Enquêteurs
Pre-question	Aucun
Literal question	Est ce que la partie de comportement qui le questionnaire est-il rempli ?
Post-question	Aucun
Interviewer's instructions	Encercler le code 1 si tout le questionnaire est administré et 2 pour dire non si des partie reste à renseigné
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Comportement
Notes	Aucun

Value	Label	Cases	Percentage
1	Oui	790	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BIOLOGIE: BIOLOGIE

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]
Definition	C'est aussi un type de résultat pour savoir si le client du PS s'est fait dépister auprès du laborantin
Source	Biologiste
Pre-question	Aucun
Literal question	Est ce que le test de dépistage a été fait par le client auprès au laborantin
Post-question	Aucun
Interviewer's instructions	Encercler le code 1 si le sang à été prélevé et 2 pour dire non si des partie reste à renseigné
Imputation	Aucun
Recoding and Derivation	Aucun
Security	Aucun
Concepts	Biologie
Notes	Aucun

Value	Label	Cases	Percentage
1	Oui	790	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CODE_BIO: CODE BIOLOGIQUE


Information	[Type= continuous] [Format=numeric] [Range= 101160061-51790030091] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=19365926773.989 /-] [StdDev=19152366692.774 /-]
Definition	C

Q10_SEXE1: Q101_SEXE

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

File : CL_2015_APUREE

Q10_SEXE1: Q101_SEXE

Value	Label	Cases	Percentage
1	Masculin	790	 100.0%
2	Féminin	0	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q102_AGE: Q102 AGE

Information	[Type= continuous] [Format=numeric] [Range= 12-68] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=29.648 /-] [StdDev=9.024 /-]

Q103_SIT_MATRI: Q103 SITUATION MATRIMONIALE





Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Célibataire	446	 56.5%
2	Union libre	43	 5.4%
3	Veuf/divorcé/séparé	24	 3.0%
4	Marié monogame	234	 29.6%
5	Marié polygame	43	 5.4%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q104_RELIGION: Q104_RELIGION



Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Traditionnelle	51	 6.5%
2	Catholique	278	 35.2%
3	Protestante	140	 17.7%
4	Islamique	173	 21.9%
5	Autre chrétienne	90	 11.4%
6	Aucune	55	 7.0%
7	Autre	3	 0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105_PRAT: Q105_PRATIQUE

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Fortement	419	 53.0%
2	Quelque peu	323	 40.9%
3	Pas du tout	16	 2.0%
9	Pas de réponse	32	 4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q106_FREQ_SCOL: Q106 FREQUENTATION SCOLAIRE

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
-------------	--

File : CL_2015_APUREE

Q106_FREQ_SCOL: Q106 FREQUENTATION SCOLAIRE

Statistics [NW/ W] [Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui, mais ne fréquente plus	630	79.7%
2	Oui, continue de fréquenter	104	13.2%
3	Non, n'a jamais été à l'école	50	6.3%
4	Non, n'a jamais été à l'école mais alphabétisé	6	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q107_NIVEAU: Q107_DERNIERE CLASSE

Information [Type= continuous] [Format=numeric] [Range= 11-96] [Missing=*]

Statistics [NW/ W] [Valid=734 /-] [Invalid=56 /-]

Value	Label	Cases	Percentage
11	CP1	3	0.4%
12	CP2	15	2.0%
13	CE1	20	2.7%
14	CE2	19	2.6%
15	CM1	37	5.0%
16	CM2	54	7.4%
17	CM2 avec CEPD / CEPE	29	4.0%
21	6ème	45	6.1%
22	5ème	59	8.0%
23	4ème	79	10.8%
24	3ème	66	9.0%
25	3ème avec BEPC	44	6.0%
31	2nde	44	6.0%
32	1ère	68	9.3%
33	Terminale	58	7.9%
34	Terminale avec BAC	24	3.3%
41	Supérieur 1ère année	11	1.5%
42	Supérieur 2ème année	23	3.1%
43	Supérieur 3ème année	19	2.6%
44	Supérieur 4ème année	7	1.0%
45	Supérieur 5ème année et plus	4	0.5%
50	Ecole coranique	0	
60	Formation professionnelle	5	0.7%
96	Autres	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q108_NB_ENF: Q108 NOMBRE ENFANTS VIVANTS

Information [Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]

Statistics [NW/ W] [Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		403	51.0%
1		138	17.5%
2		101	12.8%

File : CL_2015_APUREE

Q108_NB_ENF: Q108 NOMBRE ENFANTS VIVANTS

Value	Label	Cases	Percentage
3		56	7.1%
4		41	5.2%
5		20	2.5%
6		15	1.9%
7		3	0.4%
8		6	0.8%
10		4	0.5%
12		1	0.1%
16		1	0.1%
19		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q109_SOURCE_REV: Q109 PRINCIPALE SOURCE DE REVENU

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Famille	57	7.2%
2	Agriculture/Agro-sylvo pastorale	20	2.5%
3	Employé du secteur privé	71	9.0%
4	Employé de la fonction publique	34	4.3%
5	Support conjugal	1	0.1%
6	Travailleur intermittent	20	2.5%
7	Travail domestique	3	0.4%
8	Travail informel	393	49.7%
97	Autre	168	21.3%
98	Ne sait pas	0	
99	Pas de réponse	23	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q110_REV_MENS: Q110 REVENU MENSUEL

Information	[Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=127217.561 /-] [StdDev=266409.609 /-]

Q111A_BICYCLETTE: Q111A BICYCLETTE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	556	70.4%
1	Oui	234	29.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111B_MOTOCYCLETTE: Q111B MOTOCYCLETTE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

File : CL_2015_APUREE

Q111B_MOTOCYCLETTEF: Q111B MOTOCYCLETTE

Value	Label	Cases	Percentage
0	Non	399	50.5%
1	Oui	391	49.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111C_VOITURF: Q111C VOITURE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	692	87.6%
1	Oui	98	12.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111D_CAMIOO: Q111D CAMION

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	761	96.3%
1	Oui	29	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111E_DVD_VCE: Q111E MAGNETO/DVD/VCD

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	440	55.7%
1	Oui	350	44.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111F_RADIO_CAT: Q111F RADIO-CASSETTE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	437	55.3%
1	Oui	353	44.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111G_LECT_CE: Q111G LECTEUR CD

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]


Value	Label	Cases	Percentage
0	Non	413	52.3%
1	Oui	377	47.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : CL_2015_APUREE

Q111H_RADIP: Q111H RADIO


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	218	 27.6%
1	Oui	572	 72.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111I_TELE: Q111I TELEVISION


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	241	 30.5%
1	Oui	549	 69.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111J_REFRJ: Q111J REFRIGERATEUR


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	664	 84.1%
1	Oui	126	 15.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111K_FERMF: Q111K FERME

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	753	 95.3%
1	Oui	37	 4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111L_MAISOO: Q111L MAISON


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	672	 85.1%
1	Oui	118	 14.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111M_POELF: Q111M POELE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	691	 87.5%
1	Oui	99	 12.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : CL_2015_APUREE

Q111N_MACH_LAVES: Q111N MACHINE A LAVER

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	779	98.6%
1	Oui	11	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111O_VENU: Q111O VENTILATEUR

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	354	44.8%
1	Oui	436	55.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111P_TEL_FIXF: Q111P TELEPHONE FIXE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	719	91.0%
1	Oui	71	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111Q_CEL: Q111Q CELLULAIRE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	52	6.6%
1	Oui	738	93.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q112_INFO_SIDB: Q112 INFORMATION SUR LE VIH/SIDA

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Professeur d'école	26	3.3%
2	Clinique/hôpitaux	557	70.5%
3	Ami	28	3.5%
4	Parent	2	0.3%
5	ONG	134	17.0%
6	Internet	17	2.2%
7	Autre	16	2.0%
8	Ne sait pas	10	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : CL_2015_APUREE

Q113: Q113 CIRCONCISION

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non concerné	0	
1	Oui	784	99.2%
2	Non	6	0.8%
9	Pas de réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q202_AGE: Q202 AGE AU PREMIER RAPPORT SEXUEL

Information	[Type= continuous] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=18.33 /-] [StdDev=8.406 /-]

Q203_UTI_PRESERW: Q203 DEJA UTILISER PRESERVATIF

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	714	90.4%
2	Non	76	9.6%
8	Ne sait pas	0	
9	Pas de réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q204_UTI_PRE_1RS: Q204 UTILISATION DU PRESERVATIF LORS DU 1ER RS

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=714 /-] [Invalid=76 /-]

Value	Label	Cases	Percentage
1	Oui	198	27.7%
2	Non	516	72.3%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		76	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q205_AGE_1RS: Q205 AGE 1ER RS

Information	[Type= continuous] [Format=numeric] [Range= 8-99] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=20.281 /-] [StdDev=17.375 /-]

Q206_RS_12M: Q206 RAPPORTS SEXUELS LES 12 DERNIERS MOIS

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	774	98.0%
2	Non	16	2.0%
9	Pas de réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : CL_2015_APUREE

Q207_NB_PART: Q207 NOMBRE DE PARTENAIRES LES 12 DERNIERS MOIS

Information [Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]

Statistics [NW/ W] [Valid=774 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1		181	23.4%
2		280	36.2%
3		129	16.7%
4		53	6.8%
5		45	5.8%
6		17	2.2%
7		19	2.5%
8		10	1.3%
9		6	0.8%
10		19	2.5%
12		3	0.4%
14		1	0.1%
15		8	1.0%
17		1	0.1%
18		2	0.3%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q501_1P: Q501_1PART

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=774 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1	Mari/femme ou concubine	207	26.7%
2	Petit ami/petite amie	330	42.6%
3	Un (e) autre ami(e)	38	4.9%
4	Partenaire occasionnel	111	14.3%
5	Parent	0	
6	Quelqu'un payé	88	11.4%
7	Autre	0	
9	Pas de réponse	0	
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q502_1P: Q502_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=774 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
1	Masculin	1	0.1%
2	Féminin	770	99.5%
9	Pas de réponse	3	0.4%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503_1P: Q503_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=774 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
1	Plus vieux	63	8.1%
2	Plus jeune	638	82.4%
3	De même âge	46	5.9%
8	Ne sait pas	27	3.5%
9	Pas de réponse	0	
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504_1P: Q504_NB_ANNEES_1P			
Information		[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=747 /-] [Invalid=43 /-] [Mean=6.112 /-] [StdDev=14.068 /-]	
# Q505A_1P: Q505A_UNITE_1PART			
Information		[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=774 /-] [Invalid=16 /-] [Mean=6.306 /-] [StdDev=13.251 /-]	
# Q505B_1P: Q505B_1P			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=774 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
1	Jour	51	6.6%
2	Semaine	47	6.1%
3	Mois	231	29.8%
4	Année	432	55.8%
9	NSP/SR	13	1.7%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506A_1P: Q506A_UNITE_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=774 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
0		42	5.4%
1		323	41.7%

Q506A_1P: Q506A_UNITE_1PART

Value	Label	Cases	Percentage
2		176	22.7%
3		108	14.0%
4		37	4.8%
5		40	5.2%
6		20	2.6%
7		5	0.6%
8		2	0.3%
9		3	0.4%
10		4	0.5%
11		1	0.1%
12		2	0.3%
98		8	1.0%
99		3	0.4%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q506B_1P: Q506B_1P

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1	Jour	398	51.4%
2	Semaine	230	29.7%
3	Mois	124	16.0%
4	Année	12	1.6%
9	NSP/SR	10	1.3%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q507A_1P: Q507A_UNITE_1PART

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1		333	43.0%
2		241	31.1%
3		100	12.9%
4		29	3.7%
5		10	1.3%
6		10	1.3%
7		9	1.2%
8		1	0.1%
98		26	3.4%
99		15	1.9%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q507B_1P: Q507B_1P			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Jour	113	14.6%
2	Semaine	391	50.5%
3	Mois	208	26.9%
4	Année	27	3.5%
9	NSP/SR	33	4.3%
98		2	0.3%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q508_1P: Q508_PRES_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
0		229	29.6%
1		227	29.3%
2		138	17.8%
3		43	5.6%
4		27	3.5%
5		10	1.3%
6		4	0.5%
7		11	1.4%
8		7	0.9%
9		4	0.5%
10		5	0.6%
12		2	0.3%
13		1	0.1%
15		1	0.1%
20		2	0.3%
35		1	0.1%
44		1	0.1%
50		1	0.1%
52		1	0.1%
97		1	0.1%
98		55	7.1%
99		3	0.4%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509_1P: Q509_NON_UTI_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=245 /-]		
Value	Label	Cases	Percentage
1	Oui	191	35.0%

# Q509_1P: Q509_NON_UTI_1PART			
Value	Label	Cases	Percentage
2	Non	353	64.8%
99		1	0.2%
Sysmiss		245	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q510_1P: Q510_NB_NON_UTI_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=195 /-] [Invalid=595 /-]		
Value	Label	Cases	Percentage
0		11	5.6%
1		50	25.6%
2		31	15.9%
3		14	7.2%
4		8	4.1%
5		5	2.6%
6		3	1.5%
7		2	1.0%
8		3	1.5%
9		1	0.5%
10		3	1.5%
12		1	0.5%
98		61	31.3%
99		2	1.0%
Sysmiss		595	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511_1P: Q511_DER_RS_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=245 /-]		
Value	Label	Cases	Percentage
1	Oui	446	81.8%
2	Non	92	16.9%
7	NC	7	1.3%
Sysmiss		245	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q512_1P: Q512_UTI_TJRS_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=245 /-]		
Value	Label	Cases	Percentage
1	Oui	469	86.1%
2	Non	63	11.6%
7	NC	13	2.4%
Sysmiss		245	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q513_1P: Q513_PRES_DECHIRE_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=245 /-]		
Value	Label	Cases	Percentage
1	Oui	103	18.9%
2	Non	424	77.8%
7	NC	18	3.3%
Sysmiss		245	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514_1P: Q514_FRE_LUBRIFIANT_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Toujours	125	16.1%
2	Souvent	62	8.0%
3	Quelquefois	82	10.6%
4	Jamais	466	60.2%
5	Ne connaît pas	36	4.7%
9	Pas de réponse	3	0.4%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515_1P: Q515_TJRS_RS_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Oui	690	89.1%
2	Non	71	9.2%
8	Ne sait pas	11	1.4%
9	Pas de réponse	2	0.3%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q516: Q516_NB_PART_1PART			
Information	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]		
Statistics [NW/ W]	[Valid=774 /-] [Invalid=16 /-] [Mean=3.301 /-] [StdDev=3.892 /-]		
# Q501_2P: Q501_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1	Mari/femme ou concubine	91	15.3%
2	Petit ami/petite amie	206	34.7%
3	Un (e) autre ami(e)	84	14.2%
4	Partenaire occasionnel	140	23.6%
5	Parent	2	0.3%
6	Quelqu'un payé	69	11.6%

# Q501_2P: Q501_2PART			
Value	Label	Cases	Percentage
7	Autre	0	
9	Pas de réponse	1	0.2%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q502_2P: Q502_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 -/] [Invalid=197 -/]		
Value	Label	Cases	Percentage
1	Masculin	0	
2	Féminin	588	99.2%
9	Pas de réponse	5	0.8%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503_2P: Q503_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 -/] [Invalid=197 -/]		
Value	Label	Cases	Percentage
1	Plus vieux	47	7.9%
2	Plus jeune	480	80.9%
3	De même âge	40	6.7%
8	Ne sait pas	22	3.7%
9	Pas de réponse	4	0.7%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504_2P: Q504_NB_ANNEES_2P			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=568 -/] [Invalid=222 -/] [Mean=10.299 -/] [StdDev=22.96 -/]		
# Q505A_2P: Q505A_UNITE_2PART			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=593 -/] [Invalid=197 -/] [Mean=7.585 -/] [StdDev=18.201 -/]		
# Q505B_2P: Q505B_2P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 -/] [Invalid=197 -/]		
Value	Label	Cases	Percentage
1	Jour	12	2.0%
2	Semaine	40	6.7%
3	Mois	211	35.6%
4	Année	311	52.4%
9	NSP/SR	19	3.2%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q506A_2P: Q506A_UNITE_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1		227	38.3%
2		129	21.8%
3		72	12.1%
4		46	7.8%
5		34	5.7%
6		29	4.9%
7		12	2.0%
8		8	1.3%
9		5	0.8%
11		1	0.2%
12		7	1.2%
36		1	0.2%
98		21	3.5%
99		1	0.2%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506B_2P: Q506B_2P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1	Jour	101	17.0%
2	Semaine	244	41.1%
3	Mois	213	35.9%
4	Année	14	2.4%
9	NSP/SR	21	3.5%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A_2P: Q507A_UNITE_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1		269	45.4%
2		161	27.2%
3		60	10.1%
4		31	5.2%
5		13	2.2%
6		3	0.5%
7		6	1.0%
40		1	0.2%
98		38	6.4%
99		11	1.9%

# Q507A_2P: Q507A_UNITE_2PART			
Value	Label	Cases	Percentage
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507B_2P: Q507B_2P			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=592 /-] [Invalid=198 /-]		
Value	Label	Cases	Percentage
1	Jour	27	4.6%
2	Semaine	245	41.4%
3	Mois	244	41.2%
4	Année	30	5.1%
9	NSP/SR	42	7.1%
98		4	0.7%
Sysmiss		198	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q508_2P: Q508_PRES_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
0		158	26.6%
1		199	33.6%
2		86	14.5%
3		38	6.4%
4		31	5.2%
5		14	2.4%
6		3	0.5%
7		4	0.7%
8		1	0.2%
9		3	0.5%
10		4	0.7%
15		1	0.2%
20		2	0.3%
24		2	0.3%
28		1	0.2%
30		1	0.2%
36		1	0.2%
52		2	0.3%
98		37	6.2%
99		5	0.8%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509_2P: Q509_NON_UTI_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=355 /-]		

# Q509_2P: Q509_NON_UTI_2PART			
Value	Label	Cases	Percentage
1	Oui	103	23.7%
2	Non	332	76.3%
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q510_2P: Q510_NB_NON_UTI_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=103 /-] [Invalid=687 /-]		
Value	Label	Cases	Percentage
0		7	6.8%
1		35	34.0%
2		9	8.7%
3		2	1.9%
4		8	7.8%
5		3	2.9%
6		2	1.9%
7		1	1.0%
8		1	1.0%
9		1	1.0%
12		1	1.0%
23		1	1.0%
94		1	1.0%
98		28	27.2%
99		3	2.9%
Sysmiss		687	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511_2P: Q511_DER_RS_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Oui	372	85.5%
2	Non	61	14.0%
7		1	0.2%
9	NC	1	0.2%
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q512_2P: Q512_UTI_TJRS_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Oui	369	84.8%
2	Non	57	13.1%
7		5	1.1%
9	NC	4	0.9%

# Q512_2P: Q512_UTL_TJRS_2PART			
Value	Label	Cases	Percentage
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513_2P: Q513_PRES_DECHIRE_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Oui	83	19.1%
2	Non	341	78.4%
7		7	1.6%
9	NC	4	0.9%
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514_2P: Q514_FRE_LUBRIFIANT_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1	Toujours	84	14.2%
2	Souvent	70	11.8%
3	Quelquefois	58	9.8%
4	Jamais	354	59.7%
5	Ne connaît pas	22	3.7%
9	Pas de réponse	5	0.8%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515_2P: Q515_TJRS_RS_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=593 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1	Oui	446	75.2%
2	Non	135	22.8%
8	Ne sait pas	8	1.3%
9	Pas de réponse	4	0.7%
Sysmiss		197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q501_3P: Q501_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Mari/femme ou concubine	33	10.4%
2	Petit ami/petite amie	96	30.2%
3	Un (e) autre ami(e)	29	9.1%
4	Partenaire occasionnel	104	32.7%

# Q501_3P: Q501_3PART			
Value	Label	Cases	Percentage
5	Parent	1	0.3%
6	Quelqu'un payé	52	16.4%
7	Autre	0	
9	Pas de réponse	3	0.9%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q502_3P: Q502_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=318 -/] [Invalid=472 -/]		
Value	Label	Cases	Percentage
1	Masculin	4	1.3%
2	Féminin	308	96.9%
9	Pas de réponse	6	1.9%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503_3P: Q503_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=318 -/] [Invalid=472 -/]		
Value	Label	Cases	Percentage
1	Plus vieux	43	13.5%
2	Plus jeune	214	67.3%
3	De même âge	26	8.2%
8	Ne sait pas	31	9.7%
9	Pas de réponse	4	1.3%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504_3P: Q504_NB_ANNEES_3P			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=284 -/] [Invalid=506 -/] [Mean=13.363 -/] [StdDev=28.775 -/]		
# Q505A_3P: Q505A_UNITE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=318 -/] [Invalid=472 -/]		
Value	Label	Cases	Percentage
0		1	0.3%
1		84	26.4%
2		61	19.2%
3		54	17.0%
4		16	5.0%
5		17	5.3%
6		21	6.6%
7		13	4.1%
8		10	3.1%

# Q505A_3P: Q505A_UNITE_3PART			
Value	Label	Cases	Percentage
9		7	2.2%
10		7	2.2%
11		2	0.6%
12		3	0.9%
13		1	0.3%
15		2	0.6%
17		1	0.3%
20		1	0.3%
98		15	4.7%
99		2	0.6%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505B_3P: Q505B_3P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Jour	1	0.3%
2	Semaine	15	4.7%
3	Mois	136	42.8%
4	Année	150	47.2%
9	NSP/SR	16	5.0%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506A_3P: Q506A_UNITE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Jour	75	23.6%
2	Semaine	70	22.0%
3	Mois	103	32.4%
4	Année	18	5.7%
5		8	2.5%
6		3	0.9%
7		2	0.6%
8		1	0.3%
9	NSP/SR	22	6.9%
10		5	1.6%
12		2	0.6%
98		6	1.9%
99		3	0.9%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q506B_3P: Q506B_3P			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
0		4	1.3%
1		46	14.5%
2		89	28.0%
3		108	34.0%
4		19	6.0%
5		11	3.5%
6		9	2.8%
7		4	1.3%
8		5	1.6%
9		22	6.9%
99		1	0.3%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A_3P: Q507A_UNITE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Jour	96	30.2%
2	Semaine	65	20.4%
3	Mois	82	25.8%
4	Année	15	4.7%
7		1	0.3%
8		2	0.6%
9	NSP/SR	18	5.7%
10		3	0.9%
98		24	7.5%
99		12	3.8%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507B_3P: Q507B_3P			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
0		1	0.3%
1		59	18.6%
2		87	27.4%
3		110	34.6%
4		8	2.5%
5		1	0.3%
9		52	16.4%
Sysmiss		472	

# Q507B_3P: Q507B_3P			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q508_3P: Q508_PRES_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
0		80	25.2%
1		110	34.6%
2		31	9.7%
3		26	8.2%
4		21	6.6%
5		6	1.9%
6		1	0.3%
7		2	0.6%
8		5	1.6%
9		1	0.3%
10		1	0.3%
12		1	0.3%
14		1	0.3%
15		1	0.3%
18		1	0.3%
22		1	0.3%
24		2	0.6%
98		23	7.2%
99		4	1.3%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509_3P: Q509_NON_UTI_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=238 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	Oui	48	20.2%
2	Non	190	79.8%
Sysmiss		552	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q510_3P: Q510_NB_NON_UTI_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=742 /-]		
Value	Label	Cases	Percentage
0		6	12.5%
1		16	33.3%
2		8	16.7%
3		4	8.3%
4		3	6.2%
7		1	2.1%

# Q510_3P: Q510_NB_NON_UTL_3PART			
Value	Label	Cases	Percentage
12		1	2.1%
20		1	2.1%
98		8	16.7%
Sysmiss		742	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511_3P: Q511_DER_RS_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=238 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	Oui	210	88.2%
2	Non	26	10.9%
9	NC	2	0.8%
Sysmiss		552	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q512_3P: Q512_UTL_TJRS_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=238 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	Oui	200	84.0%
2	Non	31	13.0%
7		2	0.8%
9	NC	5	2.1%
Sysmiss		552	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513_3P: Q513_PRES_DECHIRE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=238 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	Oui	37	15.5%
2	Non	193	81.1%
7		4	1.7%
9	NC	4	1.7%
Sysmiss		552	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514_3P: Q514_FRE_LUBRIFIANT_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=318 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Toujours	50	15.7%
2	Souvent	24	7.5%
3	Quelquefois	23	7.2%
4	Jamais	204	64.2%
5	Ne connaît pas	12	3.8%
9	Pas de réponse	5	1.6%
Sysmiss		472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515_3P: Q515_TJRS_RS_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=319 /-] [Invalid=471 /-]		
Value	Label	Cases	Percentage
1	Oui	168	52.7%
2	Non	132	41.4%
8	Ne sait pas	2	0.6%
9	Pas de réponse	17	5.3%
Sysmiss		471	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q601: Q601_RS_APRES_ALCOOL			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q601: Q601_RS_APRES_ALCOOL			
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	449	56.8%
2	Non	341	43.2%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q602: Q602_RS_APRES_DROGUE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	120	15.2%
2	Non	670	84.8%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603A: Q603A_PRES_RS_NON_CONJ			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	522	66.1%
2	Non	196	24.8%
3	Pas de partenaire non conjugal	72	9.1%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603B: Q603B_PRES_RS_NON_CONJ 12 DERNIER MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=268 /-]		
Value	Label	Cases	Percentage
1	Oui	493	94.4%
2	Non	12	2.3%
3	Pas de partenaire non conjugal	12	2.3%
8	Ne sait pas	0	
9	Pas de réponse	5	1.0%
Sysmiss		268	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q604: Q604_PRES_RS_NON_CONJ_DEBUT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=498 /-] [Invalid=292 /-]		
Value	Label	Cases	Percentage
1	Oui	449	90.2%
2	Non	46	9.2%

# Q604: Q604_PRES_RS_NON_CONJ_DEBUT			
Value	Label	Cases	Percentage
8	Ne sait pas	0	
9	Pas de réponse	3	0.6%
Sysmiss		292	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q605: Q605_PRES_ENLEVE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	77	9.7%
2	Non	640	81.0%
7	Non concerné	66	8.4%
9	Pas de réponse	7	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q606: Q606_NB_PRES_ENLEVE			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=152 /-] [Invalid=638 /-]		
Value	Label	Cases	Percentage
1		20	13.2%
2		26	17.1%
3		13	8.6%
4		3	2.0%
5		5	3.3%
7		1	0.7%
77		67	44.1%
98		10	6.6%
99		7	4.6%
Sysmiss		638	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607: Q607_PRES_DECHIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	180	22.8%
2	Non	532	67.3%
7	Non concerné	72	9.1%
9	Pas de réponse	6	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q608: Q608_NB_PRES_DECHIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=186 /-] [Invalid=604 /-]		
Value	Label	Cases	Percentage
1		56	30.1%

# Q608: Q608_NB_PRES_DECHIRE			
Value	Label	Cases	Percentage
2		54	29.0%
3		19	10.2%
4		10	5.4%
5		17	9.1%
6		2	1.1%
7		4	2.2%
9		1	0.5%
98		14	7.5%
99		9	4.8%
Sysmiss		604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609: Q609_UTI_LUBRIFIANT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=718 /-] [Invalid=72 /-]		
Value	Label	Cases	Percentage
1	Oui	231	32.2%
2	Non	487	67.8%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		72	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q610: Q610_CONDOM_FEMININ			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	635	80.4%
2	Non	153	19.4%
8	Ne sait pas	0	
9	Pas de réponse	2	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q611: Q611_UTI_CONDOM_FEMININ			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=637 /-] [Invalid=153 /-]		
Value	Label	Cases	Percentage
1	Oui	112	17.6%
2	Non	523	82.1%
7	Non concerné	2	0.3%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		153	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q612: Q612_ACHETE_PRESERVATIF			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q612: Q612_ACHETE_PRESERVATIF			
Statistics [NW/ W]		[Valid=790 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	612	77.5%
2	Non	174	22.0%
9	Pas de réponse	4	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q613: Q613_LIEU_ACHAT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=616 /-] [Invalid=174 /-]	
Value	Label	Cases	Percentage
1	Bar/Night club	34	5.5%
2	Boutique/kioste	436	70.8%
3	Pharmacie	100	16.2%
4	Maison de passe	22	3.6%
7	Autre	19	3.1%
9	Non réponse	5	0.8%
Sysmiss		174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614: Q614_RUPTURE_STOCK			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=616 /-] [Invalid=174 /-]	
Value	Label	Cases	Percentage
1	Oui	166	26.9%
2	Non	446	72.4%
9	Pas de réponse	4	0.6%
Sysmiss		174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q615: Q615_PRIX_PRESERVATIF			
Information		[Type= continuous] [Format=numeric] [Range= 0-3000] [Missing=*]	
Statistics [NW/ W]		[Valid=740 /-] [Invalid=50 /-] [Mean=77.788 /-] [StdDev=211.006 /-]	
# Q300: Q300_ENTENDU_IST			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=790 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	724	91.6%
2	Non	66	8.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AA: Q301AA_DEMENGEAISON			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=724 /-] [Invalid=66 /-]	
Value	Label	Cases	Percentage
0	Non	413	57.0%

# Q301AA: Q301AA_DEMENGEAISON			
Value	Label	Cases	Percentage
1	Oui	311	43.0%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AB: Q301AB_DOULEURS EN URINANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	218	30.1%
1	Oui	506	69.9%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AC: Q301AC_ECOULEMENT URETRAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	366	50.6%
1	Oui	358	49.4%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AD: Q301AD_BOUTONS SUR LA VERGE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	363	50.1%
1	Oui	361	49.9%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AE: Q301AE_BRULURES/PICOTEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	545	75.3%
1	Oui	179	24.7%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AF: Q301AF_AUTRES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	646	89.2%
1	Oui	78	10.8%

# Q301AF: Q301AF_AUTRES			
Value	Label	Cases	Percentage
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BA: Q301BA_DEMENGEAISON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	379	52.3%
1	Oui	345	47.7%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BB: Q301BB_DOULEURS EN URINANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	340	47.0%
1	Oui	384	53.0%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BC: Q301BC_DOULEURS ABDOMINALES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	544	75.1%
1	Oui	180	24.9%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BD: Q301BD_DOULEURS PENDANT LE COIT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	561	77.5%
1	Oui	163	22.5%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BE: Q301BE_ECOULEMENT VAGINAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=724 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	350	48.3%
1	Oui	374	51.7%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q301BF: Q301BF_BOUTONS SUR LE SEXE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=724 /-] [Invalid=66 /-]	
Value	Label	Cases	Percentage
0	Non	394	54.4%
1	Oui	330	45.6%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BG: Q301BG_BRULURES/PICOTEMENTS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=724 /-] [Invalid=66 /-]	
Value	Label	Cases	Percentage
0	Non	581	80.2%
1	Oui	143	19.8%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BH: Q301BH_AUTRES			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=724 /-] [Invalid=66 /-]	
Value	Label	Cases	Percentage
0	Non	662	91.4%
1	Oui	62	8.6%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q302: Q302_IST_12DERNIERS_MOIS			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=724 /-] [Invalid=66 /-]	
Value	Label	Cases	Percentage
1	Oui	84	11.6%
2	Non	640	88.4%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q303: Q303_NB_IST			
Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=706 /-]	
Value	Label	Cases	Percentage
0		2	2.4%
1		45	53.6%
2		23	27.4%
3		6	7.1%
4		5	6.0%
8		2	2.4%

# Q303: Q303_NB_IST			
Value	Label	Cases	Percentage
12		1	1.2%
Sysmiss		706	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q304: Q304_TRAITER IST			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=84 /-] [Invalid=706 /-]		
Value	Label	Cases	Percentage
1	Oui	75	89.3%
2	Non	9	10.7%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		706	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q305: Q305_NB_TRAITER_IST			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=75 /-] [Invalid=715 /-]		
Value	Label	Cases	Percentage
1		44	58.7%
2		22	29.3%
3		4	5.3%
4		3	4.0%
8		2	2.7%
Sysmiss		715	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q306: Q306_LIEU_TRAITEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=75 /-] [Invalid=715 /-]		
Value	Label	Cases	Percentage
1	Hôpital/clinique	48	64.0%
2	Guérisseur	11	14.7%
3	Pharmacie	5	6.7%
4	Famille	0	
5	Ami	0	
6	Auto-médication	10	13.3%
8	Autre	1	1.3%
9	Pas de réponse	0	
Sysmiss		715	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A: Q307A Le risque de transmission du VIH peut-il être réduit avec un seul partenaire fidèle et non infecté			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		

# Q307A: Q307A Le risque de transmission du VIH peut-il être réduit avec un seul partenaire fidèle et non infecté			
Value	Label	Cases	Percentage
1	Oui	733	92.8%
2	Non	54	6.8%
8	NSP	3	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307B: Q307B Le risque de transmission du VIH peut-il être réduit par l'utilisation de préservatifs à chaque RS ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	744	94.2%
2	Non	43	5.4%
8	NSP	3	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307C: Q307C Une personne paraissant en bonne santé peut-elle être séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	734	92.9%
2	Non	55	7.0%
8	NSP	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307D: Q307D Une piqûre de moustique peut-elle transmettre le VIH ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	186	23.5%
2	Non	592	74.9%
8	NSP	12	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307E: Q307E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	168	21.3%
2	Non	608	77.0%
8	NSP	14	1.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q308: Q308 Le VIH peut-il être transmis lors des rapports sexuels ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	769	97.3%

# Q308: Q308 Le VIH peut-il être transmis lors des rapports sexuels ?			
Value	Label	Cases	Percentage
2	Non	21	2.7%
8	NSP	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309: Q309 Le virus du SIDA peut être transmis de la mère à l'enfant ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	724	91.6%
2	Non	57	7.2%
8	NSP	9	1.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q310: Q310 Le virus du SIDA peut-il être transmis par le sang ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	770	97.5%
2	Non	16	2.0%
8	NSP	4	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q311: Q311 Pensez-vous que vous courez un risque d'attraper le SIDA ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	332	42.0%
2	Non	421	53.3%
8	NSP	37	4.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q312: Q312 Seriez-vous prêt(e) à partager un repas avec PVVIH ou malade du SIDA ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	598	75.7%
2	Non	185	23.4%
8	NSP	7	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q313: Q313 Si un homme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	663	83.9%
2	Non	127	16.1%
8	NSP	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q314: Q314 Si un(e) élève/ étudiant(e) a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	729	92.3%
2	Non	61	7.7%
8	NSP	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q315: Q315 Si un professeur a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer à enseigner ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	732	92.7%
2	Non	58	7.3%
8	NSP	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q316: Q316 Si une femme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	666	84.3%
2	Non	124	15.7%
8	NSP	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q350: Q350_TEST VIH			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	450	57.0%
2	Non	340	43.0%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q351: Q351_TEST VIH_12PROCHAIN			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q351: Q351_TEST VIH_12PROCHAIN			
Statistics [NW/ W]		[Valid=340 /-] [Invalid=450 /-]	
Value	Label	Cases	Percentage
1	Oui	299	87.9%
2	Non	41	12.1%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		450	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q352: Q352_NB_TEST VIH			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-]	
Value	Label	Cases	Percentage
1		162	36.0%
2		119	26.4%
3		61	13.6%
4		28	6.2%
5		28	6.2%
6		19	4.2%
7		5	1.1%
8		5	1.1%
9		3	0.7%
10		9	2.0%
12		4	0.9%
15		2	0.4%
98		5	1.1%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q353: Q353_TEST VIH_12DERNIERS			
Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-]	
Value	Label	Cases	Percentage
0		170	37.8%
1		181	40.2%
2		62	13.8%
3		21	4.7%
4		9	2.0%
5		3	0.7%
6		1	0.2%
8		2	0.4%
98		1	0.2%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q354J: Q354J_JOUR_TEST VIH			
Information		[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]	

# Q354J: Q354J_JOUR_TEST VIH			
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-] [Mean=4.973 /-] [StdDev=11.602 /-]	
# Q354M: Q354M_MOIS_TEST VIH			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-]	
Value	Label	Cases	Percentage
0		97	21.6%
1		45	10.0%
2		38	8.4%
3		52	11.6%
4		14	3.1%
5		10	2.2%
6		11	2.4%
7		27	6.0%
8		18	4.0%
9		15	3.3%
10		17	3.8%
11		20	4.4%
12		84	18.7%
99		2	0.4%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q354A: Q354A_ANNEES_TEST VIH			
Information		[Type= continuous] [Format=numeric] [Range= 2000-9999] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-] [Mean=2381.518 /-] [StdDev=1667.008 /-]	
# Q355A: Q355A_AVANT LE TEST			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-]	
Value	Label	Cases	Percentage
0	Non	54	12.0%
1	Oui	396	88.0%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q355B: Q355B_APRES LE TEST			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-]	
Value	Label	Cases	Percentage
0	Non	140	31.1%
1	Oui	310	68.9%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q356: Q356_RECUC_RESULTAT_TEST VIH			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=450 /-] [Invalid=340 /-]	

# Q356: Q356_RECUC_RESULTAT_TEST VIH			
Value	Label	Cases	Percentage
1	Oui, le même jour	283	62.9%
2	Oui, plus tard	153	34.0%
3	Non	14	3.1%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q357: Q357_PARTAGE_RESULTAT_TEST VIH			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	234	52.0%
2	Non	208	46.2%
9	Pas de réponse	8	1.8%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358A: Q358A_PARENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	157	64.9%
1	Oui	85	35.1%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358B: Q358B_PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	98	40.5%
1	Oui	144	59.5%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358C: Q358C_AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	142	58.7%
1	Oui	100	41.3%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358D: Q358D_MEDECIN			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q358D: Q358D_MEDECIN			
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	201	83.1%
1	Oui	41	16.9%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358E: Q358E_ASSISTANT SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	239	98.8%
1	Oui	3	1.2%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358F: Q358F_AUTRES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	240	99.2%
1	Oui	2	0.8%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358G: Q358G_PAS DE REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=242 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
0	Non	235	97.1%
1	Oui	7	2.9%
Sysmiss		548	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q359: Q359_CONSEILS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	395	87.8%
2	Non	55	12.2%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360A: Q360A_PF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		

# Q360A: Q360A_PF			
Value	Label	Cases	Percentage
0	Non	334	84.6%
1	Oui	61	15.4%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360B: Q360B_DP			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	277	70.1%
1	Oui	118	29.9%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360C: Q360C_VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	71	18.0%
1	Oui	324	82.0%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360D: Q360D_AUTRE IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	192	48.6%
1	Oui	203	51.4%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360E: Q360E_CIRCONCISION MASCULINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	334	84.6%
1	Oui	61	15.4%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360F: Q360F_PTME			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	327	82.8%

# Q360F: Q360F_PTME			
Value	Label	Cases	Percentage
1	Oui	68	17.2%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360G: Q360G_TUBERCULOSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	353	89.4%
1	Oui	42	10.6%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360H: Q360H_UTILISATION DU PRESERVATIF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	122	30.9%
1	Oui	273	69.1%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360I: Q360I_PARTENARIATS CONCOMITANTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	338	85.6%
1	Oui	57	14.4%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360J: Q360J_VIE DE SEROPOSITIF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	309	78.2%
1	Oui	86	21.8%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360K: Q360K_TRAITEMENT ARV			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	301	76.2%
1	Oui	94	23.8%

# Q360K: Q360K_TRAITEMENT ARV			
Value	Label	Cases	Percentage
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360L: Q360L_TRAITEMENT DES MALADIESPF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	348	88.1%
1	Oui	47	11.9%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360M: Q360M_SUPPORT PSYCHO-SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	342	86.6%
1	Oui	53	13.4%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360N: Q360N_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	372	94.2%
1	Oui	23	5.8%
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360O: Q360O_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	395	100.0%
1	Oui	0	
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360P: Q360P_PAS DE REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=395 /-]		
Value	Label	Cases	Percentage
0	Non	395	100.0%
1	Oui	0	
Sysmiss		395	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q361: Q361_CANAL DE DEPISTAGE			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Affiche/dépliant	10	2.2%
2	Télévision	140	31.1%
3	Radio	140	31.1%
4	Ami	46	10.2%
5	Mobilisation communautaire	22	4.9%
6	Famille	4	0.9%
7	ONG	63	14.0%
8	Médecin/infirmière	19	4.2%
98	Autre	5	1.1%
99	Pas de réponse	1	0.2%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q362: Q362_REFERE A AUTRE SERVICES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	82	18.2%
2	Non	368	81.8%
9	Pas de réponse	0	
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q363: Q363_CONSEILLE SEUL OU EN COUPLEREFERE A AUTRE SERVICES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Seul	400	88.9%
2	Couple	43	9.6%
9	Pas de réponse	7	1.6%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q364: Q364_APPRECIATION DES CONSEILS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Très satisfait	234	52.0%
2	Satisfait	196	43.6%
3	Plus ou moins satisfait	14	3.1%
4	Insatisfait	0	
5	Pas du tout satisfait	1	0.2%
9	Pas de réponse	5	1.1%

# Q364: Q364_APPRECIATION DES CONSEILS			
Value	Label	Cases	Percentage
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q365: Q365_APPRECIATION DES DES SERVICES RECUS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Très satisfait	233	51.8%
2	Satisfait	198	44.0%
3	Plus ou moins satisfait	12	2.7%
4	Insatisfait	2	0.4%
5	Pas du tout satisfait	1	0.2%
9	Pas de réponse	4	0.9%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q366: Q366_RETOUTR DANS CE CENTRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	430	95.6%
2	Non	17	3.8%
8	Ne sait pas	2	0.4%
9	Pas de réponse	1	0.2%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q367: Q367_RECOMMANDER CE CENTRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	433	96.2%
2	Non	12	2.7%
8	Ne sait pas	4	0.9%
9	Pas de réponse	1	0.2%
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q368: Q368_TEST DES PARTENAIRES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	271	60.2%
2	Non	134	29.8%
8	Ne sait pas	45	10.0%
9	Pas de réponse	0	

# Q368: Q368_TEST DES PARTENAIRES			
Value	Label	Cases	Percentage
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q369: Q369_TEST EN COUPLE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=450 /-] [Invalid=340 /-]		
Value	Label	Cases	Percentage
1	Oui	109	24.2%
2	Non	341	75.8%
9	Pas de réponse	0	
Sysmiss		340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q401: Q401_ENTENDU PARLER DU SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	734	92.9%
2	Non	56	7.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402A: Q402A_RADIO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	131	17.8%
1	Oui	603	82.2%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q402B: Q402B_TELEVISION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	146	19.9%
1	Oui	588	80.1%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402C: Q402C_PANNEAUX			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	600	81.7%
1	Oui	134	18.3%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402D: Q402D_JOURNAUX			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	675	92.0%
1	Oui	59	8.0%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402E: Q402E_BROCHURE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	603	82.2%
1	Oui	131	17.8%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402F: Q402F_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=734 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	639	87.1%
1	Oui	95	12.9%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q403A: Q403A_ASSISTE A UNE ANIMATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		

# Q403A: Q403A_ASSISTE A UNE ANIMATION			
Value	Label	Cases	Percentage
1	Oui	522	66.1%
2	Non	268	33.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q403B: Q403B_NB_12DERNIERS_MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=522 -/] [Invalid=268 -/]		
Value	Label	Cases	Percentage
0		118	22.6%
1		207	39.7%
2		97	18.6%
3		32	6.1%
4		12	2.3%
5		8	1.5%
6		1	0.2%
7		1	0.2%
10		6	1.1%
11		2	0.4%
97		38	7.3%
Sysmiss		268	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q404A: Q404A_ASSISTE A UNE CAUSERIE			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=790 -/] [Invalid=0 -/]		
Value	Label	Cases	Percentage
1	Oui	534	67.6%
2	Non	256	32.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q404B: Q404B_NB_12DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		
Value	Label	Cases	Percentage
0		59	11.0%
1		215	40.3%
2		100	18.7%
3		41	7.7%
4		22	4.1%
5		13	2.4%
6		3	0.6%
7		3	0.6%
8		4	0.7%
9		1	0.2%
10		5	0.9%
11		3	0.6%

# Q404B: Q404B_NB_12DERNIERS MOIS			
Value	Label	Cases	Percentage
13		1	0.2%
30		1	0.2%
32		1	0.2%
48		1	0.2%
97		61	11.4%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405A: Q405A_MODE DE TRANSMISSION DU SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		
Value	Label	Cases	Percentage
0	Non	90	16.9%
1	Oui	444	83.1%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405B: Q405B_MOYEN DE PREVENTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		
Value	Label	Cases	Percentage
0	Non	57	10.7%
1	Oui	477	89.3%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405C: Q405C_SIDA_PAS GUERISSABLE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		
Value	Label	Cases	Percentage
0	Non	330	61.8%
1	Oui	204	38.2%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405D: Q405D_BONNE SANTE ET INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		
Value	Label	Cases	Percentage
0	Non	266	49.8%
1	Oui	268	50.2%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405E: Q405E_CONDOM SEUL MOYEN			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		

# Q405E: Q405E_CONDOM SEUL MOYEN			
Value	Label	Cases	Percentage
0	Non	253	47.4%
1	Oui	281	52.6%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405F: Q405F_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=534 -/] [Invalid=256 -/]		
Value	Label	Cases	Percentage
0	Non	500	93.6%
1	Oui	34	6.4%
Sysmiss		256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407: Q407_PUBLICITE SUR DEPISTAGE VOLONTAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=790 -/] [Invalid=0 -/]		
Value	Label	Cases	Percentage
1	Oui	663	83.9%
2	Non	127	16.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q408: Q408_EFFECTIVEMENT VU OU ENTENDU			
Information	[Type= discrete] [Format=numeric] [Range= 1-88] [Missing=*]		
Statistics [NW/ W]	[Valid=663 -/] [Invalid=127 -/]		
Value	Label	Cases	Percentage
1	Connaître son statut sérologique	351	52.9%
2	Aller faire son test de dépistage	145	21.9%
3	Le dépistage est volontaire et anonyme	107	16.1%
4	Ne pas avoir peur de faire le test	52	7.8%
5	A oublié	4	0.6%
88	Autre	4	0.6%
Sysmiss		127	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HEUREFIN: HEURE DE FIN			
Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=790 -/] [Invalid=0 -/]		
Value	Label	Cases	Percentage
0		53	6.7%
1		43	5.4%
2		34	4.3%
3		20	2.5%
4		11	1.4%
5		6	0.8%
8		10	1.3%

# HEUREFIN: HEURE DE FIN			
Value	Label	Cases	Percentage
9		16	2.0%
10		28	3.5%
11		39	4.9%
12		20	2.5%
13		28	3.5%
14		26	3.3%
15		36	4.6%
16		46	5.8%
17		39	4.9%
18		53	6.7%
19		33	4.2%
20		72	9.1%
21		62	7.8%
22		54	6.8%
23		56	7.1%
24		5	0.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MINUTE_DE_FIN: MINUTE DE FIN			
Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-] [Mean=28.616 /-] [StdDev=17.224 /-]		
# ACCUEIL: ACCUEIL			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Très bon	303	38.4%
2	Bon	342	43.3%
3	Moyen	124	15.7%
4	Médiocre	19	2.4%
5	Mauvais	2	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IMPRESSION: IMPRESSION			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=789 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Enquête facile	597	75.7%
2	Enquête un peu difficile	167	21.2%
3	Enquête difficile	25	3.2%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# grage: Groupes d'âges			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=790 /-] [Invalid=0 /-]		

# grage: Groupes d'âges			
Value	Label	Cases	Percentage
1	Moins de 18 ans	17	2.2%
2	18 à 24 ans	239	30.3%
3	25 à 29 ans	194	24.6%
4	30 à 34 ans	155	19.6%
5	35 à 39 ans	79	10.0%
6	40 ans et plus	106	13.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# nivins: Niveau d'instruction			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=790 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Sans instruction	56	7.1%
1	Primaire	177	22.4%
2	Secondaire	293	37.1%
3	Lycée et plus	264	33.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_15: Rapport sexuel avant 15 ans			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=790 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	656	83.0%
1	Oui	134	17.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_18: Rapport sexuel avant 18 ans			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=790 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	404	51.1%
1	Oui	386	48.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q207NBPART: Nombre de partenaires			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=19 /-]	
Value	Label	Cases	Percentage
1	1 Partenaire	181	23.5%
2	2 Partenaires	280	36.3%
3	3 Partenaires	126	16.3%
4	4 Partenaires et plus	184	23.9%
Sysmiss		19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UTIL_PO: Utilisation systématique du préservatif avec les partenaires occasionnelles			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	

# UTIL_PO: Utilisation systématique du préservatif avec les partenaires occasionnelles				
Statistics [NW/ W]		[Valid=175 /-] [Invalid=615 /-]		
Value	Label	Cases	Percentage	
0	Non	8		4.6%
1	Oui	167		95.4%
Sysmiss		615		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

File : CL_TEST			
# NUM_QEST: NUM_			
Information	[Type= continuous] [Format=numeric] [Range= 1-7700] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=437.425 /-] [StdDev=560.889 /-]		
# QUEST_SITE: QUEST_SITE			
Information	[Type= continuous] [Format=numeric] [Range= 1-302] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=21.37 /-] [StdDev=23.338 /-]		
# REGION: REGION			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Lomé	300	38.7%
1	Maritime	71	9.1%
2	Plateaux	160	20.6%
3	Centrale	50	6.4%
4	Kara	74	9.5%
5	Savanes	121	15.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PREFECT: PREFECTURE/DISTRICT			
Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	DISTRICT 1	45	5.8%
2	DISTRICT 2	73	9.4%
3	DISTRICT 3	64	8.2%
4	DISTRICT 4	16	2.1%
5	DISTRICT 5	56	7.2%
6	GOLFE	79	10.2%
7	LACS	30	3.9%
10	HAHO	20	2.6%
11	OGOU	60	7.7%
12	KLOTO	40	5.2%
13	ANIE	40	5.2%
14	TCHAOUDJO	50	6.4%
15	KOZAH	75	9.7%
16	TONE	52	6.7%
17	CINKASSE	70	9.0%
18	YOTO	6	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SITE: SITE			
Information	[Type= discrete] [Format=numeric] [Range= 1-90] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		

File : CL_TEST

SITE: SITE

Value	Label	Cases	Percentage
1	DISTRICT 1	45	5.8%
5	DISTRICT 2	73	9.4%
10	DISTRICT 3	64	8.2%
15	DISTRICT 4	16	2.1%
20	DISTRICT 5	56	7.2%
25	BAGUIDA	31	4.0%
30	ADIDOGOME	4	0.5%
35	AGOE	44	5.7%
40	ANEHO	27	3.5%
45	KPEME	3	0.4%
46	AGBODRAFO	0	
50	TABLIGBO	6	0.8%
55	NOTSE	20	2.6%
60	KPALIME	40	5.2%
65	ATAKPAME	60	7.7%
70	ANIE	40	5.2%
75	SOKODE	50	6.4%
80	KARA	75	9.7%
85	DAPAONG	52	6.7%
90	CINKASSE	70	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ENQUETEUR: ENQUETEUR

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	LARE YENDOUBE	37	4.8%
2	AMEGAVIE KOSSI	44	5.7%
3	SAMA NANKPAKOU	42	5.4%
4	BAKASSIBATA BENBADINI	38	4.9%
5	ALI MAGILUWE	36	4.6%
6	BANIZI PIYABA	50	6.4%
7	BAGNISSI MAWUSSE	60	7.7%
8	YOMEKPE RADRIGUE	60	7.7%
9	GAVI AKOKO	40	5.2%
10	APEDO FIACRE	22	2.8%
11	DEGBE EMMANUEL	14	1.8%
12	EZIN-DOSSA KOSSI	20	2.6%
13	GABA ADAMA	33	4.3%
14	ARREGBA NASSI	6	0.8%
15	HOUNNOU CALISTO	12	1.5%
16	ANTHONY VILMA	23	3.0%
17	GBODJOR KOMI	20	2.6%

File : CL_TEST

ENQUETEUR: ENQUETEUR

Value	Label	Cases	Percentage
18	HALIYAKI BADA IEN	24	3.1%
19	KOURIMA KADJAMA	10	1.3%
20	KLOUTSE MARCUS	44	5.7%
21	ALLADO HUGUETTE	43	5.5%
22	ADJIGNON MIREILLE	40	5.2%
23	DEAWARE HELENE	33	4.3%
24	YENU CELINE	25	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NOM_SITE: NOM_SITE

Information	[Type= discrete] [Format=character] [Missing=*/Ž9t Ô]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3 K		1	0.1%
A COTE DE LA STA		1	0.1%
ABLODE KPAME		6	0.8%
ABLODEKPAMI		2	0.3%
ADAWLATO		7	0.9%
ADIDOGOME		1	0.1%
AGBALIPEDO		6	0.8%
AGBEKOKO		2	0.3%
AGBONOU (LOME II		3	0.4%
AGBONOU (LOMEII)		1	0.1%
AGBONOU (LOMEII°		1	0.1%
AGBONOU CARREFOU		7	0.9%
AGBONOU SAHEL IEN		2	0.3%
AGIE		1	0.1%
AGOE		42	5.4%
AGOE ZONGO		1	0.1%
AKODESSEWA		7	0.9%
ALINOUE		2	0.3%
AMOUTIEVE		2	0.3%
ANEHO		19	2.4%
ANIE		40	5.2%
ANLAKODZI		1	0.1%
ANLOKODZI		10	1.3%
ASIYEYE		1	0.1%
ATIKOUME		5	0.6%

File : CL_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
AUBERGE BOUCANE		6	0.8%
AUBERGE LE BOUCA		1	0.1%
BA AKLASSOU		1	0.1%
BAGUIDA		8	1.0%
BAGUIDA M.CLOSE		1	0.1%
BAR ABLODE		1	0.1%
BAR AGBEKOKO		2	0.3%
BAR COSMOS		2	0.3%
BAR G 20		1	0.1%
BAR G20		1	0.1%
BAR LA PLAGE		1	0.1%
BAR MAQUIS OUF		1	0.1%
BAR MONUMA		3	0.4%
BAR PLAGE		5	0.6%
BAR RABINET		1	0.1%
BAR ROBINET		3	0.4%
BE ADIDAPE		1	0.1%
BE AGBEKOKO		1	0.1%
BE AHLIGO		1	0.1%
BE AKLASSOU		21	2.7%
BE KPEHENOU		6	0.8%
BE KPEHENOU ABLO		1	0.1%
BEAU CAMION		7	0.9%
BEL AIR		1	0.1%
BEL AIR(BON GOUT		1	0.1%
BENIGLATO		8	1.0%
CHELSEA BAR		2	0.3%
DAPAONG		2	0.3%
DELALI		2	0.3%
DIDJOLE		1	0.1%
DISTRICT (SYSTEM		1	0.1%
DISTRICT 5		6	0.8%
DISTRICT 5 (MAIS		1	0.1%

File : CL_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
DISTRICT 5 (SYST		1	0.1%
DISTRICT 5 GOBIN		1	0.1%
DISTRICT 5(3 K)		1	0.1%
DISTRICT 5(SYSTE		2	0.3%
DISTRICT5		2	0.3%
DISTRICT5(3K)		1	0.1%
DISTRICT5(SYS		1	0.1%
DISTRITS(MAIS		1	0.1%
DJIDJOLE		6	0.8%
DOUANE		5	0.6%
ESPOIR		24	3.1%
EXPLOSIF		3	0.4%
EXPLOSIT		1	0.1%
FIAKOME		9	1.2%
FOREVER		1	0.1%
FUCEC		3	0.4%
GOVINA		2	0.3%
GTEM		1	0.1%
HIHEATRO		8	1.0%
JEUNESSE BAR		2	0.3%
KADES I		1	0.1%
KADES III		1	0.1%
KARA		75	9.7%
KHADES 1		2	0.3%
KODJOVIAKOP		2	0.3%
KPANGALAM		13	1.7%
KPEHENOU		4	0.5%
KPEME		3	0.4%
LA PAIX		6	0.8%
LA SAGACITE		5	0.6%
LE CHATEAU		4	0.5%
MADIBA		3	0.4%
MAISON BLANCHE		3	0.4%
MAISON CLOSE DJA		1	0.1%
MARMITE CHAUDE		4	0.5%
MISS DE MISS		3	0.4%
MISS DES MISS		19	2.4%

File : CL_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
MISS DES MISS212		1	0.1%
MONUMENT		5	0.6%
MSON CLOSE DJAMA		4	0.5%
N'TIFAFA		3	0.4%
NOTSE		18	2.3%
NOUKAFU		1	0.1%
NTIFAFA		1	0.1%
NUKAFU		23	3.0%
NYEKONAKPOI		2	0.3%
ONE WAY		4	0.5%
PANINI		17	2.2%
PHARMACIE AKOFA		8	1.0%
PLAGE		4	0.5%
PRESTIGE		7	0.9%
RICARDO ANNEXE		1	0.1%
SAINT JOSEPH		38	4.9%
SOVIEPE		4	0.5%
STATION AGBELEPE		2	0.3%
STATION CINKASSE		5	0.6%
STATION D'ESSENC		1	0.1%
STATION MC		4	0.5%
STATION WOLGOU		2	0.3%
STATION WORGOU		4	0.5%
SYSTEME		1	0.1%
TAGBLIGBO		4	0.5%
TALO (CASCADE)		4	0.5%
TALO CARCADE		1	0.1%
TALO CASCADE		1	0.1%
TCHAMBA KOME		7	0.9%
TCHAMBAKOM		2	0.3%
TCHAMRAKOM		1	0.1%
TCHAWANDA		1	0.1%
TEMPLE		2	0.3%
TIGBANE		3	0.4%
TIKPAN MAN		2	0.3%

File : CL_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
TIKPANMAN		4	0.5%
TINEGBANE		8	1.0%
TOTSI		1	0.1%
TOTSI BATOME		1	0.1%
ZOMAYI		3	0.4%
ZONGO		28	3.6%
ZORO BAR		2	0.3%
aneho		8	1.0%
bar plage		6	0.8%
dapaong		4	0.5%
marmite chaude		3	0.4%
one way		2	0.3%
station worgou		1	0.1%
tabligbo		2	0.3%
tigbane		4	0.5%
vertue		7	0.9%
zongo		8	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HEUREDEB: HEURE DEBUT INTERVIEW

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=14.441 /-] [StdDev=7.203 /-]

MINUTEDEB: MINUTE DU DEBUT

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=26.879 /-] [StdDev=17.476 /-]

RESULT1: RESULTAT1

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Entretitn achevé	776	100.0%
2	Enquêté absent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RESULT2: RESULT2

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=620 /-] [Invalid=156 /-]

Value	Label	Cases	Percentage
1	Entretitn achevé	620	100.0%
2	Enquêté absent	0	

File : CL_TEST

RESULT2: RESULT2

Value	Label	Cases	Percentage
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	
Sysmiss		156	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

COMPORT: COMPORTEMENT

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	776	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BIOLOGIE: BIOLOGIE

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	776	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CODE_BIO: CODE BIOLOGIQUE

Information	[Type= continuous] [Format=numeric] [Range= 101160061-51790030091] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=19616066634.055 /-] [StdDev=19177371787.124 /-]

Q10_SEXE1: Q101_SEXE

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Masculin	776	100.0%
2	Féminin	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q102_AGE: Q102 AGE

Information	[Type= continuous] [Format=numeric] [Range= 12-68] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=29.67 /-] [StdDev=9.003 /-]

Q103_SIT_MATRI: Q103 SITUATION MATRIMONIALE

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Célibataire	438	56.4%
2	Union libre	43	5.5%
3	Veuf/divorcé/séparé	24	3.1%

File : CL_TEST

Q103_SIT_MATRI: Q103 SITUATION MATRIMONIALE

Value	Label	Cases	Percentage
4	Marié monogame	229	29.5%
5	Marié polygame	42	5.4%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q104_RELIGION: Q104_RELIGION

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Traditionnelle	51	6.6%
2	Catholique	275	35.4%
3	Protestante	135	17.4%
4	Islamique	173	22.3%
5	Autre chrétienne	86	11.1%
6	Aucune	54	7.0%
7	Autre	2	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105_PRAT: Q105_PRATIKUANT

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Fortement	409	52.7%
2	Quelque peu	320	41.2%
3	Pas du tout	15	1.9%
9	Pas de réponse	32	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q106_FREQ_SCOL: Q106 FREQUENTATION SCOLAIRE

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui, mais ne fréquente plus	618	79.6%
2	Oui, continue de fréquenter	102	13.1%
3	Non, n'a jamais été à l'école	50	6.4%
4	Non, n'a jamais été à l'école mais alphabétisé	6	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q107_NIVEAU: Q107_DERNIERE CLASSE

Information	[Type= continuous] [Format=numeric] [Range= 11-96] [Missing=*]
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]

Value	Label	Cases	Percentage
11	CP1	3	0.4%
12	CP2	15	2.1%
13	CE1	20	2.8%

File : CL_TEST

Q107_NIVEAU: Q107_DERNIERE CLASSE

Value	Label	Cases	Percentage
14	CE2	19	2.6%
15	CM1	36	5.0%
16	CM2	54	7.5%
17	CM2 avec CEPD / CEPE	28	3.9%
21	6ème	43	6.0%
22	5ème	58	8.1%
23	4ème	78	10.8%
24	3ème	66	9.2%
25	3ème avec BEPC	44	6.1%
31	2nde	43	6.0%
32	1ère	67	9.3%
33	Terminale	54	7.5%
34	Terminale avec BAC	23	3.2%
41	Supérieur 1ère année	11	1.5%
42	Supérieur 2ème année	22	3.1%
43	Supérieur 3ème année	19	2.6%
44	Supérieur 4ème année	7	1.0%
45	Supérieur 5ème année et plus	4	0.6%
50	Ecole coranique	0	
60	Formation professionnelle	5	0.7%
96	Autres	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q108_NB_ENF: Q108 NOMBRE ENFANTS VIVANTS

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		395	50.9%
1		134	17.3%
2		101	13.0%
3		55	7.1%
4		41	5.3%
5		20	2.6%
6		15	1.9%
7		3	0.4%
8		6	0.8%
10		3	0.4%
12		1	0.1%
16		1	0.1%
19		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q109_SOURCE_REV: Q109 PRINCIPALE SOURCE DE REVENU

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
-------------	---

File : CL_TEST

Q109_SOURCE_REV: Q109 PRINCIPALE SOURCE DE REVENU

Statistics [NW/ W] [Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Famille	56	7.2%
2	Agriculture/Agro-sylvo pastorale	20	2.6%
3	Employé du secteur privé	69	8.9%
4	Employé de la fonction publique	34	4.4%
5	Support conjugal	1	0.1%
6	Travailleur intermittent	19	2.4%
7	Travail domestique	3	0.4%
8	Travail informel	386	49.7%
97	Autre	165	21.3%
98	Ne sait pas	0	
99	Pas de réponse	23	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q110_REV_MENS: Q110 REVENU MENSUEL

Information [Type= continuous] [Format=numeric] [Range= 0-999999] [Missing=*]

Statistics [NW/ W] [Valid=776 /-] [Invalid=0 /-] [Mean=123811.697 /-] [StdDev=261174.042 /-]

Q111A_BICYCLETTE: Q111A BICYCLETTE

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	546	70.4%
1	Oui	230	29.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111B_MOTOCYCLETTE: Q111B MOTOCYCLETTE

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	397	51.2%
1	Oui	379	48.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111C_VOITURE: Q111C VOITURE

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	682	87.9%
1	Oui	94	12.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111D_CAMIOO: Q111D CAMION

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=776 /-] [Invalid=0 /-]

File : CL_TEST

Q111D_CAMIOO: Q111D CAMION

Value	Label	Cases	Percentage
0	Non	747	96.3%
1	Oui	29	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111E_DVD_VCE: Q111E MAGNETO/DVD/VCD

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	434	55.9%
1	Oui	342	44.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111F_RADIO_CAT: Q111F RADIO-CASSETTE

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	432	55.7%
1	Oui	344	44.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111G_LECT_CE: Q111G LECTEUR CD

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	409	52.7%
1	Oui	367	47.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111H_RADIP: Q111H RADIO

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	216	27.8%
1	Oui	560	72.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q111I_TELE: Q111I TELEVISION

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Non	239	30.8%
1	Oui	537	69.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : CL_TEST			
# Q111J_REFRJ: Q111J REFRIGERATEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	657	84.7%
1	Oui	119	15.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q111K_FERMF: Q111K FERME			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	739	95.2%
1	Oui	37	4.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q111L_MAISOO: Q111L MAISON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	662	85.3%
1	Oui	114	14.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q111M_POELF: Q111M POELE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	682	87.9%
1	Oui	94	12.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q111N_MACH_LAVES: Q111N MACHINE A LAVER			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	765	98.6%
1	Oui	11	1.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q111O_VENU: Q111O VENTILATEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	351	45.2%
1	Oui	425	54.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File : CL_TEST			
# Q111P_TEL_FIXF: Q111P TELEPHONE FIXE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	707	91.1%
1	Oui	69	8.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q111Q_CEL: Q111Q CELLULAIRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	49	6.3%
1	Oui	727	93.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q112_INFO_SIDB: Q112 INFORMATION SUR LE VIH/SIDA			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Professeur d'école	25	3.2%
2	Clinique/hôpitaux	550	70.9%
3	Ami	27	3.5%
4	Parent	2	0.3%
5	ONG	131	16.9%
6	Internet	16	2.1%
7	Autre	15	1.9%
8	Ne sait pas	10	1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q113: Q113 CIRCONCISION			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non concerné	0	
1	Oui	771	99.4%
2	Non	5	0.6%
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q202_AGE: Q202 AGE AU PREMIER RAPPORT SEXUEL			
Information		[Type= continuous] [Format=numeric] [Range= 10-99] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-] [Mean=18.34 /-] [StdDev=8.456 /-]	
# Q203_UTI_PRESERW: Q203 DEJA UTILISER PRESERVATIF			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	


File : CL_TEST

Q203_UTI_PRESEW: Q203 DEJA UTILISER PRESERVATIF

Value	Label	Cases	Percentage
1	Oui	702	 90.5%
2	Non	74	 9.5%
8	Ne sait pas	0	
9	Pas de réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q204_UTI_PRE_1RS: Q204 UTILISATION DU PRESERVATIF LORS DU 1ER RS

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=702 /-] [Invalid=74 /-]		
Value	Label	Cases	Percentage
1	Oui	191	 27.2%
2	Non	511	 72.8%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		74	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q205_AGE_1RS: Q205 AGE 1ER RS

Information	[Type= continuous] [Format=numeric] [Range= 8-99] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=20.325 /-] [StdDev=17.511 /-]

Q206_RS_12M: Q206 RAPPORTS SEXUELS LES 12 DERNIERS MOIS



Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	760	 97.9%
2	Non	16	 2.1%
9	Pas de réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q207_NB_PART: Q207 NOMBRE DE PARTENAIRES LES 12 DERNIERS MOIS

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1		178	 23.4%
2		274	 36.1%
3		128	 16.8%
4		51	 6.7%
5		45	 5.9%
6		17	 2.2%
7		19	 2.5%
8		10	 1.3%
9		5	 0.7%
10		18	 2.4%

File : CL_TEST

Q207_NB_PART: Q207 NOMBRE DE PARTENAIRES LES 12 DERNIERS MOIS

Value	Label	Cases	Percentage
12		3	0.4%
14		1	0.1%
15		8	1.1%
17		1	0.1%
18		2	0.3%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q501_1P: Q501_1PART

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1	Mari/femme ou concubine	202	26.6%
2	Petit ami/petite amie	324	42.6%
3	Un (e) autre ami(e)	37	4.9%
4	Partenaire occasionnel	109	14.3%
5	Parent	0	
6	Quelqu'un payé	88	11.6%
7	Autre	0	
9	Pas de réponse	0	
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q502_1P: Q502_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Masculin	1	0.1%
2	Féminin	756	99.5%
9	Pas de réponse	3	0.4%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503_1P: Q503_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Plus vieux	62	8.2%
2	Plus jeune	628	82.6%
3	De même âge	45	5.9%
8	Ne sait pas	25	3.3%
9	Pas de réponse	0	
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504_1P: Q504_NB_ANNEES_1P			
Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=735 /-] [Invalid=41 /-] [Mean=6.148 /-] [StdDev=14.155 /-]		
# Q505A_1P: Q505A_UNITE_1PART			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-] [Mean=6.238 /-] [StdDev=12.94 /-]		
# Q505B_1P: Q505B_1P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Jour	47	6.2%
2	Semaine	43	5.7%
3	Mois	229	30.1%
4	Année	429	56.4%
9	NSP/SR	12	1.6%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506A_1P: Q506A_UNITE_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
0		41	5.4%
1		320	42.1%

# Q506A_1P: Q506A_UNITE_1PART			
Value	Label	Cases	Percentage
2		173	22.8%
3		105	13.8%
4		36	4.7%
5		40	5.3%
6		20	2.6%
7		3	0.4%
8		2	0.3%
9		3	0.4%
10		4	0.5%
11		1	0.1%
12		2	0.3%
98		8	1.1%
99		2	0.3%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506B_1P: Q506B_1P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Jour	390	51.3%
2	Semaine	225	29.6%
3	Mois	124	16.3%
4	Année	12	1.6%
9	NSP/SR	9	1.2%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A_1P: Q507A_UNITE_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1		327	43.0%
2		240	31.6%
3		99	13.0%
4		27	3.6%
5		9	1.2%
6		9	1.2%
7		8	1.1%
8		1	0.1%
98		26	3.4%
99		14	1.8%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q507B_1P: Q507B_1P			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=760 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
1	Jour	110	14.5%
2	Semaine	384	50.5%
3	Mois	205	27.0%
4	Année	27	3.6%
9	NSP/SR	32	4.2%
98		2	0.3%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q508_1P: Q508_PRES_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=760 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
0		227	29.9%
1		219	28.8%
2		138	18.2%
3		43	5.7%
4		27	3.6%
5		9	1.2%
6		4	0.5%
7		10	1.3%
8		7	0.9%
9		3	0.4%
10		5	0.7%
12		2	0.3%
13		1	0.1%
15		1	0.1%
20		2	0.3%
35		1	0.1%
44		1	0.1%
50		1	0.1%
52		1	0.1%
97		1	0.1%
98		54	7.1%
99		3	0.4%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509_1P: Q509_NON_UTI_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=533 /-] [Invalid=243 /-]	
Value	Label	Cases	Percentage
1	Oui	187	35.1%

# Q509_1P: Q509_NON_UTI_1PART			
Value	Label	Cases	Percentage
2	Non	346	64.9%
Sysmiss		243	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q510_1P: Q510_NB_NON_UTI_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=190 /-] [Invalid=586 /-]		
Value	Label	Cases	Percentage
0		9	4.7%
1		48	25.3%
2		30	15.8%
3		14	7.4%
4		8	4.2%
5		5	2.6%
6		3	1.6%
7		2	1.1%
8		3	1.6%
9		1	0.5%
10		3	1.6%
12		1	0.5%
98		61	32.1%
99		2	1.1%
Sysmiss		586	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511_1P: Q511_DER_RS_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=533 /-] [Invalid=243 /-]		
Value	Label	Cases	Percentage
1	Oui	436	81.8%
2	Non	90	16.9%
7	NC	7	1.3%
Sysmiss		243	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q512_1P: Q512_UTI_TJRS_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=533 /-] [Invalid=243 /-]		
Value	Label	Cases	Percentage
1	Oui	459	86.1%
2	Non	61	11.4%
7	NC	13	2.4%
Sysmiss		243	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513_1P: Q513_PRES_DECHIRE_1PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		

# Q513_1P: Q513_PRES_DECHIRE_1PART			
Statistics [NW/ W]		[Valid=533 /-] [Invalid=243 /-]	
Value	Label	Cases	Percentage
1	Oui	98	18.4%
2	Non	417	78.2%
7	NC	18	3.4%
Sysmiss		243	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514_1P: Q514_FRE_LUBRIFIANT_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=760 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
1	Toujours	122	16.1%
2	Souvent	62	8.2%
3	Quelquefois	82	10.8%
4	Jamais	455	59.9%
5	Ne connaît pas	36	4.7%
9	Pas de réponse	3	0.4%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515_1P: Q515_TJRS_RS_1PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=760 /-] [Invalid=16 /-]	
Value	Label	Cases	Percentage
1	Oui	676	88.9%
2	Non	71	9.3%
8	Ne sait pas	11	1.4%
9	Pas de réponse	2	0.3%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q516: Q516_NB_PART_1PART			
Information		[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]	
Statistics [NW/ W]		[Valid=760 /-] [Invalid=16 /-] [Mean=3.303 /-] [StdDev=3.91 /-]	
# Q501_2P: Q501_2PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=582 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
1	Mari/femme ou concubine	90	15.5%
2	Petit ami/petite amie	200	34.4%
3	Un (e) autre ami(e)	82	14.1%
4	Partenaire occasionnel	138	23.7%
5	Parent	2	0.3%
6	Quelqu'un payé	69	11.9%
7	Autre	0	

# Q501_2P: Q501_2PART			
Value	Label	Cases	Percentage
9	Pas de réponse	1	0.2%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q502_2P: Q502_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=194 /-]		
Value	Label	Cases	Percentage
1	Masculin	0	
2	Féminin	577	99.1%
9	Pas de réponse	5	0.9%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503_2P: Q503_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=194 /-]		
Value	Label	Cases	Percentage
1	Plus vieux	47	8.1%
2	Plus jeune	473	81.3%
3	De même âge	38	6.5%
8	Ne sait pas	21	3.6%
9	Pas de réponse	3	0.5%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504_2P: Q504_NB_ANNEES_2P			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=559 /-] [Invalid=217 /-] [Mean=10.229 /-] [StdDev=22.828 /-]		
# Q505A_2P: Q505A_UNITE_2PART			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=194 /-] [Mean=7.49 /-] [StdDev=17.974 /-]		
# Q505B_2P: Q505B_2P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=194 /-]		
Value	Label	Cases	Percentage
1	Jour	12	2.1%
2	Semaine	39	6.7%
3	Mois	207	35.6%
4	Année	306	52.6%
9	NSP/SR	18	3.1%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506A_2P: Q506A_UNITE_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		

# Q506A_2P: Q506A_UNITE_2PART			
Statistics [NW/ W]		[Valid=582 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
1		226	38.8%
2		123	21.1%
3		71	12.2%
4		45	7.7%
5		34	5.8%
6		29	5.0%
7		11	1.9%
8		8	1.4%
9		5	0.9%
11		1	0.2%
12		7	1.2%
36		1	0.2%
98		20	3.4%
99		1	0.2%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506B_2P: Q506B_2P			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=582 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
1	Jour	99	17.0%
2	Semaine	239	41.1%
3	Mois	210	36.1%
4	Année	14	2.4%
9	NSP/SR	20	3.4%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A_2P: Q507A_UNITE_2PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=582 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
1		262	45.0%
2		159	27.3%
3		59	10.1%
4		31	5.3%
5		13	2.2%
6		3	0.5%
7		6	1.0%
40		1	0.2%
98		37	6.4%
99		11	1.9%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q507B_2P: Q507B_2P			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=581 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Jour	27	4.6%
2	Semaine	241	41.5%
3	Mois	240	41.3%
4	Année	28	4.8%
9	NSP/SR	41	7.1%
98		4	0.7%
Sysmiss		195	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q508_2P: Q508_PRES_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=194 /-]		
Value	Label	Cases	Percentage
0		156	26.8%
1		195	33.5%
2		84	14.4%
3		37	6.4%
4		31	5.3%
5		14	2.4%
6		3	0.5%
7		4	0.7%
8		1	0.2%
9		3	0.5%
10		3	0.5%
15		1	0.2%
20		2	0.3%
24		2	0.3%
28		1	0.2%
30		1	0.2%
36		1	0.2%
52		2	0.3%
98		36	6.2%
99		5	0.9%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509_2P: Q509_NON_UTI_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=426 /-] [Invalid=350 /-]		
Value	Label	Cases	Percentage
1	Oui	100	23.5%
2	Non	326	76.5%
Sysmiss		350	

# Q509_2P: Q509_NON_UTI_2PART			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q510_2P: Q510_NB_NON_UTI_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=100 /-] [Invalid=676 /-]		
Value	Label	Cases	Percentage
0		7	7.0%
1		33	33.0%
2		9	9.0%
3		2	2.0%
4		8	8.0%
5		3	3.0%
6		2	2.0%
7		1	1.0%
8		1	1.0%
9		1	1.0%
12		1	1.0%
23		1	1.0%
94		1	1.0%
98		27	27.0%
99		3	3.0%
Sysmiss		676	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511_2P: Q511_DER_RS_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=426 /-] [Invalid=350 /-]		
Value	Label	Cases	Percentage
1	Oui	367	86.2%
2	Non	57	13.4%
7		1	0.2%
9	NC	1	0.2%
Sysmiss		350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q512_2P: Q512_UTI_TJRS_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=426 /-] [Invalid=350 /-]		
Value	Label	Cases	Percentage
1	Oui	363	85.2%
2	Non	55	12.9%
7		4	0.9%
9	NC	4	0.9%
Sysmiss		350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513_2P: Q513_PRES_DECHIRE_2PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q513_2P: Q513_PRES_DECHIRE_2PART			
Statistics [NW/ W]		[Valid=426 /-] [Invalid=350 /-]	
Value	Label	Cases	Percentage
1	Oui	79	18.5%
2	Non	337	79.1%
7		6	1.4%
9	NC	4	0.9%
Sysmiss		350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514_2P: Q514_FRE_LUBRIFIANT_2PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=582 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
1	Toujours	83	14.3%
2	Souvent	68	11.7%
3	Quelquefois	57	9.8%
4	Jamais	347	59.6%
5	Ne connaît pas	22	3.8%
9	Pas de réponse	5	0.9%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515_2P: Q515_TJRS_RS_2PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=582 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
1	Oui	436	74.9%
2	Non	134	23.0%
8	Ne sait pas	8	1.4%
9	Pas de réponse	4	0.7%
Sysmiss		194	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q501_3P: Q501_3PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=313 /-] [Invalid=463 /-]	
Value	Label	Cases	Percentage
1	Mari/femme ou concubine	32	10.2%
2	Petit ami/petite amie	93	29.7%
3	Un (e) autre ami(e)	29	9.3%
4	Partenaire occasionnel	103	32.9%
5	Parent	1	0.3%
6	Quelqu'un payé	52	16.6%
7	Autre	0	
9	Pas de réponse	3	1.0%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q502_3P: Q502_3PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=313 /-] [Invalid=463 /-]	
Value	Label	Cases	Percentage
1	Masculin	4	1.3%
2	Féminin	303	96.8%
9	Pas de réponse	6	1.9%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503_3P: Q503_3PART			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=313 /-] [Invalid=463 /-]	
Value	Label	Cases	Percentage
1	Plus vieux	43	13.7%
2	Plus jeune	210	67.1%
3	De même âge	26	8.3%
8	Ne sait pas	30	9.6%
9	Pas de réponse	4	1.3%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504_3P: Q504_NB_ANNEES_3P			
Information		[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=280 /-] [Invalid=496 /-] [Mean=13.5 /-] [StdDev=28.956 /-]	
# Q505A_3P: Q505A_UNITE_3PART			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=313 /-] [Invalid=463 /-]	
Value	Label	Cases	Percentage
0		1	0.3%
1		83	26.5%
2		60	19.2%
3		53	16.9%
4		16	5.1%
5		17	5.4%
6		21	6.7%
7		13	4.2%
8		10	3.2%
9		6	1.9%
10		7	2.2%
11		2	0.6%
12		3	1.0%
13		1	0.3%
15		2	0.6%
17		1	0.3%
20		1	0.3%
98		14	4.5%

# Q505A_3P: Q505A_UNITE_3PART			
Value	Label	Cases	Percentage
99		2	0.6%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505B_3P: Q505B_3P			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
1	Jour	1	0.3%
2	Semaine	15	4.8%
3	Mois	134	42.8%
4	Année	148	47.3%
9	NSP/SR	15	4.8%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506A_3P: Q506A_UNITE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
1	Jour	73	23.3%
2	Semaine	69	22.0%
3	Mois	103	32.9%
4	Année	18	5.8%
5		8	2.6%
6		3	1.0%
7		2	0.6%
8		1	0.3%
9	NSP/SR	20	6.4%
10		5	1.6%
12		2	0.6%
98		6	1.9%
99		3	1.0%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506B_3P: Q506B_3P			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
0		4	1.3%
1		46	14.7%
2		89	28.4%
3		106	33.9%
4		19	6.1%
5		11	3.5%

# Q506B_3P: Q506B_3P			
Value	Label	Cases	Percentage
6		7	2.2%
7		4	1.3%
8		5	1.6%
9		21	6.7%
99		1	0.3%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A_3P: Q507A_UNITE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
1	Jour	95	30.4%
2	Semaine	64	20.4%
3	Mois	81	25.9%
4	Année	15	4.8%
7		1	0.3%
8		2	0.6%
9	NSP/SR	17	5.4%
10		3	1.0%
98		23	7.3%
99		12	3.8%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507B_3P: Q507B_3P			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
0		1	0.3%
1		57	18.2%
2		87	27.8%
3		109	34.8%
4		7	2.2%
5		1	0.3%
9		51	16.3%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q508_3P: Q508_PRES_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
0		79	25.2%
1		107	34.2%
2		31	9.9%

# Q508_3P: Q508_PRES_3PART			
Value	Label	Cases	Percentage
3		26	8.3%
4		21	6.7%
5		6	1.9%
6		1	0.3%
7		2	0.6%
8		5	1.6%
9		1	0.3%
10		1	0.3%
12		1	0.3%
14		1	0.3%
15		1	0.3%
18		1	0.3%
22		1	0.3%
24		2	0.6%
98		22	7.0%
99		4	1.3%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509_3P: Q509_NON_UTI_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=234 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
1	Oui	47	20.1%
2	Non	187	79.9%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q510_3P: Q510_NB_NON_UTI_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=47 /-] [Invalid=729 /-]		
Value	Label	Cases	Percentage
0		6	12.8%
1		16	34.0%
2		8	17.0%
3		4	8.5%
4		3	6.4%
7		1	2.1%
12		1	2.1%
20		1	2.1%
98		7	14.9%
Sysmiss		729	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511_3P: Q511_DER_RS_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

Q511_3P: Q511_DER_RS_3PART

Statistics [NW/ W] [Valid=234 /-] [Invalid=542 /-]

Value	Label	Cases	Percentage
1	Oui	208	88.9%
2	Non	24	10.3%
9	NC	2	0.9%
Sysmiss		542	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q512_3P: Q512_UTL_TJRS_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=234 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
1	Oui	198	84.6%
2	Non	30	12.8%
7		1	0.4%
9	NC	5	2.1%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513_3P: Q513_PRES_DECHIRE_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=234 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
1	Oui	36	15.4%
2	Non	191	81.6%
7		3	1.3%
9	NC	4	1.7%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514_3P: Q514_FRE_LUBRIFIANT_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=463 /-]		
Value	Label	Cases	Percentage
1	Toujours	49	15.7%
2	Souvent	24	7.7%
3	Quelquefois	22	7.0%
4	Jamais	201	64.2%
5	Ne connaît pas	12	3.8%
9	Pas de réponse	5	1.6%
Sysmiss		463	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515_3P: Q515_TJRS_RS_3PART			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=314 /-] [Invalid=462 /-]		
Value	Label	Cases	Percentage
1	Oui	165	52.5%
2	Non	130	41.4%
8	Ne sait pas	2	0.6%
9	Pas de réponse	17	5.4%
Sysmiss		462	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q601: Q601_RS_APRES_ALCOOL			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q601: Q601_RS_APRES_ALCOOL			
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	445	57.3%
2	Non	331	42.7%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q602: Q602_RS_APRES_DROGUE			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	118	15.2%
2	Non	658	84.8%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603A: Q603A_PRES_RS_NON_CONJ			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	511	65.9%
2	Non	193	24.9%
3	Pas de partenaire non conjugal	72	9.3%
8	Ne sait pas	0	
9	Pas de réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603B: Q603B_PRES_RS_NON_CONJ 12 DERNIER MOIS			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=511 /-] [Invalid=265 /-]	
Value	Label	Cases	Percentage
1	Oui	482	94.3%
2	Non	12	2.3%
3	Pas de partenaire non conjugal	12	2.3%
8	Ne sait pas	0	
9	Pas de réponse	5	1.0%
Sysmiss		265	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q604: Q604_PRES_RS_NON_CONJ_DEBUT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=487 /-] [Invalid=289 /-]	
Value	Label	Cases	Percentage
1	Oui	440	90.3%
2	Non	44	9.0%

# Q604: Q604_PRES_RS_NON_CONJ_DEBUT			
Value	Label	Cases	Percentage
8	Ne sait pas	0	
9	Pas de réponse	3	0.6%
Sysmiss		289	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q605: Q605_PRES_ENLEVE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	75	9.7%
2	Non	628	80.9%
7	Non concerné	66	8.5%
9	Pas de réponse	7	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q606: Q606_NB_PRES_ENLEVE			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=150 /-] [Invalid=626 /-]		
Value	Label	Cases	Percentage
1		20	13.3%
2		25	16.7%
3		12	8.0%
4		3	2.0%
5		5	3.3%
7		1	0.7%
77		67	44.7%
98		10	6.7%
99		7	4.7%
Sysmiss		626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607: Q607_PRES_DECHIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	178	22.9%
2	Non	520	67.0%
7	Non concerné	72	9.3%
9	Pas de réponse	6	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q608: Q608_NB_PRES_DECHIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=184 /-] [Invalid=592 /-]		
Value	Label	Cases	Percentage
1		55	29.9%

# Q608: Q608_NB_PRES_DECHIRE			
Value	Label	Cases	Percentage
2		54	29.3%
3		18	9.8%
4		10	5.4%
5		17	9.2%
6		2	1.1%
7		4	2.2%
9		1	0.5%
98		14	7.6%
99		9	4.9%
Sysmiss		592	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609: Q609_UTI_LUBRIFIANT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=704 /-] [Invalid=72 /-]		
Value	Label	Cases	Percentage
1	Oui	225	32.0%
2	Non	479	68.0%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		72	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q610: Q610_CONDOM_FEMININ			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	623	80.3%
2	Non	151	19.5%
8	Ne sait pas	0	
9	Pas de réponse	2	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q611: Q611_UTI_CONDOM_FEMININ			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=625 /-] [Invalid=151 /-]		
Value	Label	Cases	Percentage
1	Oui	110	17.6%
2	Non	513	82.1%
7	Non concerné	2	0.3%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		151	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q612: Q612_ACHETE_PRESERVATIF			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q612: Q612_ACHETE_PRESERVATIF			
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	600	77.3%
2	Non	172	22.2%
9	Pas de réponse	4	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q613: Q613_LIEU_ACHAT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=604 /-] [Invalid=172 /-]	
Value	Label	Cases	Percentage
1	Bar/Night club	34	5.6%
2	Boutique/kioste	430	71.2%
3	Pharmacie	95	15.7%
4	Maison de passe	21	3.5%
7	Autre	19	3.1%
9	Non réponse	5	0.8%
Sysmiss		172	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614: Q614_RUPTURE_STOCK			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=604 /-] [Invalid=172 /-]	
Value	Label	Cases	Percentage
1	Oui	162	26.8%
2	Non	438	72.5%
9	Pas de réponse	4	0.7%
Sysmiss		172	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q615: Q615_PRIX_PRESERVATIF			
Information		[Type= continuous] [Format=numeric] [Range= 0-3000] [Missing=*]	
Statistics [NW/ W]		[Valid=726 /-] [Invalid=50 /-] [Mean=71.884 /-] [StdDev=193.341 /-]	
# Q300: Q300_ENTENDU_IST			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	710	91.5%
2	Non	66	8.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AA: Q301AA_DEMENGEAISON			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=710 /-] [Invalid=66 /-]	
Value	Label	Cases	Percentage
0	Non	408	57.5%

# Q301AA: Q301AA_DEMENGEAISON			
Value	Label	Cases	Percentage
1	Oui	302	42.5%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AB: Q301AB_DOULEURS EN URINANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	218	30.7%
1	Oui	492	69.3%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AC: Q301AC_ECOULEMENT URETRAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	361	50.8%
1	Oui	349	49.2%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AD: Q301AD_BOUTONS SUR LA VERGE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	354	49.9%
1	Oui	356	50.1%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AE: Q301AE_BRULURES/PICOTEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	536	75.5%
1	Oui	174	24.5%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301AF: Q301AF_AUTRES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	633	89.2%
1	Oui	77	10.8%

# Q301AF: Q301AF_AUTRES			
Value	Label	Cases	Percentage
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BA: Q301BA_DEMENGEAISON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	375	52.8%
1	Oui	335	47.2%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BB: Q301BB_DOULEURS EN URINANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	337	47.5%
1	Oui	373	52.5%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BC: Q301BC_DOULEURS ABDOMINALES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	536	75.5%
1	Oui	174	24.5%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BD: Q301BD_DOULEURS PENDANT LE COIT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	555	78.2%
1	Oui	155	21.8%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BE: Q301BE_ECOULEMENT VAGINAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	344	48.5%
1	Oui	366	51.5%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q301BF: Q301BF_BOUTONS SUR LE SEXE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	384	54.1%
1	Oui	326	45.9%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BG: Q301BG_BRULURES/PICOTEMENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	573	80.7%
1	Oui	137	19.3%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301BH: Q301BH_AUTRES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	Non	648	91.3%
1	Oui	62	8.7%
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q302: Q302_IST_12DERNIERS_MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=710 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
1	Oui	81	11.4%
2	Non	629	88.6%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q303: Q303_NB_IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=695 /-]		
Value	Label	Cases	Percentage
0		2	2.5%
1		43	53.1%
2		22	27.2%
3		6	7.4%
4		5	6.2%
8		2	2.5%

# Q303: Q303_NB_IST			
Value	Label	Cases	Percentage
12		1	1.2%
Sysmiss		695	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q304: Q304_TRAITER IST			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=695 /-]		
Value	Label	Cases	Percentage
1	Oui	73	90.1%
2	Non	8	9.9%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		695	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q305: Q305_NB_TRAITER_IST			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=73 /-] [Invalid=703 /-]		
Value	Label	Cases	Percentage
1		42	57.5%
2		22	30.1%
3		4	5.5%
4		3	4.1%
8		2	2.7%
Sysmiss		703	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q306: Q306_LIEU_TRAITEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=73 /-] [Invalid=703 /-]		
Value	Label	Cases	Percentage
1	Hôpital/clinique	46	63.0%
2	Guérisseur	11	15.1%
3	Pharmacie	5	6.8%
4	Famille	0	
5	Ami	0	
6	Auto-médication	10	13.7%
8	Autre	1	1.4%
9	Pas de réponse	0	
Sysmiss		703	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A: Q307A Le risque de transmission du VIH peut-il être réduit avec un seul partenaire fidèle et non infecté			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		

# Q307A: Q307A Le risque de transmission du VIH peut-il être réduit avec un seul partenaire fidèle et non infecté			
Value	Label	Cases	Percentage
1	Oui	720	92.8%
2	Non	53	6.8%
8	NSP	3	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307B: Q307B Le risque de transmission du VIH peut-il être réduit par l'utilisation de préservatifs à chaque RS ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	730	94.1%
2	Non	43	5.5%
8	NSP	3	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307C: Q307C Une personne paraissant en bonne santé peut-elle être séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	720	92.8%
2	Non	55	7.1%
8	NSP	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307D: Q307D Une piqûre de moustique peut-elle transmettre le VIH ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	183	23.6%
2	Non	581	74.9%
8	NSP	12	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307E: Q307E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	161	20.7%
2	Non	601	77.4%
8	NSP	14	1.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q308: Q308 Le VIH peut-il être transmis lors des rapports sexuels ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	756	97.4%

# Q308: Q308 Le VIH peut-il être transmis lors des rapports sexuels ?			
Value	Label	Cases	Percentage
2	Non	20	2.6%
8	NSP	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309: Q309 Le virus du SIDA peut être transmis de la mère à l'enfant ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	710	91.5%
2	Non	57	7.3%
8	NSP	9	1.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q310: Q310 Le virus du SIDA peut-il être transmis par le sang ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	756	97.4%
2	Non	16	2.1%
8	NSP	4	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q311: Q311 Pensez-vous que vous courez un risque d'attraper le SIDA ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	328	42.3%
2	Non	411	53.0%
8	NSP	37	4.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q312: Q312 Seriez-vous prêt(e) à partager un repas avec PVVIH ou malade du SIDA ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	587	75.6%
2	Non	182	23.5%
8	NSP	7	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q313: Q313 Si un homme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	650	83.8%
2	Non	126	16.2%
8	NSP	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q314: Q314 Si un(e) élève/ étudiant(e) a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	716	92.3%
2	Non	60	7.7%
8	NSP	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q315: Q315 Si un professeur a le VIH, mais n'est pas malade, faut-il l'autoriser à continuer à enseigner ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	719	92.7%
2	Non	57	7.3%
8	NSP	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q316: Q316 Si une femme de votre famille est malade du SIDA, seriez-vous prêt(e) à vous en occuper ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	653	84.1%
2	Non	123	15.9%
8	NSP	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q350: Q350_TEST VIH			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	439	56.6%
2	Non	337	43.4%
8	Ne sait pas	0	
9	Pas de réponse	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q351: Q351_TEST VIH_12PROCHAIN			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q351: Q351_TEST VIH_12PROCHAIN			
Statistics [NW/ W]		[Valid=337 /-] [Invalid=439 /-]	
Value	Label	Cases	Percentage
1	Oui	296	87.8%
2	Non	41	12.2%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		439	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q352: Q352_NB_TEST VIH			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-]	
Value	Label	Cases	Percentage
1		157	35.8%
2		116	26.4%
3		61	13.9%
4		28	6.4%
5		26	5.9%
6		19	4.3%
7		4	0.9%
8		5	1.1%
9		3	0.7%
10		9	2.1%
12		4	0.9%
15		2	0.5%
98		5	1.1%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q353: Q353_TEST VIH_12DERNIERS			
Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-]	
Value	Label	Cases	Percentage
0		168	38.3%
1		176	40.1%
2		59	13.4%
3		21	4.8%
4		8	1.8%
5		3	0.7%
6		1	0.2%
8		2	0.5%
98		1	0.2%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q354J: Q354J_JOUR_TEST VIH			
Information		[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]	

# Q354J: Q354J_JOUR_TEST VIH			
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-] [Mean=5.032 /-] [StdDev=11.696 /-]	
# Q354M: Q354M_MOIS_TEST VIH			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-]	
Value	Label	Cases	Percentage
0		95	21.6%
1		45	10.3%
2		37	8.4%
3		51	11.6%
4		13	3.0%
5		10	2.3%
6		11	2.5%
7		26	5.9%
8		18	4.1%
9		15	3.4%
10		16	3.6%
11		20	4.6%
12		80	18.2%
99		2	0.5%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q354A: Q354A_ANNEES_TEST VIH			
Information		[Type= continuous] [Format=numeric] [Range= 2000-9999] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-] [Mean=2372.765 /-] [StdDev=1648.199 /-]	
# Q355A: Q355A_AVANT LE TEST			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-]	
Value	Label	Cases	Percentage
0	Non	54	12.3%
1	Oui	385	87.7%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q355B: Q355B_APRES LE TEST			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-]	
Value	Label	Cases	Percentage
0	Non	134	30.5%
1	Oui	305	69.5%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q356: Q356_RECUC_RESULTAT_TEST VIH			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=439 /-] [Invalid=337 /-]	

# Q356: Q356_RECUC_RESULTAT_TEST VIH			
Value	Label	Cases	Percentage
1	Oui, le même jour	280	63.8%
2	Oui, plus tard	146	33.3%
3	Non	13	3.0%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q357: Q357_PARTAGE_RESULTAT_TEST VIH			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Oui	227	51.7%
2	Non	205	46.7%
9	Pas de réponse	7	1.6%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358A: Q358A_PARENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=234 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
0	Non	152	65.0%
1	Oui	82	35.0%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358B: Q358B_PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=234 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
0	Non	94	40.2%
1	Oui	140	59.8%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358C: Q358C_AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=234 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
0	Non	135	57.7%
1	Oui	99	42.3%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358D: Q358D_MEDECIN			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q358D: Q358D_MEDECIN			
Statistics [NW/ W]		[Valid=234 -/] [Invalid=542 -/]	
Value	Label	Cases	Percentage
0	Non	196	83.8%
1	Oui	38	16.2%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358E: Q358E_ASSISTANT SOCIAL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=234 -/] [Invalid=542 -/]	
Value	Label	Cases	Percentage
0	Non	231	98.7%
1	Oui	3	1.3%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358F: Q358F_AUTRES			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=234 -/] [Invalid=542 -/]	
Value	Label	Cases	Percentage
0	Non	232	99.1%
1	Oui	2	0.9%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q358G: Q358G_PAS DE REPONSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=234 -/] [Invalid=542 -/]	
Value	Label	Cases	Percentage
0	Non	228	97.4%
1	Oui	6	2.6%
Sysmiss		542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q359: Q359_CONSEILS			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=439 -/] [Invalid=337 -/]	
Value	Label	Cases	Percentage
1	Oui	384	87.5%
2	Non	55	12.5%
8	Ne sait pas	0	
9	Pas de réponse	0	
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360A: Q360A_PF			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=384 -/] [Invalid=392 -/]	

# Q360A: Q360A_PF			
Value	Label	Cases	Percentage
0	Non	328	85.4%
1	Oui	56	14.6%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360B: Q360B_DP			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	273	71.1%
1	Oui	111	28.9%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360C: Q360C_VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	69	18.0%
1	Oui	315	82.0%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360D: Q360D_AUTRE IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	190	49.5%
1	Oui	194	50.5%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360E: Q360E_CIRCONCISION MASCULINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	327	85.2%
1	Oui	57	14.8%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360F: Q360F_PTME			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	319	83.1%

# Q360F: Q360F_PTME			
Value	Label	Cases	Percentage
1	Oui	65	16.9%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360G: Q360G_TUBERCULOSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	344	89.6%
1	Oui	40	10.4%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360H: Q360H_UTILISATION DU PRESERVATIF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	117	30.5%
1	Oui	267	69.5%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360I: Q360I_PARTENARIATS CONCOMITANTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	328	85.4%
1	Oui	56	14.6%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360J: Q360J_VIE DE SEROPOSITIF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	300	78.1%
1	Oui	84	21.9%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360K: Q360K_TRAITEMENT ARV			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	294	76.6%
1	Oui	90	23.4%

# Q360K: Q360K_TRAITEMENT ARV			
Value	Label	Cases	Percentage
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360L: Q360L_TRAITEMENT DES MALADIESPF			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	338	88.0%
1	Oui	46	12.0%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360M: Q360M_SUPPORT PSYCHO-SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	334	87.0%
1	Oui	50	13.0%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360N: Q360N_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	361	94.0%
1	Oui	23	6.0%
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360O: Q360O_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	384	100.0%
1	Oui	0	
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q360P: Q360P_PAS DE REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=384 -/] [Invalid=392 -/]		
Value	Label	Cases	Percentage
0	Non	384	100.0%
1	Oui	0	
Sysmiss		392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q361: Q361_CANAL DE DEPISTAGE			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Affiche/dépliant	10	2.3%
2	Télévision	134	30.5%
3	Radio	137	31.2%
4	Ami	45	10.3%
5	Mobilisation communautaire	21	4.8%
6	Famille	4	0.9%
7	ONG	63	14.4%
8	Médecin/infirmière	19	4.3%
98	Autre	5	1.1%
99	Pas de réponse	1	0.2%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q362: Q362_REFERE A AUTRE SERVICES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Oui	77	17.5%
2	Non	362	82.5%
9	Pas de réponse	0	
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q363: Q363_CONSEILLE SEUL OU EN COUPLEREFERE A AUTRE SERVICES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Seul	390	88.8%
2	Couple	42	9.6%
9	Pas de réponse	7	1.6%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q364: Q364_APPRECIATION DES CONSEILS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Très satisfait	229	52.2%
2	Satisfait	190	43.3%
3	Plus ou moins satisfait	14	3.2%
4	Insatisfait	0	
5	Pas du tout satisfait	1	0.2%
9	Pas de réponse	5	1.1%

# Q364: Q364_APPRECIATION DES CONSEILS			
Value	Label	Cases	Percentage
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q365: Q365_APPRECIATION DES DES SERVICES RECUS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Très satisfait	227	51.7%
2	Satisfait	193	44.0%
3	Plus ou moins satisfait	12	2.7%
4	Insatisfait	2	0.5%
5	Pas du tout satisfait	1	0.2%
9	Pas de réponse	4	0.9%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q366: Q366_RETOUR DANS CE CENTRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Oui	420	95.7%
2	Non	16	3.6%
8	Ne sait pas	2	0.5%
9	Pas de réponse	1	0.2%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q367: Q367_RECOMMANDER CE CENTRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Oui	422	96.1%
2	Non	12	2.7%
8	Ne sait pas	4	0.9%
9	Pas de réponse	1	0.2%
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q368: Q368_TEST DES PARTENAIRES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Oui	262	59.7%
2	Non	132	30.1%
8	Ne sait pas	45	10.3%
9	Pas de réponse	0	

# Q368: Q368_TEST DES PARTENAIRES			
Value	Label	Cases	Percentage
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q369: Q369_TEST EN COUPLE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=439 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
1	Oui	102	23.2%
2	Non	337	76.8%
9	Pas de réponse	0	
Sysmiss		337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q401: Q401_ENTENDU PARLER DU SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	720	92.8%
2	Non	56	7.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402A: Q402A_RADIO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	131	18.2%
1	Oui	589	81.8%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q402B: Q402B_TELEVISION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	145	20.1%
1	Oui	575	79.9%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402C: Q402C_PANNEAUX			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	589	81.8%
1	Oui	131	18.2%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402D: Q402D_JOURNAUX			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	664	92.2%
1	Oui	56	7.8%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402E: Q402E_BROCHURE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	595	82.6%
1	Oui	125	17.4%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402F: Q402F_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=720 /-] [Invalid=56 /-]		
Value	Label	Cases	Percentage
0	Non	628	87.2%
1	Oui	92	12.8%
Sysmiss		56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q403A: Q403A_ASSISTE A UNE ANIMATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		

# Q403A: Q403A_ASSISTE A UNE ANIMATION			
Value	Label	Cases	Percentage
1	Oui	508	65.5%
2	Non	268	34.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q403B: Q403B_NB_12DERNIERS_MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=508 /-] [Invalid=268 /-]		
Value	Label	Cases	Percentage
0		118	23.2%
1		199	39.2%
2		96	18.9%
3		32	6.3%
4		10	2.0%
5		8	1.6%
6		1	0.2%
7		1	0.2%
10		6	1.2%
11		2	0.4%
97		35	6.9%
Sysmiss		268	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q404A: Q404A_ASSISTE A UNE CAUSERIE			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	522	67.3%
2	Non	254	32.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q404B: Q404B_NB_12DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		
Value	Label	Cases	Percentage
0		59	11.3%
1		209	40.0%
2		100	19.2%
3		40	7.7%
4		22	4.2%
5		12	2.3%
6		3	0.6%
7		3	0.6%
8		4	0.8%
9		1	0.2%
10		5	1.0%
11		3	0.6%

# Q404B: Q404B_NB_12DERNIERS MOIS			
Value	Label	Cases	Percentage
13		1	0.2%
30		1	0.2%
32		1	0.2%
48		1	0.2%
97		57	10.9%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405A: Q405A_MODE DE TRANSMISSION DU SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		
Value	Label	Cases	Percentage
0	Non	89	17.0%
1	Oui	433	83.0%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405B: Q405B_MOYEN DE PREVENTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		
Value	Label	Cases	Percentage
0	Non	57	10.9%
1	Oui	465	89.1%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405C: Q405C_SIDA_PAS GUERISSABLE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		
Value	Label	Cases	Percentage
0	Non	326	62.5%
1	Oui	196	37.5%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405D: Q405D_BONNE SANTE ET INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		
Value	Label	Cases	Percentage
0	Non	261	50.0%
1	Oui	261	50.0%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405E: Q405E_CONDOM SEUL MOYEN			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		

# Q405E: Q405E_CONDOM SEUL MOYEN			
Value	Label	Cases	Percentage
0	Non	245	46.9%
1	Oui	277	53.1%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405F: Q405F_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=522 /-] [Invalid=254 /-]		
Value	Label	Cases	Percentage
0	Non	488	93.5%
1	Oui	34	6.5%
Sysmiss		254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407: Q407_PUBLICITE SUR DEPISTAGE VOLONTAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	650	83.8%
2	Non	126	16.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q408: Q408_EFFECTIVEMENT VU OU ENTENDU			
Information	[Type= discrete] [Format=numeric] [Range= 1-88] [Missing=*]		
Statistics [NW/ W]	[Valid=650 /-] [Invalid=126 /-]		
Value	Label	Cases	Percentage
1	Connaître son statut sérologique	339	52.2%
2	Aller faire son test de dépistage	145	22.3%
3	Le dépistage est volontaire et anonyme	106	16.3%
4	Ne pas avoir peur de faire le test	52	8.0%
5	A oublié	4	0.6%
88	Autre	4	0.6%
Sysmiss		126	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HEUREFIN: HEURE DE FIN			
Information	[Type= discrete] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		53	6.8%
1		43	5.5%
2		32	4.1%
3		17	2.2%
4		10	1.3%
5		6	0.8%
8		10	1.3%

# HEUREFIN: HEURE DE FIN			
Value	Label	Cases	Percentage
9		16	2.1%
10		26	3.4%
11		39	5.0%
12		20	2.6%
13		27	3.5%
14		25	3.2%
15		36	4.6%
16		46	5.9%
17		39	5.0%
18		53	6.8%
19		32	4.1%
20		70	9.0%
21		62	8.0%
22		54	7.0%
23		55	7.1%
24		5	0.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MINUTE_DE_FIN: MINUTE DE FIN			
Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=28.555 /-] [StdDev=17.207 /-]		
# ACCUEIL: ACCUEIL			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Très bon	295	38.0%
2	Bon	340	43.8%
3	Moyen	121	15.6%
4	Médiocre	18	2.3%
5	Mauvais	2	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IMPRESSION: IMPRESSION			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=775 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Enquête facile	588	75.9%
2	Enquête un peu difficile	163	21.0%
3	Enquête difficile	24	3.1%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# grage: Groupes d'âges			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		

# grage: Groupes d'âges			
Value	Label	Cases	Percentage
1	Moins de 18 ans	17	2.2%
2	18 à 24 ans	233	30.0%
3	25 à 29 ans	192	24.7%
4	30 à 34 ans	151	19.5%
5	35 à 39 ans	79	10.2%
6	40 ans et plus	104	13.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# nivins: Niveau d'instruction			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Sans instruction	56	7.2%
1	Primaire	175	22.6%
2	Secondaire	289	37.2%
3	Lycée et plus	256	33.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_15: Rapport sexuel avant 15 ans			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	647	83.4%
1	Oui	129	16.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_18: Rapport sexuel avant 18 ans			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	398	51.3%
1	Oui	378	48.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q207NBPART: Nombre de partenaires			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=757 /-] [Invalid=19 /-]	
Value	Label	Cases	Percentage
1	1 Partenaire	178	23.5%
2	2 Partenaires	274	36.2%
3	3 Partenaires	125	16.5%
4	4 Partenaires et plus	180	23.8%
Sysmiss		19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UTIL_PO: Utilisation systématique du préservatif avec les partenaires occasionnelles			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	

# UTIL_PO: Utilisation systématique du préservatif avec les partenaires occasionnelles			
Statistics [NW/ W]		[Valid=173 /-] [Invalid=603 /-]	
Value	Label	Cases	Percentage
0	Non	8	4.6%
1	Oui	165	95.4%
Sysmiss		603	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A1			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		56	7.2%
1		720	92.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A2			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		46	5.9%
1		730	94.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A3			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		56	7.2%
1		720	92.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A4			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		195	25.1%
1		581	74.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307A5			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		175	22.6%
1		601	77.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SCORE: Score			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
1		6	0.8%
2		33	4.3%
3		97	12.5%
4		206	26.5%
5		433	55.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDENT			
Information	[Type= continuous] [Format=numeric] [Range= 10113060-5179003009] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-] [Mean=1956149250.751 /-] [StdDev=1917565889.544 /-]		
# Conclusion: Séroprévalence			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=776 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Positif	14	1.8%
2	Négatif	762	98.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q516MULTI: Multipartenaria			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=16 /-]		
Value	Label	Cases	Percentage
1	Non	178	23.4%
2	Oui	582	76.6%
Sysmiss		16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File : PS_2015_APUREE

NUM_QEST: NUM_

Information [Type= continuous] [Format=numeric] [Range= 1-1197] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-] [Mean=599 /-] [StdDev=345.688 /-]

QUEST_SITE: QUEST_SITE

Information [Type= continuous] [Format=numeric] [Range= 1-710] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-] [Mean=28.038 /-] [StdDev=31.788 /-]

REGION: REGION

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Lomé	545	45.5%
1	Maritime	200	16.7%
2	Plateaux	182	15.2%
3	Centrale	51	4.3%
4	Kara	99	8.3%
5	Savanes	120	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PREFECT: PREFECTURE/DISTRICT

Information [Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	DISTRICT 1	83	6.9%
2	DISTRICT 2	100	8.4%
3	DISTRICT 3	179	15.0%
4	DISTRICT 4	90	7.5%
5	DISTRICT 5	62	5.2%
6	GOLFE	162	13.5%
7	LACS	63	5.3%
10	HAHO	20	1.7%
11	OGOU	60	5.0%
12	KLOTO	60	5.0%
13	ANIE	40	3.3%
14	TCHAOUDJO	51	4.3%
15	KOZAH	100	8.4%
16	TONE	50	4.2%
17	CINKASSE	70	5.8%
18	YOTO	7	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SITE: SITE

Information [Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

File : PS_2015_APUREE

SITE: SITE

Value	Label	Cases	Percentage
1	DISTRICT 1	83	6.9%
5	DISTICT 2	100	8.4%
10	DISTRICT 3	179	15.0%
15	DISTRICT 4	90	7.5%
20	DISTRICT 5	61	5.1%
25	BAGUIDA	53	4.4%
30	ADIDOGOME	11	0.9%
35	AGOE	99	8.3%
40	ANEHO	38	3.2%
45	KPEME	10	0.8%
46	AGBODRAFO	15	1.3%
50	TABLIGBO	7	0.6%
55	NOTSE	20	1.7%
60	KPALIME	60	5.0%
65	ATAKPAME	60	5.0%
70	ANIE	40	3.3%
75	SOKODE	51	4.3%
80	KARA	100	8.4%
85	DAPAONG	49	4.1%
90	CINKASSE	71	5.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ENQUETEUR: ENQUETEUR

Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	LARE YENDOUBE	25	2.1%
2	AMEGAVIE KOSSI	26	2.2%
3	SAMA NANKPAKOU	69	5.8%
4	BAKASSIBATA BENBADINI	51	4.3%
5	ALI MAGILUWE	48	4.0%
6	BANIZI PIYABA	51	4.3%
7	BAGNISSI MAWUSSE	60	5.0%
8	YAMEKPE RADRIGUE	61	5.1%
9	GAVI AKOKO	59	4.9%
10	APEDO FIACRE	36	3.0%
11	DEGBE EMMANUEL	35	2.9%
12	EZIN-DOSSA KOSSI	49	4.1%
13	GABA ADAMA	56	4.7%
14	ARREGBA NASSI	48	4.0%
15	HOUNNOU CALISTO	54	4.5%
16	ANTHONY VILMA	44	3.7%
17	GBODJOR KOMI	72	6.0%

File : PS_2015_APUREE

ENQUETEUR: ENQUETEUR

Value	Label	Cases	Percentage
18	HALIYAKI BADAIE	50	4.2%
19	KOURIMA KADJAMA	41	3.4%
20	KLOUTSE MARCUS	55	4.6%
21	ALLADO HUGUETTE	58	4.8%
22	ADJIGNON MIREILLE	51	4.3%
23	DEAWARE HELENE	48	4.0%
24	YENU CELINE	50	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NOM_SITE: NOM_SITE

Information	[Type= discrete] [Format=character] [Missing=*/Ž9t Ô]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.beau camion		1	0.1%
6 TEM		1	0.1%
6TEM		3	0.3%
ABLODE		1	0.1%
ABLODE KPAME		3	0.3%
ABLODEKPAMI		9	0.8%
ABLODEPKAMI		1	0.1%
ADAWLATO		8	0.7%
ADIDOGOME		1	0.1%
AGBEDRAFO		1	0.1%
AGBEKOKO		8	0.7%
AGBLODEKPAM		1	0.1%
AGBODRAFO		13	1.1%
AGBONOU		8	0.7%
AGBONOU (LOMEII)		1	0.1%
AGBONOU (SAHELIE		1	0.1%
AGBONOU CARREFOU		5	0.4%
AGBONOU LOME 2		1	0.1%
AGBONOU LOME2		1	0.1%
AGOE		83	6.9%
AGOE HOUNBI		2	0.2%
AGOE NYIVEME		1	0.1%
AGOMEYOH		1	0.1%
AGUIAKOME		1	0.1%
AHANOUKOPE		1	0.1%
AKODESSEWA		4	0.3%


File : PS_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
ALINOU		14	1.2%
AMOUTIEVE		12	1.0%
AMOUTIVE		8	0.7%
ANEHO		41	3.4%
ANLOKODJI		5	0.4%
ANLOKONDJI		2	0.2%
ASSIVIME		39	3.3%
ASSIVITO		1	0.1%
ATAKPAME KODJI		3	0.3%
ATAKPAME KONDJI		1	0.1%
ATAKPAMEKODJI		1	0.1%
ATIKOUME		3	0.3%
AUBERGE BOUCANE		1	0.1%
BAGUIDA		16	1.3%
BAGUIDA (MAISON		1	0.1%
BAGUIDA BAR MONU		1	0.1%
BAGUIDA MS CLOSE		1	0.1%
BAGUIDA/ KAGOME		1	0.1%
BAR ABLODE		5	0.4%
BAR AGBEKOKO		5	0.4%
BAR AGBEKOKO013		1	0.1%
BAR CHELSEA		3	0.3%
BAR COSMOS		8	0.7%
BAR EXPLOSIF		2	0.2%
BAR G 20		1	0.1%
BAR G20		6	0.5%
BAR MONUMA		2	0.2%
BAR MONUMENT		1	0.1%
BAR RICARDO		4	0.3%
BAR ROBINET		8	0.7%
BAR RONINET		1	0.1%
BATOME		1	0.1%
BE AKLASSOU		1	0.1%
BE ADIDAPE		1	0.1%
BE AHLIGO		4	0.3%

File : PS_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
BE AKLASSOU		43	 3.6%
BE ALKASSOU		1	 0.1%
BE HEDZE		6	 0.5%
BE KPEHENOU		4	 0.3%
BE KPEHENOU(AB		1	 0.1%
BEAU CAMION		12	 1.0%
BEL AIR BON GOUT		10	 0.8%
BEL AIR BONT GOU		4	 0.3%
BEL AIR(bon gout		11	 0.9%
BENIGLANTO		1	 0.1%
BENIGLATO		10	 0.8%
BER G20		1	 0.1%
BOKA		1	 0.1%
Bè AVETO		1	 0.1%
Bè HEDZE		4	 0.3%
Bè KPEHENOU		5	 0.4%
Bè WEDZE		1	 0.1%
Bé KPEHENOU		1	 0.1%
CAMINA		1	 0.1%
CARREFOUR DES JE		5	 0.4%
CHELSEA BAR		1	 0.1%
COUR DES GRANDS		1	 0.1%
DAPAONG		30	 2.5%
DELALI		6	 0.5%
DISTRICT 5 (GOBI		1	 0.1%
DJAMA		2	 0.2%
DJIDJOLE		6	 0.5%
DS 2		1	 0.1%
EONGO		2	 0.2%
FIAKOME		7	 0.6%
FOREVER/ADEWUI		2	 0.2%
FUCEC		7	 0.6%
GARE ROUTIER		1	 0.1%
GLEI		10	 0.8%
GNAGNA		5	 0.4%
GOBINA		1	 0.1%
GOVINA		3	 0.3%

File : PS_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
GTEM		2	0.2%
HANOUKOPE		10	0.8%
HIHEATRO		6	0.5%
HOTEL MANICK		1	0.1%
HOTEL TOLERANCE		2	0.2%
JEUNESSE BAR		4	0.3%
KAARA		1	0.1%
KADES		1	0.1%
KADES 1		4	0.3%
KADES 3		2	0.2%
KADES I/ NYEKONAK		1	0.1%
KADES1		1	0.1%
KADHES1		1	0.1%
KAGOME/ BAGUIDA		1	0.1%
KARA		99	8.3%
KHADES		2	0.2%
KHADES 1		1	0.1%
KHADES 2		2	0.2%
KHADES1		2	0.2%
KLIGE KONDZI		1	0.1%
KODJOVIAKOP		9	0.8%
KOMBOLOGA HAUT		1	0.1%
KOTOKOLI ZONGO		1	0.1%
KPANGALAM		13	1.1%
KPEHENOU		3	0.3%
KPEME		8	0.7%
LA JEUNESSE		1	0.1%
LA JEUNESSE BAR		2	0.2%
LA PAIX		13	1.1%
LA SACACITE		1	0.1%
LA SAGACITE		12	1.0%
LA STATION MC		1	0.1%
LE CHATEAU		1	0.1%
LOISIR		2	0.2%
MADIBA		3	0.3%
MADIBAR		4	0.3%


File : PS_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
MAISON BLANCHE		1	0.1%
MAISON CLOSE		1	0.1%
MAISON CLOSE DJA		7	0.6%
MC AKODESSEWA		1	0.1%
MISS DES MIS		1	0.1%
MISS DES MISS		3	0.3%
MONUMENT		4	0.3%
MSN CLOSE TOTSII		1	0.1%
MSON CLOSE TOTSI		1	0.1%
N'TIFAFA		6	0.5%
NTIFAFA		2	0.2%
NUKAFU		21	1.8%
NUKAFU _p		1	0.1%
NYEKONAKPOI		2	0.2%
NYIVEME		1	0.1%
ONE WAY		10	0.8%
PAL/BAGUIDA		2	0.2%
PANINI		34	2.8%
PHAEMACIE AKOFA		1	0.1%
PHARMACIE		1	0.1%
PHARMACIE AKOFA		23	1.9%
PHARMACIE AKOFA1		1	0.1%
PHARMECIE AKOFA		1	0.1%
PKANGALAM		1	0.1%
PLABE		1	0.1%
PLAGE COUR DES G		2	0.2%
PLAGE COUR GRAND		1	0.1%
PLAGE COURS DES		1	0.1%
PRESTIGE		1	0.1%
RICARDO ANNEXE		1	0.1%
RIVERERONE		1	0.1%
ROBINET		1	0.1%
S.J hotel manick		1	0.1%

File : PS_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
SAINT JOSEPH		35	 2.9%
SEWAKPAME		3	 0.3%
SOVIEPE		2	 0.2%
STATION		5	 0.4%
STATION AGBALEPE		1	 0.1%
STATION MC		4	 0.3%
STATION WORGOU		1	 0.1%
SYSTEME(6TEM		1	 0.1%
TABLIGBO		6	 0.5%
TABLIGLO		1	 0.1%
TALO (CASCADE)		4	 0.3%
TALO (CASCADE)16		1	 0.1%
TALO CASCADE		1	 0.1%
TALO(CASCADI		1	 0.1%
TCHAMBA KOME		2	 0.2%
TCHAMBAKOM		4	 0.3%
TCHAMKOME		1	 0.1%
TEMPLE		11	 0.9%
TERRAINVITO		1	 0.1%
TOTSI		6	 0.5%
TOTSI MAISON CLO		2	 0.2%
VERTUE		10	 0.8%
ZOMAYI		2	 0.2%
ZONGO		35	 2.9%
ZONGOME		5	 0.4%
ZOONGOME		1	 0.1%
ZORO BAR		4	 0.3%
ablodekpame		1	 0.1%
ablodekpamé		1	 0.1%
agoe		3	 0.3%
agoè		10	 0.8%
amoutiv pharmaci		1	 0.1%
anlokodji		1	 0.1%
auberge boucane		2	 0.2%
baguida		1	 0.1%
baguida mson clo		2	 0.2%
bar G20		2	 0.2%

File : PS_2015_APUREE

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
bar camos		1	0.1%
bar cosmos		1	0.1%
bar monuma		1	0.1%
bar ricardo		1	0.1%
bar robinet		2	0.2%
barG20		1	0.1%
beau camion		4	0.3%
boka		1	0.1%
bè ahligo		1	0.1%
bè aklassou		6	0.5%
bè aklasssou		1	0.1%
bè baklassou		1	0.1%
bè kphenou		2	0.2%
bè kphenou ablo		2	0.2%
bèbaklassou		1	0.1%
delali		6	0.5%
district 5		2	0.2%
district5		2	0.2%
délali		1	0.1%
govina		1	0.1%
hiheatro		1	0.1%
hotel st manick		1	0.1%
madiba		2	0.2%
maison blanche		2	0.2%
mson close		1	0.1%
panini		7	0.6%
pharma akofa		1	0.1%
pharmaci akofa		4	0.3%
pharmacie akofa		6	0.5%
port autonome060		1	0.1%
saint joseph		13	1.1%
station agbalepe		1	0.1%
station d'essenc		1	0.1%
temple		3	0.3%
vogankomé		1	0.1%
zomayi		9	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HEUREDEB: HEURE DEBUT INTERVIEW

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=14.305 /-] [StdDev=6.666 /-]

File : PS_2015_APUREE

MINUTEDEB: MINUTE DU DEBUT

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=27.126 /-] [StdDev=17.424 /-]

RESULT1: RESULTAT1

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Entretitn achevé	1197	100.0%
2	Enquête absent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RESULT2: RESULT2

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=876 /-] [Invalid=321 /-]

Value	Label	Cases	Percentage
1	Entretitn achevé	876	100.0%
2	Enquête absent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	
Sysmiss		321	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

COMPORT: COMPORTEMENT

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	1197	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BIOLOGIE: BIOLOGIE

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	1197	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CODE_BIO: CODE BIOLOGIQUE

Information	[Type= continuous] [Format=numeric] [Range= 101160012-51790030222] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=15009025041.431 /-] [StdDev=17723143995.073 /-]

File : PS_2015_APUREE

Q101: Q101_TYPE PS

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Affichées	570	47.6%
2	Clandestines	627	52.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q102_AGE: Q102 AGE

Information

[Type= continuous] [Format=numeric] [Range= 12-64] [Missing=*]

Statistics [NW/ W]

[Valid=1197 /-] [Invalid=0 /-] [Mean=27.567 /-] [StdDev=9.067 /-]

Q103_A_ECOLE: Q103 A ECOLE

Information

[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W]

[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	948	79.2%
2	Non	249	20.8%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q104_NIVEAU_ETUDE: Q104 NIVEAU ETUDE

Information

[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W]

[Valid=948 /-] [Invalid=249 /-]

Value	Label	Cases	Percentage
1	Primaire	414	43.7%
2	Secondaire	385	40.6%
3	Secondaire 2	125	13.2%
4	Supérieur	18	1.9%
5	Alphabétisé	2	0.2%
6	Ecole coranique	4	0.4%
7	Autre	0	
Sysmiss		249	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105A1_TEMPS_DS_MILIEU: Q105A1 TEMPS DS MILIEU

Information

[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W]

[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Semaine	34	2.8%
2	Mois	222	18.5%
3	Année	941	78.6%
9	NSP/NR	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105A2_DUREE_DS_MILIEU: Q105A2 DUREE DS MILIEU

Information

[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]

File : PS_2015_APUREE

Q105A2_DUREE_DS_MILIEU: Q105A2 DUREE DS MILIEU

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		262	21.9%
2		321	26.8%
3		188	15.7%
4		106	8.9%
5		94	7.9%
6		57	4.8%
7		36	3.0%
8		36	3.0%
9		26	2.2%
10		44	3.7%
11		9	0.8%
12		1	0.1%
14		2	0.2%
15		5	0.4%
16		3	0.3%
18		1	0.1%
19		1	0.1%
20		2	0.2%
25		2	0.2%
30		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105B1_TEMPS_DS_FS: Q105B1 TEMPS DS PS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Semaine	16	1.3%
2	Mois	163	13.6%
3	Année	1017	85.0%
9	NSP/NR	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105B2_DUREE_DS_PS: Q105B2 DUREE DS PS

Information [Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-] [Mean=4.006 /-] [StdDev=4.565 /-]

Q106_HAB_ET_TRAV: Q106 HABITEZ ET TRAVAILLEZ

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	J'habite et travaille ici	458	38.3%
2	J'habite et travaille ailleurs	157	13.1%
3	Travaille ici mais habite ailleurs	582	48.6%

File : PS_2015_APUREE

Q106_HAB_ET_TRAV: Q106 HABITEZ ET TRAVAILLEZ

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q107_PRINC_REL: Q107 PRINCIPALE RELIGION

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Traditionnelle	80	6.7%
2	Catholique	408	34.1%
3	Protestante	315	26.3%
4	Islamique	121	10.1%
5	Autre chrétienne	143	11.9%
6	Aucune	119	9.9%
7	Autre	11	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q108_NAT: Q108 NATIONALITE

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Togo	924	77.2%
2	Bénin	46	3.8%
3	Ghana	147	12.3%
4	Burkina Faso	17	1.4%
5	Nigeria	49	4.1%
6	Côte d'Ivoire	6	0.5%
7	Autre	8	0.7%
8	Refus de répondre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q108AUTRE: Q108AUTRE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=8 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
CAMEROUN		1	12.5%
GUINEE CONAKRY		1	12.5%
HAOUSSA		1	12.5%
MALIENNE		1	12.5%
NIGER		1	12.5%
TCHAD		1	12.5%
libéria		1	12.5%
mali		1	12.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q201_ENF: Q201 DES ENFANTS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File : PS_2015_APUREE

Q201_ENF: Q201 DES ENFANTS

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	773	64.6%
2	Non	424	35.4%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q202_NB_ENF: Q202 NOMBRE ENFANTS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=773 /-] [Invalid=424 /-]

Value	Label	Cases	Percentage
1		305	39.5%
2		203	26.3%
3		147	19.0%
4		65	8.4%
5		31	4.0%
6		16	2.1%
7		3	0.4%
8		1	0.1%
9		2	0.3%
Sysmiss		424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q203_PERS_CHAR: Nombre de personnes à charge

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		423	35.3%
1		247	20.6%
2		183	15.3%
3		134	11.2%
4		88	7.4%
5		56	4.7%
6		30	2.5%
7		22	1.8%
8		6	0.5%
9		4	0.3%
10		4	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q204_AGE_1RS: Q204 AGE 1ER RS

Information [Type= continuous] [Format=numeric] [Range= 8-32] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-] [Mean=16.459 /-] [StdDev=2.646 /-]

Q205_MAR: Q205 DEJA MARIEE

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File : PS_2015_APUREE

Q205_MAR: Q205 DEJA MARIEE

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	643	53.7%
2	Non	554	46.3%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q206_AGE_1MAR: Q206 AGE 1ER MARIAGE

Information [Type= continuous] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=643 /-] [Invalid=554 /-] [Mean=20.267 /-] [StdDev=8.309 /-]

Q207_ACT_MAR: Q207 ACTUELLEMENT MARIEE

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Mariée, vit avec époux	80	6.7%
2	Mariée, vit avec autre partenaire	26	2.2%
3	Ne vit ni avec époux, ni avec partenaire	52	4.3%
4	Non mariée, vit avec partenaire	188	15.7%
5	Non mariée, ne vit pas avec un partenaire	851	71.1%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q208_AUT_FEM: Q208 AUTRES FEMMES

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=346 /-] [Invalid=851 /-]

Value	Label	Cases	Percentage
1	Oui	124	35.8%
2	Non	168	48.6%
8	Ne sait pas	50	14.5%
9	Non réponse	4	1.2%
Sysmiss		851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q209_1_TMP: Q209_1 TEMPS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=346 /-] [Invalid=851 /-]

Value	Label	Cases	Percentage
1	Semaine	5	1.4%
2	Mois	76	22.0%
3	Année	262	75.7%
9	NSP/NR/A oublié	3	0.9%
Sysmiss		851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PS_2015_APUREE

Q209_2_DUR: Q209_2 DUREE

Information [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=346 /-] [Invalid=851 /-] [Mean=5.358 /-] [StdDev=9.74 /-]

Q210_CLI_MAR: Q210 CLIENT AVANT MARI

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=346 /-] [Invalid=851 /-]

Value	Label	Cases	Percentage
1	Oui	77	22.3%
2	Non	264	76.3%
9	Non réponse	5	1.4%
Sysmiss		851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q211_MAR_ACT: Q211 MARI AU COURANT ACTIVITE

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=346 /-] [Invalid=851 /-]

Value	Label	Cases	Percentage
1	Oui	195	56.4%
2	Non	146	42.2%
8	Ne sait pas	3	0.9%
9	Non réponse	2	0.6%
Sysmiss		851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q212_NB_UN: Q212 NOMBRE UNIONS

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		480	40.1%
1		524	43.8%
2		148	12.4%
3		34	2.8%
4		9	0.8%
5		2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q213A_AGE_RS_ARG: Q213A AGE RAPPORT AVEC ARGENT

Information [Type= continuous] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=1197 /-] [Invalid=0 /-] [Mean=22.023 /-] [StdDev=12.078 /-]

Q213B1_UNITE: Q213B1 UNITE

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=1197 /-]

Value	Label	Cases	Percentage
1	Mois	0	
2	Année	0	

File : PS_2015_APUREE

Q213B1_UNITE: Q213B1 UNITE

Value	Label	Cases	Percentage
9	NSP/NR	0	
Sysmiss		1197	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q213B_DUREE_PS: Q213B DUREE PS

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1197 /-]

Value	Label	Cases	Percentage
Sysmiss		1197	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q214_AUT_ACT: Q214 AUTRES ACTIVITES

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	741	61.9%
2	Non	456	38.1%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215A: Q215A PETIT COMMERCE AU MARCHÉ

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	498	67.2%
1	Oui	243	32.8%
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215B: Q215B PETIT COMMERCE AMBULANT

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	454	61.3%
1	Oui	287	38.7%
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215C: Q215C TRAVAIL AU BAR

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	675	91.1%
1	Oui	66	8.9%
Sysmiss		456	

File : PS_2015_APUREE

Q215C: Q215C TRAVAIL AU BAR

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215D: Q215D TRAVAIL A HOTEL

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	728	98.2%
1	Oui	13	1.8%
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215E: Q215E COIFFURES

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	622	83.9%
1	Oui	119	16.1%
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215F: Q215F VEND BOISSON A LA MAISON

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	725	97.8%
1	Oui	16	2.2%
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215G: Q215G DOMESTIQUE

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=741 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
0	Non	723	97.6%
1	Oui	18	2.4%
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q215H: Q215H PORTEFAIX			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]		
Value	Label	Cases	Percentage
0	Non	728	98.2%
1	Oui	13	1.8%
Sysmiss		456	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215I: Q215I AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]		
Value	Label	Cases	Percentage
0	Non	661	89.2%
1	Oui	80	10.8%
Sysmiss		456	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215J: Q215J NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]		
Value	Label	Cases	Percentage
0	Non	741	100.0%
1	Oui	0	
Sysmiss		456	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215K: Q215K NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=741 /-] [Invalid=456 /-]		
Value	Label	Cases	Percentage
0	Non	741	100.0%
1	Oui	0	
Sysmiss		456	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q216_EXCISEE: Q216_EXCISEE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	40	3.3%
2	Non	1157	96.7%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q217_AGE_EXCISEE: Q217_AGE_EXCISEE			
Information	[Type= discrete] [Format=numeric] [Range= 2-17] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=1157 /-]		

# Q217_AGE_EXCISEE: Q217_AGE_EXCISEE			
Value	Label	Cases	Percentage
2		1	2.5%
3		4	10.0%
4		5	12.5%
5		7	17.5%
6		6	15.0%
7		1	2.5%
8		3	7.5%
9		3	7.5%
10		2	5.0%
11		1	2.5%
13		1	2.5%
14		1	2.5%
15		3	7.5%
17		2	5.0%
Sysmiss		1157	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q218_BATTUE: Q218_BATTUE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	208	17.4%
2	Non	989	82.6%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q219_POUR_BAT: Q219_POURQUOI_BATTUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=208 /-] [Invalid=989 /-]		
Value	Label	Cases	Percentage
0	Pas de réponse	4	1.9%
1	Je ne voulais pas faire ce qu'il voulait	102	49.0%
2	Il trouvait que c'est trop cher	35	16.8%
3	Il ne voulait pas porter de condom	36	17.3%
8	Autre	31	14.9%
Sysmiss		989	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q220_NB_BAT: Q220_NBRE_BATTUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=208 /-] [Invalid=989 /-]		
Value	Label	Cases	Percentage
0		80	38.5%
1		64	30.8%
2		29	13.9%
3		11	5.3%

# Q220_NB_BAT: Q220_NBRE_BATTUE			
Value	Label	Cases	Percentage
4		7	3.4%
5		5	2.4%
6		3	1.4%
7		9	4.3%
Sysmiss		989	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q221: Q221 TENTER UNE ACTION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=1069 /-]		
Value	Label	Cases	Percentage
1	Oui	23	18.0%
2	Non	105	82.0%
9	Non réponse	0	
Sysmiss		1069	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q222A: Q222A LIEU DE PLAINTÉ 1			
Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=1174 /-]		
Value	Label	Cases	Percentage
0	Nulle part	1	4.3%
1	Organisation de défense des droits de l'individu	1	4.3%
2	Police/Gendarmerie	18	78.3%
3	Justice	0	
4	Chef traditionnel	0	
5	Famille	2	8.7%
7	Affaires sociales	0	
9	Amie/voisine	0	
10	Chef religieux	0	
96	Autre	1	4.3%
Sysmiss		1174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q222B: Q222B LIEU DE PLAINTÉ 2			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1195 /-]		
Value	Label	Cases	Percentage
1	Nulle part	0	
2	Organisation de défense des droits de l'individu	0	
3	Police/Gendarmerie	0	
4	Justice	0	
5	Chef traditionnel	0	
7	Famille	0	
8	Affaires sociales	0	
9	Amie/voisine	0	

# Q222B: Q222B LIEU DE PLAINE 2			
Value	Label	Cases	Percentage
10	Chef religieux	0	
96	Autre	2	100.0%
Sysmiss		1195	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q222C: Q222C LIEU DE PLAINE 3			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1197 /-]		
Value	Label	Cases	Percentage
1	Nulle part	0	
2	Organisation de défense des droits de l'individu	0	
3	Police/Gendarmerie	0	
4	Justice	0	
5	Chef traditionnel	0	
7	Famille	0	
8	Affaires sociales	0	
9	Amie/voisine	0	
10	Chef religieux	0	
96	Autre	0	
Sysmiss		1197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q223: Q223 SUITE FINALE DONNEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=1174 /-]		
Value	Label	Cases	Percentage
0	Aucune	3	13.0%
1	Réparation des dégâts causés	8	34.8%
2	Admonestation de l'auteur	2	8.7%
3	Poursuite de l'auteur	4	17.4%
4	Retrait de la plainte	2	8.7%
5	Admonestation de la femme battue	0	
6	Affaire en cours	2	8.7%
9	Autre	2	8.7%
Sysmiss		1174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q224: Q224 UNE COLLEQUE BATTUE PAR UN CLIENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	377	31.5%
2	Non	820	68.5%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q301_RS_COND: Q301_RS_CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1161	97.0%
2	Non	36	3.0%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q302_AGE_UTI_COND: Q302_AGE_UTILISATION_CONDOM			
Information	[Type= continuous] [Format=numeric] [Range= 11-50] [Missing=*]		
Statistics [NW/ W]	[Valid=1161 /-] [Invalid=36 /-] [Mean=21.293 /-] [StdDev=6.812 /-]		
# Q303_UT_LUB: Q303_UT_LUBRIFIANT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	747	62.4%
2	Non	449	37.5%
9	Non réponse	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q304_PRODUIT: Q304_PRODUIT			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=747 /-] [Invalid=450 /-]		
Value	Label	Cases	Percentage
0	Pas de réponse	0	
1	Lubrifiant	619	82.9%
2	Vaseline	34	4.6%
3	Beurre de karité	25	3.3%
4	Pommade Jet	39	5.2%
5	Pénicilline pommade	14	1.9%
8	Autres	16	2.1%
Sysmiss		450	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q305_LIEU_AP: Q305_LIEU_APPROVISIONNEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=747 /-] [Invalid=450 /-]		
Value	Label	Cases	Percentage
0	Pas de réponse	1	0.1%
1	Pharmacie	146	19.5%
2	Centre de santé	9	1.2%
3	Marché	101	13.5%
4	Dans la rue	36	4.8%
5	Pairs éducateurs	387	51.8%
8	Autres	67	9.0%
Sysmiss		450	

# Q305_LIEU_AP: Q305_LIEU_APPROVISIONNEMENT			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q306_PRE: Q306_PRECAUTION			
Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Aucune	37	3.1%
1	Condom	1059	88.5%
2	Antibiotique	7	0.6%
3	Combinaison condom/antibiotique	86	7.2%
8	Autre	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307_NB_CL_SEM: Q307_NBRE_CLIENTS_SEMAINE			
Information		[Type= continuous] [Format=numeric] [Range= 1-80] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-] [Mean=11.621 /-] [StdDev=11.122 /-]	
# Q308_NB_SEM_AN: Q308_NBRE_SEMAINE_ANNEE			
Information		[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-] [Mean=45.232 /-] [StdDev=12.266 /-]	
# Q309A_PRIX_COND: Q309A_PRIX_CONDOM			
Information		[Type= discrete] [Format=numeric] [Range= 0-950] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		751	62.7%
25		10	0.8%
50		61	5.1%
100		288	24.1%
150		4	0.3%
200		34	2.8%
300		3	0.3%
400		4	0.3%
500		32	2.7%
600		1	0.1%
700		1	0.1%
800		4	0.3%
900		2	0.2%
950		2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309B_LIEU_RDV: Q309B_LIEU_RENDEZ-VOUS			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Domicile/maison close	309	25.8%
2	Bars	438	36.6%
3	Hôtels	117	9.8%

# Q309B_LIEU_RDV: Q309B_LIEU_RENDEZ-VOUS			
Value	Label	Cases	Percentage
4	Rue	295	24.6%
5	Boîte de nuit	29	2.4%
8	Autres	9	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309C_UT_RS: Q309C_UTILISATION A CH_RS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1107	92.5%
2	Non	90	7.5%
8	Ne sait pas	0	
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309D_TYPE_CL: Q309D_TYPE DRE CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Les plus jeunes	200	16.7%
2	Les adultes	913	76.3%
3	Les personnes âgées	62	5.2%
8	Ne sait pas	20	1.7%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309E_PROFIL_CL: Q309E_PROFIL_CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Cadres/fonctionnaires	598	50.0%
2	Les élèves/étudiants/apprentis	180	15.0%
3	Les corps habillés	42	3.5%
4	Les routiers/camionneurs	137	11.4%
5	Autres	112	9.4%
8	Ne sait pas	126	10.5%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309EAUTRE: Q309EAUTRE			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=107 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
6000		1	0.9%
ARTISAN		3	2.8%
CHEF MACON		1	0.9%

# Q309EAUTRE: Q309EAUTRE			
Value	Label	Cases	Percentage
COIFFEUR		1	0.9%
COMMERÇANT		13	12.1%
COMMERÇANT		1	0.9%
COMMERÇANT		40	37.4%
COMMERÇANT		1	0.9%
CULTIVATEUR		1	0.9%
ETRANGERS		1	0.9%
GRAND COMMER		2	1.9%
H. AFFAIRES		1	0.9%
H.AFFAIRE		1	0.9%
HOMME AFFAIR		1	0.9%
LES Z MEN		1	0.9%
LES"Z" MENS		1	0.9%
MACON		2	1.9%
MACON;MENUIS		1	0.9%
MARIN		1	0.9%
MENUSIER		1	0.9%
PARTICULIERS		1	0.9%
PARTICULIER		1	0.9%
PARTICULIERS		2	1.9%
RETRAITE		1	0.9%
RETRAITES		2	1.9%
REVENDEUR		1	0.9%
REVENDEURS		1	0.9%
TAILLEURS		1	0.9%
TAXI MOTO		1	0.9%
TOURISTE		1	0.9%
TRANSITAIRE		1	0.9%
VENDEUR		5	4.7%
ZEMIDJAMEN		1	0.9%
ZEMIDJAN MEN		1	0.9%
ZEMIDJANMEN		2	1.9%
commerçant		5	4.7%
homme d'affa		2	1.9%
les particul		1	0.9%
zedman		1	0.9%
zimidjan man		1	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q310_SOMME_DER_CL: Q310_SOMME DERNIER CLIENT			
Information	[Type= continuous] [Format=numeric] [Range= 0-35000] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=4543.277 /-] [StdDev=4763.787 /-]		

# Q311_UT_COND_D_RS: Q311_UTILISATION CONDOM DER RS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1122	93.7%
2	Non	75	6.3%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q312_PROPOS: Q312_PROPOSITION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1122 /-] [Invalid=75 /-]		
Value	Label	Cases	Percentage
1	Moi	893	79.6%
2	Le client	229	20.4%
9	Non réponse	0	
Sysmiss		75	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q313_RAISON_N_UT: Q313_RAISON NON UTILISATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=75 /-] [Invalid=1122 /-]		
Value	Label	Cases	Percentage
1	Condom non proposé	20	26.7%
2	Refus du client	38	50.7%
8	Autre	17	22.7%
Sysmiss		1122	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q314_PROP_UT: Q314_PROPOSITION UTILISATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=1177 /-]		
Value	Label	Cases	Percentage
1	Je n'avais pas de condom	2	10.0%
2	Pour plus de confort	7	35.0%
3	Confiance dans le partenaire	9	45.0%
4	Refus appréhendé	1	5.0%
5	Violence appréhendée	0	
8	Autre	1	5.0%
Sysmiss		1177	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q315_N_EX_COND: Q315_NON EXISTENCE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1195 /-]		
Value	Label	Cases	Percentage
1	Préservatif / Condom trop cher	0	
2	Préservatif / Condom non disponible sur le site	2	100.0%

# Q315_N_EX_COND: Q315_NON EXISTENCE CONDOM			
Value	Label	Cases	Percentage
8	Autre	0	
Sysmiss		1195	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q316_REF_CL: Q316_REFUS CLIENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=950 /-] [Invalid=247 /-]		
Value	Label	Cases	Percentage
1	Avec violence	38	4.0%
2	Sans violence	912	96.0%
Sysmiss		247	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q317_ARG_REF: Q317_ARGUMENT DU REFUS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=1159 /-]		
Value	Label	Cases	Percentage
1	Prêt à payer pls cher sans condom	16	42.1%
2	Condom empêche la jouissance	19	50.0%
8	Autres	3	7.9%
Sysmiss		1159	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q319_NB_CL_D_J: Q319_NBRE CLIENTS DERNIER JOUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		101	8.4%
1		247	20.6%
2		331	27.7%
3		218	18.2%
4		121	10.1%
5		81	6.8%
6		33	2.8%
7		27	2.3%
8		18	1.5%
9		2	0.2%
10		12	1.0%
11		2	0.2%
12		1	0.1%
13		2	0.2%
15		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q320_CL_UT_C: Q320_NBRE CLIENTS UYILISENT CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=1096 /-] [Invalid=101 /-]		

# Q320_CL_UT_C: Q320_NBRE CLIENTS UYILISENT CONDOM			
Value	Label	Cases	Percentage
0		35	3.2%
1		242	22.1%
2		324	29.6%
3		209	19.1%
4		117	10.7%
5		75	6.8%
6		31	2.8%
7		25	2.3%
8		18	1.6%
9		2	0.2%
10		12	1.1%
11		2	0.2%
12		1	0.1%
13		2	0.2%
15		1	0.1%
Sysmiss		101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q321_CL_N_UT_C: Q321_NBRE CLIENTS NON UTILISE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1096 /-] [Invalid=101 /-]		
Value	Label	Cases	Percentage
0		1020	93.1%
1		47	4.3%
2		21	1.9%
3		4	0.4%
4		3	0.3%
5		1	0.1%
Sysmiss		101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q322_NB_CL_D_S: Q322_NBRE CLIENTS DERNIERE SEMAINE			
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=10.567 /-] [StdDev=10.112 /-]		
# Q323_N_CL: Q323_NBRE NOUVEAUX CLIENTS			
Information	[Type= continuous] [Format=numeric] [Range= 0-67] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=4.853 /-] [StdDev=8.276 /-]		
# Q324_A_CL: Q324_NBRE ANCIENS CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-41] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		382	31.9%
1		166	13.9%
2		165	13.8%

Q324_A_CL: Q324_NBRE ANCIENTS CLIENTS

Value	Label	Cases	Percentage
3		142	11.9%
4		81	6.8%
5		76	6.3%
6		34	2.8%
7		28	2.3%
8		31	2.6%
9		10	0.8%
10		27	2.3%
11		7	0.6%
12		13	1.1%
13		7	0.6%
15		9	0.8%
16		1	0.1%
17		3	0.3%
20		9	0.8%
22		2	0.2%
23		1	0.1%
26		1	0.1%
40		1	0.1%
41		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q325_FREQ_UT: Q325_FREQUENCE UTILISATION

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Chaque fois/toujours	1067	89.1%
2	Au moins 4 jours par semaine	61	5.1%
3	A l'occasion	35	2.9%
4	Jamais	22	1.8%
5	Ne sait pas	3	0.3%
9	Non réponse	9	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q327_NB_N_CL: Q327_NBRE NON_CLIENTS LES 3 DERNIERS MOIS

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		623	52.0%
1		471	39.3%
2		55	4.6%
3		27	2.3%
4		5	0.4%
5		5	0.4%
6		3	0.3%
7		2	0.2%

# Q327_NB_N_CL: Q327_NBRE NON_CLIENTS LES 3 DERNIERS MOIS			
Value	Label	Cases	Percentage
8		3	0.3%
10		2	0.2%
12		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q328_CL_A: Q328_NBRE CLIENTS AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=574 /-] [Invalid=623 /-]		
Value	Label	Cases	Percentage
0		61	10.6%
1		469	81.7%
2		31	5.4%
3		10	1.7%
4		1	0.2%
5		1	0.2%
6		1	0.2%
Sysmiss		623	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q329_A_CL: Q329_NBRE AMIS CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		944	78.9%
1		222	18.5%
2		24	2.0%
3		5	0.4%
4		1	0.1%
6		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q330_A_N_CL: Q330_NBRE AMIS NOUVEAUX CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1054	88.1%
1		117	9.8%
2		14	1.2%
3		7	0.6%
4		3	0.3%
5		1	0.1%
6		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q331_FR_UT: Q331_FREQUENCE UTILISATION CONDOM AVEC AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		

Q331_FR_UT: Q331_FREQUENCE UTILISATION CONDOM AVEC AMIS

Value	Label	Cases	Percentage
0	Pas de réponse	510	42.6%
1	Jamais	218	18.2%
2	Parfois (1 à 4 fois sur 10)	147	12.3%
3	Souvent	40	3.3%
4	Toujours	282	23.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q332_UT_COND: Q332_UTILISATION CONDOM AVEC CONJOINT

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	360	30.1%
2	Non	299	25.0%
9	Non réponse	538	44.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q333_PROP: Q333_QUI A PROPOSE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=360 /-] [Invalid=837 /-]		
Value	Label	Cases	Percentage
1	Moi	316	87.8%
2	Mnn mari/conjoint	43	11.9%
9	Non réponse	1	0.3%
Sysmiss		837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q334_N_UT: Q334_NON UTILISATION CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=837 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Condom non proposé	119	14.2%
2	Refus du mari/conjoint/boyfriend	114	13.6%
8	Autres	604	72.2%
Sysmiss		360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q335_R_N_UT: Q335_RAISON NON UTILISATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=1078 /-]		
Value	Label	Cases	Percentage
1	Je n'avais pas de condom	7	5.9%
2	Pour plus de confort	39	32.8%
3	Confiance dans le partenaire	69	58.0%
4	Refus appréhendé	1	0.8%
5	Violence appréhendée	0	
8	Autre	3	2.5%
Sysmiss		1078	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q336: Q336_POURQUOI PAS DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=1190 /-]		
Value	Label	Cases	Percentage
1	Condom trop cher	1	14.3%
2	Condom non disponible	4	57.1%
3	N'utilise jamais de condom	1	14.3%
8	Autres	1	14.3%
Sysmiss		1190	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q337_ARG_REF: Q337_ARGUMENT DU REFUS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=837 /-] [Invalid=360 /-]		

# Q337_ARG_REF: Q337_ARGUMENT DU REFUS			
Value	Label	Cases	Percentage
1	Condom trop cher	75	9.0%
2	Condom non disponible	177	21.1%
3	N'utilise jamais le condom avec lui	0	
8	Autres	585	69.9%
Sysmiss		360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q342_GAYS: Q342_EXISTENCE DES GAYS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	679	56.7%
2	Non	518	43.3%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q343_H_F: Q343_HOMME OU FEMME			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=679 /-] [Invalid=518 /-]		
Value	Label	Cases	Percentage
1	Ce sont des hommes	105	15.5%
2	Ce sont des femmes	44	6.5%
3	Les deux	522	76.9%
8	Ne sait pas	8	1.2%
Sysmiss		518	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q344_AGES_GAYS: Q344_GROUPES AGES DES GAYS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=679 /-] [Invalid=518 /-]		
Value	Label	Cases	Percentage
1	Moins de 20 ans	57	8.4%
2	Entre 20et 29 ans	304	44.8%
3	Entre 30 39 ans	169	24.9%
4	Entre 40 et 49 ans	22	3.2%
5	50 ans et plus	3	0.4%
8	Ne sait pas	124	18.3%
Sysmiss		518	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q345_NIV: Q345_NIVEAU INSTRUCTION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=679 /-] [Invalid=518 /-]		
Value	Label	Cases	Percentage
1	Non instruits	72	10.6%
2	Primaire	77	11.3%

# Q345_NIV: Q345_NIVEAU INSTRUCTION			
Value	Label	Cases	Percentage
3	Secondaire	224	33.0%
4	Supérieur	56	8.2%
8	Ne sait pas	250	36.8%
Sysmiss		518	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q346_S_MAT: Q346_STATUT MATRIMONIAL			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=679 /-] [Invalid=518 /-]		
Value	Label	Cases	Percentage
1	Célibataire	399	58.8%
2	Marié	38	5.6%
3	Divorcé/veuf/séparé	46	6.8%
8	Ne sait pas	196	28.9%
Sysmiss		518	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q347: Q347 RELATIONS SEXUELLES AVEC MEME SEXE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=679 /-] [Invalid=518 /-]		
Value	Label	Cases	Percentage
1	Oui	43	6.3%
2	Non	636	93.7%
9	Non réponse	0	
Sysmiss		518	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348A: Q348A FINGUERS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
0	Non	10	23.3%
1	Oui	33	76.7%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348B: Q348B FELLATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
0	Non	13	30.2%
1	Oui	30	69.8%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348C: Q348C PENETRATION ACTIVE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q348C: Q348C PENETRATION ACTIVE			
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
0	Non	38	88.4%
1	Oui	5	11.6%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348D: Q348D PENETRATION PASSIVE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
0	Non	38	88.4%
1	Oui	5	11.6%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348E: Q348E ANNULINGUS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
0	Non	40	93.0%
1	Oui	3	7.0%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348F: Q348F AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
0	Non	39	90.7%
1	Oui	4	9.3%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q349: Q349 PROTECTION DE CETTE RELATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1154 /-]		
Value	Label	Cases	Percentage
1	Oui	20	46.5%
2	Non	22	51.2%
9	Non réponse	1	2.3%
Sysmiss		1154	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q350: Q350 CONNAISSANCE DES TRANSGENRES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		

# Q350: Q350 CONNAISSANCE DES TRANSGENRES			
Value	Label	Cases	Percentage
1	Oui	433	36.2%
2	Non	758	63.3%
9	Non réponse	6	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q351: Q351 CONNAISSANCE DES PS MASCULINS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	274	22.9%
2	Non	921	76.9%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q401_EC_VAG: Q401_ECOULEMENT VAGINAL			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	509	42.5%
2	Non	688	57.5%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402A: Q402A DEJA EU DES CONDYLOMES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	97	8.1%
2	Non	1100	91.9%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402B: Q402B BOUTONS SUR LE SEXE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	265	22.1%
2	Non	932	77.9%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402C: Q402C ULCERATION GENITALE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	313	26.1%

# Q402C: Q402C ULCERATION GENITALE			
Value	Label	Cases	Percentage
2	Non	884	73.9%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q403_LIEU_REC: Q403_LIEU DE RECOURS IST			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=884 /-]		
Value	Label	Cases	Percentage
1	Structure de santé publique	153	48.9%
2	Structure de santé privée	44	14.1%
3	Pharmacie	17	5.4%
4	Vendeur amnulant	17	5.4%
5	Guerisseur traditionnel	17	5.4%
6	Ami/parent	4	1.3%
7	Automédication	56	17.9%
8	Autres	5	1.6%
Sysmiss		884	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q404_PREF: Q404_PREFERENCE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=884 /-]		
Value	Label	Cases	Percentage
1	Coût	93	29.7%
2	Qualité des soins	99	31.6%
3	Confiance	49	15.7%
4	Distance à parcourir	10	3.2%
5	Connaissance	22	7.0%
6	Confidentialité	24	7.7%
7	Seule option disponible	8	2.6%
8	Autres	8	2.6%
Sysmiss		884	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405_AP: Q405_APPRECIATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=313 /-] [Invalid=884 /-]		
Value	Label	Cases	Percentage
1	Courtois	177	56.5%
2	Avec respect	98	31.3%
3	Avec indifférence	14	4.5%
4	Avec préjugé	1	0.3%
8	Autres	23	7.3%
Sysmiss		884	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q406_UT_C: Q406_UTILISATION CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1146	95.7%
2	Non	51	4.3%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407A: Q407A_EVITER IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		
Value	Label	Cases	Percentage
0	Non	276	24.1%
1	Oui	870	75.9%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407B: Q407B_EVITER VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		
Value	Label	Cases	Percentage
0	Non	38	3.3%
1	Oui	1108	96.7%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407C: Q407C_EVITER GROSSESSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		
Value	Label	Cases	Percentage
0	Non	481	42.0%
1	Oui	665	58.0%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407D: Q407D_DEMANDE PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		
Value	Label	Cases	Percentage
0	Non	1032	90.1%
1	Oui	114	9.9%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407E: Q407E_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		

# Q407E: Q407E_AUTRE			
Value	Label	Cases	Percentage
0	Non	1136	99.1%
1	Oui	10	0.9%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407F: Q407F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		
Value	Label	Cases	Percentage
0	Non	1146	100.0%
1	Oui	0	
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407G: Q407G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1146 /-] [Invalid=51 /-]		
Value	Label	Cases	Percentage
0	Non	1143	99.7%
1	Oui	3	0.3%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q408_UT_C_L: Q408_UTILISATION CONDOM ET LUBRIFIANT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	674	56.3%
2	Non	518	43.3%
9	Non réponse	5	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409A: Q409A_VASELINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 /-] [Invalid=523 /-]		
Value	Label	Cases	Percentage
0	Non	609	90.4%
1	Oui	65	9.6%
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409B: Q409B_GLYCERINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 /-] [Invalid=523 /-]		
Value	Label	Cases	Percentage
0	Non	651	96.6%

# Q409B: Q409B_GLYCERINE			
Value	Label	Cases	Percentage
1	Oui	23	3.4%
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409C: Q409C_GEL LUBRIFIANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 -/] [Invalid=523 -/]		
Value	Label	Cases	Percentage
0	Non	45	6.7%
1	Oui	629	93.3%
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409D: Q409D_MIEL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 -/] [Invalid=523 -/]		
Value	Label	Cases	Percentage
0	Non	657	97.5%
1	Oui	17	2.5%
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409E: Q409E_AUTRE 1			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 -/] [Invalid=523 -/]		
Value	Label	Cases	Percentage
0	Non	607	90.1%
1	Oui	67	9.9%
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409F: Q409F_AUTRE 2			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 -/] [Invalid=523 -/]		
Value	Label	Cases	Percentage
0	Non	671	99.6%
1	Oui	3	0.4%
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409G: Q409G_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 -/] [Invalid=523 -/]		
Value	Label	Cases	Percentage
0	Non	673	99.9%
1	Oui	1	0.1%

# Q409G: Q409G_NE SAIT PAS			
Value	Label	Cases	Percentage
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409H: Q409H_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=674 /-] [Invalid=523 /-]		
Value	Label	Cases	Percentage
0	Non	674	100.0%
1	Oui	0	
Sysmiss		523	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q410: Q410_NBRE DE CONDOMS			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-] [Mean=643.519 /-] [StdDev=2403.016 /-]		
# Q411_UT1: Q411_UTILISATION DE PLUS D'UN CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	310	25.9%
2	Non	872	72.8%
9	Non réponse	15	1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412A: Q412A_DOUTE DE LA SANTE DU PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=887 /-]		
Value	Label	Cases	Percentage
0	Non	149	48.1%
1	Oui	161	51.9%
Sysmiss		887	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412B: Q412B_AVEC LES CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=887 /-]		
Value	Label	Cases	Percentage
0	Non	225	72.6%
1	Oui	85	27.4%
Sysmiss		887	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412C: Q412C_NE CONNAIT PAS LE PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=887 /-]		

Q412C: Q412C_NE CONNAIT PAS LE PARTENAIRE

Value	Label	Cases	Percentage
0	Non	252	81.3%
1	Oui	58	18.7%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q412D: Q412D_DOUTE DE LA RESISTANCE DU CONDOM

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=310 /-] [Invalid=887 /-]

Value	Label	Cases	Percentage
0	Non	154	49.7%
1	Oui	156	50.3%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q412E: Q412E_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=310 /-] [Invalid=887 /-]	
Value	Label	Cases	Percentage
0	Non	261	84.2%
1	Oui	49	15.8%
Sysmiss		887	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412F: Q412F_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=310 /-] [Invalid=887 /-]	
Value	Label	Cases	Percentage
0	Non	308	99.4%
1	Oui	2	0.6%
Sysmiss		887	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412G: Q412G_NON REPONSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=310 /-] [Invalid=887 /-]	
Value	Label	Cases	Percentage
0	Non	308	99.4%
1	Oui	2	0.6%
Sysmiss		887	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q413: Q413_ENLEVEMENT CONDOM			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non réponse	7	0.6%
1	Oui	509	42.5%
2	Non	659	55.1%
8	Ne sait pas	4	0.3%
9	Non concerné	18	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q414: Q414_FREQUENCE ENLEVEMENT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=514 /-] [Invalid=683 /-]	
Value	Label	Cases	Percentage
1	Très souvent	54	10.5%
2	A l'occasion	456	88.7%
3	Jamais	3	0.6%
8	Ne sait pas	1	0.2%
9	Non réponse	0	
Sysmiss		683	

# Q414: Q414_FREQUENCE ENLEVEMENT			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415A: Q415A_MAUVAISE QUALITE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 -/] [Invalid=683 -/]		
Value	Label	Cases	Percentage
0	Non	349	67.9%
1	Oui	165	32.1%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415B: Q415B_CONDOM NON RESISTANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 -/] [Invalid=683 -/]		
Value	Label	Cases	Percentage
0	Non	400	77.8%
1	Oui	114	22.2%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415C: Q415C_MAUVAISE CONSERVATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 -/] [Invalid=683 -/]		
Value	Label	Cases	Percentage
0	Non	453	88.1%
1	Oui	61	11.9%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415D: Q415D_MANIERE INCORRECTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 -/] [Invalid=683 -/]		
Value	Label	Cases	Percentage
0	Non	204	39.7%
1	Oui	310	60.3%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415E: Q415E_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 -/] [Invalid=683 -/]		
Value	Label	Cases	Percentage
0	Non	393	76.5%
1	Oui	121	23.5%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q415F: Q415F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 /-] [Invalid=683 /-]		
Value	Label	Cases	Percentage
0	Non	492	95.7%
1	Oui	22	4.3%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415G: Q415G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=514 /-] [Invalid=683 /-]		
Value	Label	Cases	Percentage
0	Non	512	99.6%
1	Oui	2	0.4%
Sysmiss		683	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q416: Q416_LIEU APPROVISIONNEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1118	93.4%
2	Non	77	6.4%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417A: Q417A_ALIMENTATION/SUPERMARCHE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	996	89.1%
1	Oui	122	10.9%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417B: Q417B_BOUTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	274	24.5%
1	Oui	844	75.5%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417C: Q417C_KIOSTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		

# Q417C: Q417C_KIOSTE			
Value	Label	Cases	Percentage
0	Non	770	68.9%
1	Oui	348	31.1%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417D: Q417D_STATION ESSENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1051	94.0%
1	Oui	67	6.0%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417E: Q417E_PHARMACIE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	591	52.9%
1	Oui	527	47.1%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417F: Q417F_DEPOT PHARMACEUTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1060	94.8%
1	Oui	58	5.2%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417G: Q417G_MARCHE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	986	88.2%
1	Oui	132	11.8%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417H: Q417H_VENDEUR AMBULANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	964	86.2%

# Q417H: Q417H_VENDEUR AMBULANT			
Value	Label	Cases	Percentage
1	Oui	154	13.8%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417I: Q417I_VENDEUR DE MEDICAMENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	901	80.6%
1	Oui	217	19.4%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417J: Q417J_FORMATION SANITAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	977	87.4%
1	Oui	141	12.6%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417K: Q417K_HOTEL/MOTEL/AUBERGE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	862	77.1%
1	Oui	256	22.9%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417L: Q417L_RESTAURANT/CAFETARIAT/BOITE DE NUIT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1044	93.4%
1	Oui	74	6.6%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417M: Q417M_ATELIER/LIEU DE TRAVAIL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1107	99.0%
1	Oui	11	1.0%

# Q417M: Q417M_ATELIER/LIEU DE TRAVAIL			
Value	Label	Cases	Percentage
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417N: Q417N_ECOLE/COLLEGE/UNIVERSITE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1112	99.5%
1	Oui	6	0.5%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417O: Q417O_AGENT DE VENTE DE PRUDENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1089	97.4%
1	Oui	29	2.6%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417P: Q417P_ANOMATEUR DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	823	73.6%
1	Oui	295	26.4%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417Q: Q417Q_PAIR EDUCATEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	548	49.0%
1	Oui	570	51.0%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417R: Q417R_AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1000	89.4%
1	Oui	118	10.6%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q417S: Q417S_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1035	92.6%
1	Oui	83	7.4%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417T: Q417T_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1112	99.5%
1	Oui	6	0.5%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417U: Q417U_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
0	Non	1095	97.9%
1	Oui	23	2.1%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q418: Q418_TEMPS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1118 /-] [Invalid=79 /-]		
Value	Label	Cases	Percentage
1	Moins de 15 minutes	820	73.3%
2	15 minutes à une heure	252	22.5%
3	Plus d'une heure	18	1.6%
4	Ne sait pas	18	1.6%
9	Non réponse	10	0.9%
Sysmiss		79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q419: Q419_CONDOM FEMINI			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non réponse	2	0.2%
1	Oui	1086	90.7%
2	Non	109	9.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q420: Q420_UTILISATION DU FEMIDON			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1086 /-] [Invalid=111 /-]		
Value	Label	Cases	Percentage
0	Non réponse	0	
1	Oui	428	39.4%
2	Non	658	60.6%
Sysmiss		111	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q421: Q421_LIEU DE VENTE FEMIDON			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1086 /-] [Invalid=111 /-]		
Value	Label	Cases	Percentage
0	Non réponse	0	
1	Oui	773	71.2%
2	Non	313	28.8%
Sysmiss		111	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422A: Q422A_ALIMENTATION/SUPERMARCHE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	681	88.1%
1	Oui	92	11.9%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422B: Q422B_BOUTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	581	75.2%
1	Oui	192	24.8%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422C: Q422C_PHARMACIE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	222	28.7%
1	Oui	551	71.3%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422D: Q422D_DEPOT PHARMACEUTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q422D: Q422D_DEPOT PHARMACEUTIQUE			
Statistics [NW/ W]		[Valid=773 /-] [Invalid=424 /-]	
Value	Label	Cases	Percentage
0	Non	718	92.9%
1	Oui	55	7.1%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422E: Q422E_MARCHE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=773 /-] [Invalid=424 /-]	
Value	Label	Cases	Percentage
0	Non	710	91.8%
1	Oui	63	8.2%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422F: Q422F_FORMATION SANITAIRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=773 /-] [Invalid=424 /-]	
Value	Label	Cases	Percentage
0	Non	635	82.1%
1	Oui	138	17.9%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422G: Q422G_HOTEL/MOTEL/BOITE DE NUIT			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=773 /-] [Invalid=424 /-]	
Value	Label	Cases	Percentage
0	Non	722	93.4%
1	Oui	51	6.6%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422H: Q422H_ATELIER/LIEU DE TRAVAIL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=773 /-] [Invalid=424 /-]	
Value	Label	Cases	Percentage
0	Non	757	97.9%
1	Oui	16	2.1%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422I: Q422I_ECOLE/COLLEGE/UNIVERSITE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=773 /-] [Invalid=424 /-]	

# Q422I: Q422I_ECOLE/COLLEGE/UNIVERSITE			
Value	Label	Cases	Percentage
0	Non	766	99.1%
1	Oui	7	0.9%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422J: Q422J_ANIMATEUR DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	522	67.5%
1	Oui	251	32.5%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422K: Q422K_AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	728	94.2%
1	Oui	45	5.8%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422L: Q422L_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	658	85.1%
1	Oui	115	14.9%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q422M: Q422M_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	769	99.5%
1	Oui	4	0.5%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422N: Q422N_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0	Non	764	98.8%
1	Oui	9	1.2%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q501: Q501_ENTENDU PARLER DE SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1197	100.0%
2	Non	0	
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q502: Q502_CROYANCE DU SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1192	99.6%
2	Non	5	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503A: Q503A_RS NON PROTEGES AVEC PARTENAIRE INFIDELE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	63	5.3%
1	Oui	1134	94.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503B: Q503B_PAR SERINGUE LAME			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	170	14.2%

# Q503B: Q503B_PAR SERINGUE LAME			
Value	Label	Cases	Percentage
1	Oui	1027	85.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503C: Q503C_MERE/ENFANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	640	53.5%
1	Oui	557	46.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503D: Q503D_SANG CONTAMINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	670	56.0%
1	Oui	527	44.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503E: Q503E_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1155	96.5%
1	Oui	42	3.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503F: Q503F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1187	99.2%
1	Oui	10	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504A: Q504A_CONNAISSANCE DE PERSONNE INFECTEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		4	0.3%
1	Oui	504	42.1%
2	Non	689	57.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504B: Q504B_CONNAISSANCE DE PERSONNE MORTE DE SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		

# Q504B: Q504B_CONNAISSANCE DE PERSONNE MORTE DE SIDA			
Value	Label	Cases	Percentage
1	Oui	400	33.4%
2	Non	797	66.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505A: Q505A_OUI PROCHE PARENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1039	86.8%
1	Oui	154	12.9%
2		4	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505B: Q505B_OUI PROCHE AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	948	79.2%
1	Oui	249	20.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505C: Q505C_NON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	494	41.3%
1	Oui	703	58.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505D: Q505D_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1179	98.5%
1	Oui	18	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506A: Q506A_UTILISATION CORRECTE D'UN CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	613	51.2%
1	Oui	584	48.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506B: Q506B_UTILISATION D'UN CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q506B: Q506B_UTILISATION D'UN CONDOM			
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	301	25.1%
1	Oui	896	74.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506C: Q506C_AVOIR PEU DE PARTENAIRES			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	969	81.0%
1	Oui	228	19.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506D: Q506D_FIDELE A UN PARTENAIRE FIDELE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	950	79.4%
1	Oui	247	20.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506E: Q506E_PARTENAIRE SEXUEL FIDELE NON INFECTE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	982	82.0%
1	Oui	215	18.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506F: Q506F_S'ABSTENIR DES RS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	933	77.9%
1	Oui	264	22.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506G: Q506G_EVITER SERINGUE LAME			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	598	50.0%
1	Oui	599	50.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506H: Q506H_AMI			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	

# Q506H: Q506H_AMI			
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1177	98.3%
1	Oui	20	1.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506I: Q506I_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1174	98.1%
1	Oui	23	1.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A: Q507A Le risque de transmission du VIH peut-il être réduit par le fait d’avoir des rapports sexuels avec un seul partenaire fidèle et non infecté ?			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1050	87.7%
2	Non	139	11.6%
8	Ne sait pas	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507B: Q507B Le risque de transmission du VIH peut-il être réduit par l’utilisation du préservatif lors de chaque rapport ?			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1112	92.9%
2	Non	79	6.6%
8	Ne sait pas	6	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507C: Q507C Une personne paraissant en bonne santé peut-elle être séropositive ?			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1108	92.6%
2	Non	77	6.4%
8	Ne sait pas	12	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507D: Q507D Une piqûre de moustique peut-elle transmettre le VIH ?			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	

# Q507D: Q507D Une piqûre de moustique peut-elle transmettre le VIH ?			
Value	Label	Cases	Percentage
1	Oui	363	30.3%
2	Non	803	67.1%
8	Ne sait pas	31	2.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507E: Q507E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	255	21.3%
2	Non	934	78.0%
8	Ne sait pas	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509: Q509_PAR SERINGUE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1109	92.6%
2	Non	86	7.2%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511: Q511_CONTAMINATION PAR ACCOLADE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	144	12.0%
2	Non	1045	87.3%
8	Ne sait pas	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q512: Q512_UTILISATION MEME DOUCHE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	193	16.1%
2	Non	987	82.5%
8	Ne sait pas	17	1.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513: Q513_UTILISATION MEME BROSSE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1086	90.7%

# Q513: Q513_UTILISATION MEME BROSSE			
Value	Label	Cases	Percentage
2	Non	107	8.9%
8	Ne sait pas	4	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514: Q514_MANGER DANS LE MEME PLAT			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	174	14.5%
2	Non	1012	84.5%
8	Ne sait pas	11	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515: Q515_TRANSMISSION MERE/ZNFANT			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	984	82.2%
2	Non	197	16.5%
8	Ne sait pas	16	1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q516: Q516_TRANSMISSION PAR ALLAITEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1041	87.0%
2	Non	129	10.8%
8	Ne sait pas	27	2.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q517A: Q517A_PRENDRE DES MEDICAMENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		355	29.7%
1		842	70.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q517B: Q517B_NE PAS ALLAITER AU SEIN			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		423	35.3%
1		772	64.5%
2		2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q517C: Q517C_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1107	92.5%
1		85	7.1%
2		5	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q517D: Q517D_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1127	94.2%
1		62	5.2%
2		8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q518: Q518_PARTAGER REPAS AVEC PERSONNE INFECTEE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	769	64.2%
2	Non	416	34.8%
8	Ne sait pas	12	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q519: Q519_HEBERGER ET SOIGNER HOMME. INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	989	82.6%
2	Non	207	17.3%
8	Ne sait pas	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q520: Q520_HEBERGER ET SOIGNER FEMME INFECTEE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	996	83.2%
2	Non	199	16.6%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q521: Q521_ETUDIANT INFECTE DE CONTINUER			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		

# Q521: Q521_ETUDIANT INFECTE DE CONTINUER			
Value	Label	Cases	Percentage
1	Oui	1075	89.8%
2	Non	120	10.0%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q522: Q522_APPRENTI INFECTE DE CONTINUER			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1080	90.2%
2	Non	115	9.6%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q523: Q523_ENSEIGNANT INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1079	90.1%
2	Non	115	9.6%
8	Ne sait pas	3	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q524: Q524_BOUTIQUEUR INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	753	62.9%
2	Non	444	37.1%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q525: Q525_PARENT INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	957	79.9%
2	Non	233	19.5%
8	Ne sait pas	7	0.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q526: Q526_ENTENDU/VU DEPISTAGE VOLONTAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1093	91.3%

Q526: Q526_ENTENDU/VU DEPISTAGE VOLONTAIRE

Value	Label	Cases	Percentage
2	Non	104	8.7%
8	Ne sait pas	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q527: Q527_TEST DE VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	885	73.9%
2	Non	312	26.1%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q528: Q528_DEPISTAGE VOLONTAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=889 /-] [Invalid=308 /-]		
Value	Label	Cases	Percentage
1	Test volontaire	855	96.2%
2	Test obligé	30	3.4%
4		1	0.1%
9	Non réponse	3	0.3%
Sysmiss		308	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q529: Q529_TYPE DE STRUCTURE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=889 /-] [Invalid=308 /-]		
Value	Label	Cases	Percentage
1	Structure publique	542	61.0%
2	Structure privée	82	9.2%
3	Structure confidentielle	17	1.9%
4	Clinique mobile	235	26.4%
8	Ne sait pas	13	1.5%
Sysmiss		308	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q530: Q530_CHERCHER LES RESULTATS DU TEST			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=889 /-] [Invalid=308 /-]		
Value	Label	Cases	Percentage
1	Oui	857	96.4%
2	Non	20	2.2%
4		4	0.4%
9	Non réponse	8	0.9%
Sysmiss		308	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q601: Q601_ENTENDU DES MESSAGES SUR LES IST/VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	871	72.8%

# Q601: Q601_ENTENDU DES MESSAGES SUR LES IST/VIH/SIDA			
Value	Label	Cases	Percentage
2	Non	326	27.2%
8	A oublié	0	
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q602: Q602_FREQUENCE D'ECOUTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	118	13.5%
2	Au moins 4 jours par semaine	96	11.0%
3	Une fois par semaine	187	21.5%
4	A l'occasion	470	54.0%
8	Ne sait pas	0	
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AA: Q603AA_RADIO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	185	21.2%
1	Oui	686	78.8%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AB: Q603AB_TV			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	300	34.4%
1	Oui	571	65.6%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AC: Q603AC_SEANCE DE PROJECTION DE VIDEO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	788	90.5%
1	Oui	83	9.5%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AD: Q603AD_JOURNAUX/MAGASINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		

# Q603AD: Q603AD_JOURNAUX/MAGASINE			
Value	Label	Cases	Percentage
0	Non	821	94.3%
1	Oui	50	5.7%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AE: Q603AE_DEPLIANTS/PROSPECTUS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
0	Non	800	91.8%
1	Oui	71	8.2%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AF: Q603AF_AGENT DE SANTE MODERNE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
0	Non	713	81.9%
1	Oui	158	18.1%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AG: Q603AG_AGENT DE SANTE TRADITIONEL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
0	Non	851	97.7%
1	Oui	20	2.3%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AH: Q603AH_AGENT SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
0	Non	802	92.1%
1	Oui	69	7.9%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AI: Q603AI_ECOLE/ENSEIGNANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
0	Non	840	96.4%

# Q603AI: Q603AI_ECOLE/ENSEIGNANT			
Value	Label	Cases	Percentage
1	Oui	31	3.6%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AJ: Q603AJ_ECOLE/ELEVE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	833	95.6%
1	Oui	38	4.4%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AK: Q603AK_ECOLE/CONFERENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	856	98.3%
1	Oui	15	1.7%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AL: Q603AL_LIEU DE TRAVAIL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	828	95.1%
1	Oui	43	4.9%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AM: Q603AM_CONFERENCE PLACE PUBLIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	833	95.6%
1	Oui	38	4.4%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AN: Q603AN_AUTORITE/LEADER LOCAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	850	97.6%
1	Oui	21	2.4%

# Q603AN: Q603AN_AUTORITE/LEADER LOCAL			
Value	Label	Cases	Percentage
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AO: Q603AO_EGLISE/MOSQUEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	835	95.9%
1	Oui	36	4.1%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AP: Q603AP_POSTE/AFFICHE/PANCARTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	756	86.8%
1	Oui	115	13.2%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AQ: Q603AQ_LIEU D'APPROVISIONNEMENT DE BIENS DE CONSOMMATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	839	96.3%
1	Oui	32	3.7%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AR: Q603AR_LIEUX/ETABLISSEMENTS DE LOISIRS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	803	92.2%
1	Oui	68	7.8%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AS: Q603AS_ABORDS DES RUES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	795	91.3%
1	Oui	76	8.7%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q603AT: Q603AT_PROCHE PARENT/PERE/MERE/FREERE/SOEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	827	94.9%
1	Oui	44	5.1%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AU: Q603AU_AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	785	90.1%
1	Oui	86	9.9%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AV: Q603AV_ANIMATEUR ONG			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	417	47.9%
1	Oui	454	52.1%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AW: Q603AW_PAIRS EDUCATEURS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	323	37.1%
1	Oui	548	62.9%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AX: Q603AX_MILIEU DE PROSTITUTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
0	Non	696	79.9%
1	Oui	175	20.1%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AY: Q603AY_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 /-] [Invalid=326 /-]		

# Q603AY: Q603AY_AUTRE			
Value	Label	Cases	Percentage
0	Non	860	98.7%
1	Oui	11	1.3%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AZ: Q603AZ_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
0	Non	864	99.2%
1	Oui	7	0.8%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603B: Q603B_PRINCIPALE SOURCE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=871 -/] [Invalid=326 -/]		
Value	Label	Cases	Percentage
1	Radio	293	33.6%
2	Télévision	210	24.1%
3	Agent d'un centre de santé	54	6.2%
4	Agent d'une ONG	295	33.9%
8	Autres	19	2.2%
Sysmiss		326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q604: Q604_VU MESSAGE SUR MALADIES APRES RS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 -/] [Invalid=0 -/]		
Value	Label	Cases	Percentage
1	Oui	838	70.0%
2	Non	358	29.9%
8	Ne sait pas	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q605: Q605_VU MESSAGE 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=838 -/] [Invalid=359 -/]		
Value	Label	Cases	Percentage
1	Oui	672	80.2%
2	Non	166	19.8%
8	Ne sait pas	0	
Sysmiss		359	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q606: Q606_FREQUENCE 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q606: Q606_FREQUENCE 6 DERNIERS MOIS			
Statistics [NW/ W]		[Valid=672 -/] [Invalid=525 -/]	
Value	Label	Cases	Percentage
1	Tous les jours	59	8.8%
2	Au moins 4 jours par semaine	60	8.9%
3	Une fois par semaine	113	16.8%
4	A l'occasion	439	65.3%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607A: Q607A_CENTRE DE SANTE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=672 -/] [Invalid=525 -/]	
Value	Label	Cases	Percentage
0	Non	272	40.5%
1	Oui	400	59.5%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607B: Q607B_CENTRE SOCIAL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=672 -/] [Invalid=525 -/]	
Value	Label	Cases	Percentage
0	Non	425	63.2%
1	Oui	247	36.8%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607C: Q607C_ATELIER/LIEU DE TRAVAIL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=672 -/] [Invalid=525 -/]	
Value	Label	Cases	Percentage
0	Non	590	87.8%
1	Oui	82	12.2%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607D: Q607D_ECOLE/COLLEGE/UNIVERSITE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=672 -/] [Invalid=525 -/]	
Value	Label	Cases	Percentage
0	Non	609	90.6%
1	Oui	63	9.4%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q607E: Q607E_MARCHE/LIEU APPRO. DE BIENS DE CONSOMMATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	611	90.9%
1	Oui	61	9.1%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607F: Q607F_MAISON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	576	85.7%
1	Oui	96	14.3%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607G: Q607G_MAISON D'UN PARENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	629	93.6%
1	Oui	43	6.4%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607H: Q607H_MAISON D'UN AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	644	95.8%
1	Oui	28	4.2%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607I: Q607I_LIEU/ETABLISSEMENT DE LOISIRS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	616	91.7%
1	Oui	56	8.3%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607J: Q607J_GARE ROUTIERE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		

# Q607J: Q607J_GARE ROUTIERE			
Value	Label	Cases	Percentage
0	Non	659	98.1%
1	Oui	13	1.9%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607K: Q607K_MAISON DE JEUNES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 -/] [Invalid=525 -/]		
Value	Label	Cases	Percentage
0	Non	661	98.4%
1	Oui	11	1.6%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607L: Q607K_EGLISE/MOSQUEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 -/] [Invalid=525 -/]		
Value	Label	Cases	Percentage
0	Non	648	96.4%
1	Oui	24	3.6%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607M: Q607M_ABORDS DES RUES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 -/] [Invalid=525 -/]		
Value	Label	Cases	Percentage
0	Non	485	72.2%
1	Oui	187	27.8%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607N: Q607N_MILIEU DE PROSTITUTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 -/] [Invalid=525 -/]		
Value	Label	Cases	Percentage
0	Non	449	66.8%
1	Oui	223	33.2%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q607O: Q607O_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	583	86.8%
1	Oui	89	13.2%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607P: Q607P_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=672 /-] [Invalid=525 /-]		
Value	Label	Cases	Percentage
0	Non	668	99.4%
1	Oui	4	0.6%
Sysmiss		525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q608: Q608_VU MESSAGE 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1031 /-] [Invalid=166 /-]		
Value	Label	Cases	Percentage
1		693	67.2%
2		338	32.8%
Sysmiss		166	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609A: Q609A_SIGNES OU SYMPTOMES D'ITS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	329	47.5%
1	Oui	364	52.5%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609B: Q609B_MOYEN POUR EVITER UNE ITS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	193	27.8%
1	Oui	500	72.2%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609C: Q609C_MOYEN POUR EVITER UNE VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		

# Q609C: Q609C_MOYEN POUR EVITER UNE VIH/SIDA			
Value	Label	Cases	Percentage
0	Non	117	16.9%
1	Oui	576	83.1%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609D: Q609D_MODE DE TRANSMISSION DES DES ITS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	262	37.8%
1	Oui	431	62.2%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609E: Q609E_MODE DE TRANSMISSION DES DES VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	208	30.0%
1	Oui	485	70.0%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609F: Q609F_UTILISATION CORRECTE DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	298	43.0%
1	Oui	395	57.0%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609G: Q609G_QUALITE DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	561	81.0%
1	Oui	132	19.0%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609H: Q609H_LIEU D'ACHAT DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	626	90.3%

# Q609H: Q609H_LIEU D'ACHAT DE CONDOM			
Value	Label	Cases	Percentage
1	Oui	67	9.7%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609I: Q609I_CS DE REFERENCE POUR IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	618	89.2%
1	Oui	75	10.8%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609J: Q609J_PRISE EN CHARGE IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	621	89.6%
1	Oui	72	10.4%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609K: Q609K_CONSEQUENCE D'UBE IST MAL TRAITEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	602	86.9%
1	Oui	91	13.1%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609L: Q609L_PRISE EN CHARGE PVVIH			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	584	84.3%
1	Oui	109	15.7%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609M: Q609M_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	685	98.8%
1	Oui	8	1.2%

# Q609M: Q609M_AUTRE			
Value	Label	Cases	Percentage
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609N: Q609N_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=693 /-] [Invalid=504 /-]		
Value	Label	Cases	Percentage
0	Non	688	99.3%
1	Oui	5	0.7%
Sysmiss		504	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q610: Q610_VU IMAGES AUDIOVISUELLES			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	831	69.4%
2	Non	366	30.6%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q611: Q611_VU 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=831 /-] [Invalid=366 /-]		
Value	Label	Cases	Percentage
1	Oui	519	62.5%
2	Non	312	37.5%
8	Ne sait pas	0	
Sysmiss		366	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q612: Q612_FREQUENCE SUR LES SIGNES			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=678 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	40	7.7%
2	Au moins 4 jours par semaine	44	8.5%
3	Une fois par semaine	79	15.2%
4	A l'occasion	356	68.6%
8	Ne sait pas	0	
Sysmiss		678	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q613: Q613_FREQUENCE EVOLUTION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=678 /-]		

# Q613: Q613_FREQUENCE EVOLUTION			
Value	Label	Cases	Percentage
1	Tous les jours	47	9.1%
2	Au moins 4 jours par semaine	37	7.1%
3	Une fois par semaine	68	13.1%
4	A l'occasion	361	69.6%
8	Ne sait pas	5	1.0%
9	Non réponse	1	0.2%
Sysmiss		678	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614A: Q614A_RADIO			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	449	37.5%
1	Oui	748	62.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614B: Q614B_TV			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	491	41.0%
1	Oui	706	59.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614C: Q614C_PROJECTIONS VIDEO			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1042	87.1%
1	Oui	155	12.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614D: Q614D_JOURNAUX/MAGAZINES			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1146	95.7%
1	Oui	51	4.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614E: Q614E_DEPLIANTS/PROSPECTUS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1104	92.2%

# Q614E: Q614E_DEPLIANTS/PROSPECTUS			
Value	Label	Cases	Percentage
1	Oui	93	7.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614F: Q614F_AGENTS DE SANTE MODERNE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1009	84.3%
1	Oui	188	15.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614G: Q614G_AGENTS DE SANTE DE SANTE TRADITIONNEL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1173	98.0%
1	Oui	24	2.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614H: Q614H_AGENTS SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1111	92.8%
1	Oui	86	7.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614I: Q614I_ECOLE/ENSEIGNANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1149	96.0%
1	Oui	48	4.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614J: Q614J_ECOLE/ELEVE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1155	96.5%
1	Oui	42	3.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614K: Q614K_ECOLE/CONFERENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		

# Q614K: Q614K_ECOLE/CONFERENCE			
Value	Label	Cases	Percentage
0	Non	1172	97.9%
1	Oui	25	2.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614L: Q614L_LIEU DE TRAVAIL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1154	96.4%
1	Oui	43	3.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614M: Q614M_PLACE PUBLIQUE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1133	94.7%
1	Oui	64	5.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614N: Q614N_AUTORITE/LEADER LOCAL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1184	98.9%
1	Oui	13	1.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614O: Q614O_EGLISE/MOSQUEE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1157	96.7%
1	Oui	40	3.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614P: Q614P_POSTERS/AFFICHES			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1050	87.7%
1	Oui	147	12.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614Q: Q614Q_APPROVISIONNEMENT DES BIENS DE CONSO			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	

# Q614Q: Q614Q_APPROVISIONNEMENT DES BIENS DE CONSO			
Value	Label	Cases	Percentage
0	Non	1177	98.3%
1	Oui	20	1.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614R: Q614R_ETABLISSEMENT DE LOISIRS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1149	96.0%
1	Oui	48	4.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614S: Q614S_ABORDS DES RUES			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1104	92.2%
1	Oui	93	7.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614T: Q614T_PROCHE PARENT/PERE/MERE/FRERE/SOEUR			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1147	95.8%
1	Oui	50	4.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614U: Q614U_AMIS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1089	91.0%
1	Oui	108	9.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614V: Q614V_ANIMATEURS ONG			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	650	54.3%
1	Oui	547	45.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614W: Q614W_PAIRS EDUCATEURS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	

# Q614W: Q614W_PAIRS EDUCATEURS			
Value	Label	Cases	Percentage
0	Non	553	46.2%
1	Oui	644	53.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614X: Q614X_MILIEU DE PROSTITUTION			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	997	83.3%
1	Oui	200	16.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614Y: Q614Y_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1185	99.0%
1	Oui	12	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614Z: Q614Z_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1188	99.2%
1	Oui	9	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q615: Q615_VU DEMONSTRATION			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1075	89.8%
2	Non	122	10.2%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q616: Q616_TYPE DE CONDOM			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1075 /-] [Invalid=122 /-]	
Value	Label	Cases	Percentage
1	Masculin	287	26.7%
2	Féminin	13	1.2%
3	Les deux	775	72.1%
Sysmiss		122	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q617: Q617_VU DEMONSTRATION 6 DERNIERS MOIS			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1075 /-] [Invalid=122 /-]	
Value	Label	Cases	Percentage
1	Oui	618	57.5%
2	Non	457	42.5%
8	Ne sait pas	0	
9	Non réponse	0	
Sysmiss		122	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q618: Q618_FREQUENCE VU DEMONSTRATION 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=620 /-] [Invalid=577 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	21	3.4%
2	Au moins 4 jours par semaine	23	3.7%
3	Une fois par semaine	114	18.4%
4	A l'occasion	462	74.5%
8	Ne sait pas	0	
Sysmiss		577	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q619: Q619_CENTRE DE SANTEION 12 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	803	67.1%
2	Non	394	32.9%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q620: Q620_NBRE DE FOIS CENTRE DE SANTEION 12 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
1		194	24.2%
2		212	26.4%
3		132	16.4%
4		101	12.6%
5		33	4.1%
6		36	4.5%
7		10	1.2%
8		2	0.2%
9		4	0.5%
10		10	1.2%
11		1	0.1%
12		12	1.5%
13		4	0.5%
14		2	0.2%
15		3	0.4%
97		46	5.7%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621A: Q621A_VISITE AUX MALADES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		

# Q621A: Q621A_VISITE AUX MALADES			
Value	Label	Cases	Percentage
0	Non	553	68.9%
1	Oui	250	31.1%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621B: Q621B_CONSULTATION POUR IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 -] [Invalid=394 -]		
Value	Label	Cases	Percentage
0	Non	528	65.8%
1	Oui	275	34.2%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621C: Q621C_CONSULTATION POUR AUTRE QUE IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 -] [Invalid=394 -]		
Value	Label	Cases	Percentage
0	Non	283	35.2%
1	Oui	520	64.8%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621D: Q621D_AUTRE 1			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 -] [Invalid=394 -]		
Value	Label	Cases	Percentage
0	Non	628	78.2%
1	Oui	175	21.8%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621F: Q621F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 -] [Invalid=394 -]		
Value	Label	Cases	Percentage
0	Non	799	99.5%
1	Oui	4	0.5%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621G: Q621G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 -] [Invalid=394 -]		
Value	Label	Cases	Percentage
0	Non	796	99.1%

# Q621G: Q621G_NON REPONSE			
Value	Label	Cases	Percentage
1	Oui	7	0.9%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622A: Q622A_CENTRE DE SANTE PUBLIC			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	103	12.8%
1	Oui	700	87.2%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622B: Q622B_CENTRE DE SANTE PRIVE NON CONF.			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	645	80.3%
1	Oui	158	19.7%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622C: Q622C_CENTRE DE SANTE PRIVE CONF.			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	711	88.5%
1	Oui	92	11.5%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622D: Q622D_ONG OFFRANT DES SERVICES DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	592	73.7%
1	Oui	211	26.3%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622E: Q622E_FREQUENTE PAS CENTRE DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	797	99.3%
1	Oui	6	0.7%

# Q622E: Q622E_FREQUENTE PAS CENTRE DE SANTE			
Value	Label	Cases	Percentage
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622F: Q622F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	802	99.9%
1	Oui	1	0.1%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622G: Q622G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=803 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0	Non	801	99.8%
1	Oui	2	0.2%
Sysmiss		394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q623: Q623 LIEU DE DEPISTAGE DU VIH			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1095	91.5%
2	Non	101	8.4%
9	Non réponse	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624A: Q624A RECU DES PRESERVATIFS LES 12 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	995	83.1%
2	Non	201	16.8%
9	Non réponse	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624BA: Q624BA Pairs éducateurs/paires éducatrices			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	255	21.3%
1	Oui	942	78.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q624BB: Q624BB Lors des sensibilisations de masse			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	980	81.9%
1	Oui	217	18.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624BC: Q624BC Dans les centres de santé ou conviviaux			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1093	91.3%
1	Oui	104	8.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625A: Q625A_CIGARETTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	329	27.5%
2	Non	866	72.3%
8	Ne sait pas	2	0.2%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625B: Q625B_ALCOOL			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	918	76.7%
2	Non	278	23.2%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625C: Q625C_DROGUE INJECTABLE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	18	1.5%
2	Non	1178	98.4%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625D: Q625D_DROGUE NON INJECTABLE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q625D: Q625D_DROGUE NON INJECTABLE			
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	147	12.3%
2	Non	1049	87.6%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HEUREFIN: HEURE DE FIN			
Information		[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-] [Mean=14.055 /-] [StdDev=6.951 /-]	
# MINUTE_DE_FIN: MINUTE DE FIN			
Information		[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-] [Mean=28.678 /-] [StdDev=17.491 /-]	
# ACCUEIL: ACCUEIL			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Très bon	406	33.9%
2	Bon	528	44.1%
3	Moyen	235	19.6%
4	Médiocre	24	2.0%
5	Mauvais	4	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IMPRESSION: IMPRESSION			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Enquête facile	743	62.1%
2	Enquête un peu difficile	390	32.6%
3	Enquête difficile	64	5.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# grage: Groupes d'âges			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Moins de 18 ans	59	4.9%
2	18 à 24 ans	488	40.8%
3	25 à 29 ans	265	22.1%
4	30 à 34 ans	132	11.0%
5	35 à 39 ans	96	8.0%
6	40 ans et plus	157	13.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# nivins: Niveau d'instruction			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Sans instruction	249	20.8%
1	Primaire	420	35.1%
2	Secondaire	385	32.2%
3	Lycée et plus	143	11.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# etatm: Etat matrimonial de la PS			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Célibataire	851	71.1%
2	Union libre	188	15.7%
3	Mariée monogame	84	7.0%
4	Mariée polygame	74	6.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_15: Rapport sexuel avant 15 ans			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1161 /-] [Invalid=36 /-]		
Value	Label	Cases	Percentage
0	Non	1102	94.9%
1	Oui	59	5.1%
Sysmiss		36	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_18: Rapport sexuel avant 18 ans			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1161 /-] [Invalid=36 /-]		
Value	Label	Cases	Percentage
0	Non	795	68.5%
1	Oui	366	31.5%
Sysmiss		36	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q212NBUNION: Nombre d'unions			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Aucune union	480	40.1%
1	1 union	524	43.8%
2	2 unions	148	12.4%
3	3 unions et plus	45	3.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q202NBENF: Nombre d'enfants			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=773 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
1	1 enfant	305	39.5%
2	2 enfants	203	26.3%
3	3 enfants	147	19.0%
4	4 enfants et plus	118	15.3%
Sysmiss		424	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q203NBPERS: Nombre de personnes à charge			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Aucune personne	423	35.3%
1	1 personne	247	20.6%
2	2 personnes	183	15.3%
3	3 personnes	134	11.2%
4	4 personnes et plus	210	17.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507A			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		147	12.3%
1		1050	87.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507B			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		85	7.1%
1		1112	92.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507C			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		89	7.4%
1		1108	92.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507D			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# SQ507D			
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		394	32.9%
1		803	67.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507E			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		263	22.0%
1		934	78.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507: Score sue les connaissances vis à vis du VIH/SIDA			
Information		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		2	0.2%
1		17	1.4%
2		64	5.3%
3		161	13.5%
4		386	32.2%
5		567	47.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307NBCL: Nombre de clients par semaine			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Jusqu'à 7 clients	576	48.1%
2	8 à 14 clients	285	23.8%
3	15 clients et plus	336	28.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# filter_\$: Q309A_PRIX_COND > 0 (FILTER)			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1197 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Not Selected	751	62.7%
1	Selected	446	37.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File : PS_TEST

IDENT

Information	[Type= continuous] [Format=numeric] [Range= 10116001-5179003022] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=1421490493.367 /-] [StdDev=1827447964.74 /-]

NUM_QEST: NUM_

Information	[Type= continuous] [Format=numeric] [Range= 1-1197] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=597.071 /-] [StdDev=347.085 /-]

QUEST_SITF: QUEST_SITE

Information	[Type= continuous] [Format=numeric] [Range= 1-710] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=28.282 /-] [StdDev=29.425 /-]

REGION: REGION

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Lomé	545	46.0%
1	Maritime	200	16.9%
2	Plateaux	182	15.4%
3	Centrale	51	4.3%
4	Kara	99	8.4%
5	Savanes	107	9.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PREFECT: PREFECTURE/DISTRICT

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	DISTRICT 1	83	7.0%
2	DISTRICT 2	99	8.4%
3	DISTRICT 3	180	15.2%
4	DISTRICT 4	90	7.6%
5	DISTRICT 5	62	5.2%
6	GOLFE	162	13.7%
7	LACS	63	5.3%
10	HAHO	20	1.7%
11	OGOU	60	5.1%
12	KLOTO	60	5.1%
13	ANIE	40	3.4%
14	TCHAOUDJO	51	4.3%
15	KOZAH	100	8.4%
16	TONE	50	4.2%
17	CINKASSE	57	4.8%
18	YOTO	7	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PS_TEST

SITE: SITE

Information [Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	DISTRICT 1	83	7.0%
5	DISTICT 2	99	8.4%
10	DISTRICT 3	179	15.1%
15	DISTRICT 4	90	7.6%
20	DISTRICT 5	61	5.2%
25	BAGUIDA	53	4.5%
30	ADIDOGOME	11	0.9%
35	AGOE	99	8.4%
40	ANEHO	38	3.2%
45	KPEME	10	0.8%
46	AGBODRAFO	15	1.3%
50	TABLIGBO	7	0.6%
55	NOTSE	20	1.7%
60	KPALIME	60	5.1%
65	ATAKPAME	60	5.1%
70	ANIE	40	3.4%
75	SOKODE	51	4.3%
80	KARA	100	8.5%
85	DAPAONG	49	4.1%
90	CINKASSE	58	4.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ENQUETEUR: ENQUETEUR

Information [Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	LARE YENDOUBE	15	1.3%
2	AMEGAVIE KOSSI	23	1.9%
3	SAMA NANKPAKOU	69	5.8%
4	BAKASSIBATA BENBADINI	51	4.3%
5	ALI MAGILUWE	48	4.1%
6	BANIZI PIYABA	51	4.3%
7	BAGNISSI MAWUSSE	60	5.1%
8	YAMEKPE RADRIGUE	61	5.2%
9	GAVI AKOKO	59	5.0%
10	APEDO FIACRE	36	3.0%
11	DEGBE EMMANUEL	35	3.0%
12	EZIN-DOSSA KOSSI	49	4.1%
13	GABA ADAMA	56	4.7%
14	ARREGBA NASSI	48	4.1%
15	HOUNNOU CALISTO	55	4.6%

File : PS_TEST

ENQUETEUR: ENQUETEUR

Value	Label	Cases	Percentage
16	ANTHONY VILMA	44	3.7%
17	GBODJOR KOMI	72	6.1%
18	HALIYAKI BADAIE	50	4.2%
19	KOURIMA KADJAMA	41	3.5%
20	KLOUTSE MARCUS	55	4.6%
21	ALLADO HUGUETTE	58	4.9%
22	ADJIGNON MIREILLE	50	4.2%
23	DEAWARE HELENE	48	4.1%
24	YENU CELINE	50	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NOM_SITE: NOM_SITE

Information	[Type= discrete] [Format=character] [Missing=*/Ž9t(Ŏ]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.beau camion		1	0.1%
6 TEM		1	0.1%
6TEM		3	0.3%
ABLODE		1	0.1%
ABLODE KPAME		3	0.3%
ABLODEKPAMI		9	0.8%
ABLODEPKAMI		1	0.1%
ADAWLATO		8	0.7%
ADIDOGOME		1	0.1%
AGBEDRAFO		1	0.1%
AGBEKOKO		8	0.7%
AGBLODEKPAM		1	0.1%
AGBODRAFO		13	1.1%
AGBONOU		8	0.7%
AGBONOU (LOMEII)		1	0.1%
AGBONOU (SAHELIE		1	0.1%
AGBONOU CARREFOU		5	0.4%
AGBONOU LOME 2		1	0.1%
AGBONOU LOME2		1	0.1%
AGOE		83	7.0%
AGOE HOUNBI		2	0.2%
AGOE NYIVEME		1	0.1%
AGOMEYOH		1	0.1%
AGUIAKOME		1	0.1%

File : PS_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
AHANOUKOPE		1	0.1%
AKODESSEWA		4	0.3%
ALINO		14	1.2%
AMOUTIEVE		12	1.0%
AMOUTIVE		8	0.7%
ANEHO		41	3.5%
ANLOKODJI		5	0.4%
ANLOKONDJI		2	0.2%
ASSIVIME		39	3.3%
ASSIVITO		1	0.1%
ATAKPAME KODJI		3	0.3%
ATAKPAME KONDJI		1	0.1%
ATAKPAMEKOI		1	0.1%
ATIKOUME		3	0.3%
AUBERGE BOUCANE		1	0.1%
BAGUIDA		16	1.4%
BAGUIDA (MAISON		1	0.1%
BAGUIDA BAR MONU		1	0.1%
BAGUIDA MS CLOSE		1	0.1%
BAGUIDA/ KAGOME		1	0.1%
BAR ABLODE		5	0.4%
BAR AGBEKOKO		5	0.4%
BAR AGBEKOKO013		1	0.1%
BAR CHELSEA		3	0.3%
BAR COSMOS		8	0.7%
BAR EXPLOSIF		2	0.2%
BAR G 20		1	0.1%
BAR G20		6	0.5%
BAR MONUMA		2	0.2%
BAR MONUMENT		1	0.1%
BAR RICARDO		4	0.3%
BAR ROBINET		8	0.7%
BAR RONINET		1	0.1%
BATOME		1	0.1%
BE AKLASSOU		1	0.1%

File : PS_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
BE ADIDAPE		1	0.1%
BE AHLIGO		4	0.3%
BE AKLASSOU		43	3.6%
BE ALKASSOU		1	0.1%
BE HEDZE		6	0.5%
BE KPEHENOU		4	0.3%
BE KPEHENOU(AB		1	0.1%
BEAU CAMION		12	1.0%
BEL AIR BON GOUT		9	0.8%
BEL AIR BONT GOU		4	0.3%
BEL AIR(bon gout		2	0.2%
BENIGLANTO		1	0.1%
BENIGLATO		10	0.8%
BER G20		1	0.1%
BOKA		1	0.1%
Bè AVETO		1	0.1%
Bè HEDZE		4	0.3%
Bè KPEHENOU		5	0.4%
Bè WEDZE		1	0.1%
Bé KPEHENOU		1	0.1%
CAMINA		1	0.1%
CARREFOUR DES JE		5	0.4%
CHELSEA BAR		1	0.1%
COUR DES GRANDS		1	0.1%
DAPAONG		30	2.5%
DELALI		6	0.5%
DISTRICT 5 (GOBI		1	0.1%
DJAMA		2	0.2%
DJIDJOLE		6	0.5%
DS 2		1	0.1%
EONGO		2	0.2%
FIAKOME		7	0.6%
FOREVER/ADEWUI		2	0.2%
FUCEC		7	0.6%
GARE ROUTIER		1	0.1%
GLEI		10	0.8%
GNAGNA		5	0.4%

File : PS_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
GOBINA		1	0.1%
GOVINA		3	0.3%
GTEM		2	0.2%
HANOUKOPE		10	0.8%
HIHEATRO		6	0.5%
HOTEL MANICK		1	0.1%
HOTEL TOLERANCE		2	0.2%
JEUNESSE BAR		2	0.2%
KAARA		1	0.1%
KADES		1	0.1%
KADES 1		4	0.3%
KADES 3		2	0.2%
KADES I/ NYEKONAK		1	0.1%
KADES1		1	0.1%
KADHES1		1	0.1%
KAGOME/ BAGUIDA		1	0.1%
KARA		99	8.4%
KHADES		2	0.2%
KHADES 1		1	0.1%
KHADES 2		2	0.2%
KHADES1		2	0.2%
KLIGE KONDZI		1	0.1%
KODJOVIAKOPI		9	0.8%
KOMBOLOGA HAUT		1	0.1%
KOTOKOLI ZONGO		1	0.1%
KPANGALAM		13	1.1%
KPEHENOU		3	0.3%
KPEME		8	0.7%
LA JEUNESSE		1	0.1%
LA JEUNESSE BAR		2	0.2%
LA PAIX		13	1.1%
LA SACACITE		1	0.1%
LA SAGACITE		12	1.0%
LA STATION MC		1	0.1%
LE CHATEAU		1	0.1%
LOISIR		2	0.2%
MADIBA		3	0.3%

File : PS_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
MADIBAR		4	0.3%
MAISON BLANCHE		1	0.1%
MAISON CLOSE		1	0.1%
MAISON CLOSE DJA		7	0.6%
MC AKODESSEWA		1	0.1%
MISS DES MIS		1	0.1%
MISS DES MISS		3	0.3%
MONUMENT		4	0.3%
MSN CLOSE TOTSII		1	0.1%
MSON CLOSE TOTSI		1	0.1%
N'TIFAFA		6	0.5%
NTIFAFA		2	0.2%
NUKAFU		21	1.8%
NUKAFU _p		1	0.1%
NYEKONAKPOI		2	0.2%
NYIVEME		1	0.1%
ONE WAY		10	0.8%
PAL/BAGUIDA		2	0.2%
PANINI		34	2.9%
PHAEMACIE AKOFA		1	0.1%
PHARMACIE		1	0.1%
PHARMACIE AKOFA		23	1.9%
PHARMACIE AKOFA1		1	0.1%
PHARMECIE AKOFA		1	0.1%
PKANGALAM		1	0.1%
PLABE		1	0.1%
PLAGE COUR DES G		2	0.2%
PLAGE COUR GRAND		1	0.1%
PLAGE COURS DES		1	0.1%
PRESTIGE		1	0.1%
RICARDO ANNEXE		1	0.1%
RIVERERONE		1	0.1%
ROBINET		1	0.1%

File : PS_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
S.J hotel manick		1	0.1%
SAINT JOSEPH		35	3.0%
SEWAKPAME		3	0.3%
SOVIEPE		2	0.2%
STATION		5	0.4%
STATION AGBALEPE		1	0.1%
STATION MC		4	0.3%
STATION WORGOU		1	0.1%
SYSTEME(6TEM		1	0.1%
TABLIGBO		6	0.5%
TABLIGLO		1	0.1%
TALO (CASCADE)		4	0.3%
TALO (CASCADE)16		1	0.1%
TALO CASCADE		1	0.1%
TALO(CASCADE)		1	0.1%
TCHAMBA KOME		2	0.2%
TCHAMBAKOM		4	0.3%
TCHAMKOME		1	0.1%
TEMPLE		11	0.9%
TERRAINVITO		1	0.1%
TOTSI		6	0.5%
TOTSI MAISON CLO		2	0.2%
VERTUE		9	0.8%
ZOMAYI		2	0.2%
ZONGO		35	3.0%
ZONGOME		5	0.4%
ZOONGOME		1	0.1%
ZORO BAR		4	0.3%
ablodekpame		1	0.1%
ablodekpamé		1	0.1%
agoé		3	0.3%
agoè		10	0.8%
amoutiv pharmaci		1	0.1%
anlokodji		1	0.1%
auberge boucane		2	0.2%
baguida		1	0.1%
baguida mson clo		2	0.2%

File : PS_TEST

NOM_SITE: NOM_SITE

Value	Label	Cases	Percentage
bar G20		2	0.2%
bar camos		1	0.1%
bar cosmos		1	0.1%
bar monuma		1	0.1%
bar ricardo		1	0.1%
bar robinet		2	0.2%
barG20		1	0.1%
beau camion		4	0.3%
boka		1	0.1%
bè ahligo		1	0.1%
bè aklassou		6	0.5%
bè aklassou		1	0.1%
bè baklassou		1	0.1%
bè kpehenou		2	0.2%
bè kpehenou ablo		2	0.2%
bèbaklassou		1	0.1%
delali		6	0.5%
district 5		2	0.2%
district5		2	0.2%
délali		1	0.1%
govina		1	0.1%
hiheatro		1	0.1%
hotel st manick		1	0.1%
madiba		2	0.2%
maison blanche		2	0.2%
mson close		1	0.1%
panini		7	0.6%
pharma akofa		1	0.1%
pharmaci akofa		4	0.3%
pharmacie akofa		6	0.5%
port autonome060		1	0.1%
saint joseph		13	1.1%
station agbalepe		1	0.1%
station d'essenc		1	0.1%
temple		3	0.3%
vogankomé		1	0.1%
zomayi		9	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HEUREDEB: HEURE DEBUT INTERVIEW

Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=14.254 /-] [StdDev=6.68 /-]

File : PS_TEST

MINUTEDEB: MINUTE DU DEBUT

Information

[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-] [Mean=27.16 /-] [StdDev=17.426 /-]

RESULT1: RESULTAT1

Information

[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Entretitn achevé	1184	100.0%
2	Enquête absent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RESULT2: RESULT2

Information

[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W]

[Valid=864 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1	Entretitn achevé	864	100.0%
2	Enquête absent	0	
3	Refus de participé	0	
4	Entretien non achevé	0	
5	Autre	0	
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

COMPORT: COMPORTEMENT

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	1184	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BIOLOGIE: BIOLOGIE

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	1184	100.0%
2	Non	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CODE_BIO: CODE BIOLOGIQUE

Information

[Type= continuous] [Format=numeric] [Range= 101160012-51790030222] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-] [Mean=14605188185.943 /-] [StdDev=17393464408.292 /-]

File : PS_TEST			
# Q101: Q101_TYPE PS			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Affichées	568	48.0%
2	Clandestines	616	52.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q102_AGE: Q102 AGE			
Information		[Type= continuous] [Format=numeric] [Range= 12-64] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-] [Mean=27.586 /-] [StdDev=9.073 /-]	
# Q103_A_ECOLE: Q103 A ECOLE			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	941	79.5%
2	Non	243	20.5%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q104_NIVEAU_ETUDE: Q104 NIVEAU ETUDE			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=941 /-] [Invalid=243 /-]	
Value	Label	Cases	Percentage
1	Primaire	410	43.6%
2	Secondaire	383	40.7%
3	Secondaire 2	124	13.2%
4	Supérieur	18	1.9%
5	Alphabétisé	2	0.2%
6	Ecole coranique	4	0.4%
7	Autre	0	
Sysmiss		243	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q105A1_TEMPS_DS_MILIEU: Q105A1 TEMPS DS MILIEU			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Semaine	34	2.9%
2	Mois	214	18.1%
3	Année	936	79.1%
9	NSP/NR	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q105A2_DUREE_DS_MILIEU: Q105A2 DUREE DS MILIEU			
Information		[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]	

File : PS_TEST

Q105A2_DUREE_DS_MILIEU: Q105A2 DUREE DS MILIEU

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		261	22.0%
2		317	26.8%
3		187	15.8%
4		106	9.0%
5		93	7.9%
6		57	4.8%
7		35	3.0%
8		32	2.7%
9		26	2.2%
10		43	3.6%
11		9	0.8%
12		1	0.1%
14		2	0.2%
15		5	0.4%
16		3	0.3%
18		1	0.1%
19		1	0.1%
20		2	0.2%
25		2	0.2%
30		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105B1_TEMPS_DS_FS: Q105B1 TEMPS DS PS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Semaine	16	1.4%
2	Mois	155	13.1%
3	Année	1012	85.5%
9	NSP/NR	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q105B2_DUREE_DS_PS: Q105B2 DUREE DS PS

Information [Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-] [Mean=3.997 /-] [StdDev=4.585 /-]

Q106_HAB_ET_TRAV: Q106 HABITEZ ET TRAVAILLEZ

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	J'habite et travaille ici	456	38.5%
2	J'habite et travaille ailleurs	156	13.2%
3	Travaille ici mais habite ailleurs	572	48.3%

File : PS_TEST

Q106_HAB_ET_TRAV: Q106 HABITEZ ET TRAVAILLEZ

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q107_PRINC_REL: Q107 PRINCIPALE RELIGION

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Traditionnelle	78	6.6%
2	Catholique	404	34.1%
3	Protestante	313	26.4%
4	Islamique	119	10.1%
5	Autre chrétienne	140	11.8%
6	Aucune	119	10.1%
7	Autre	11	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q108_NAT: Q108 NATIONALITE

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Togo	912	77.0%
2	Bénin	46	3.9%
3	Ghana	147	12.4%
4	Burkina Faso	16	1.4%
5	Nigeria	49	4.1%
6	Côte d'Ivoire	6	0.5%
7	Autre	8	0.7%
8	Refus de répondre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q108AUTRE: Q108AUTRE

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=8 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
CAMEROUN		1	12.5%
GUINEE CONAKRY		1	12.5%
HAOUSSA		1	12.5%
MALIENNE		1	12.5%
NIGER		1	12.5%
TCHAD		1	12.5%
libéria		1	12.5%
mali		1	12.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q201_ENF: Q201 DES ENFANTS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File : PS_TEST

Q201_ENF: Q201 DES ENFANTS

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	767	64.8%
2	Non	417	35.2%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q202_NB_ENF: Q202 NOMBRE ENFANTS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=767 /-] [Invalid=417 /-]

Value	Label	Cases	Percentage
1		304	39.6%
2		199	25.9%
3		146	19.0%
4		65	8.5%
5		31	4.0%
6		16	2.1%
7		3	0.4%
8		1	0.1%
9		2	0.3%
Sysmiss		417	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q203_PERS_CHAR: Nombre de personnes à charge

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		417	35.2%
1		247	20.9%
2		178	15.0%
3		132	11.1%
4		88	7.4%
5		56	4.7%
6		30	2.5%
7		22	1.9%
8		6	0.5%
9		4	0.3%
10		4	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q204_AGE_1RS: Q204 AGE 1ER RS

Information [Type= continuous] [Format=numeric] [Range= 8-32] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-] [Mean=16.441 /-] [StdDev=2.648 /-]

Q205_MAR: Q205 DEJA MARIEE

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File : PS_TEST

Q205_MAR: Q205 DEJA MARIEE

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	638	53.9%
2	Non	546	46.1%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q206_AGE_1MAR: Q206 AGE 1ER MARIAGE

Information [Type= continuous] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=638 /-] [Invalid=546 /-] [Mean=20.263 /-] [StdDev=8.335 /-]

Q207_ACT_MAR: Q207 ACTUELLEMENT MARIEE

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Mariée, vit avec époux	78	6.6%
2	Mariée, vit avec autre partenaire	26	2.2%
3	Ne vit ni avec époux, ni avec partenaire	52	4.4%
4	Non mariée, vit avec partenaire	188	15.9%
5	Non mariée, ne vit pas avec un partenaire	840	70.9%
9	Non réponse	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q208_AUT_FEM: Q208 AUTRES FEMMES

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=344 /-] [Invalid=840 /-]

Value	Label	Cases	Percentage
1	Oui	123	35.8%
2	Non	167	48.5%
8	Ne sait pas	50	14.5%
9	Non réponse	4	1.2%
Sysmiss		840	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q209_1_TMP: Q209_1 TEMPS

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=344 /-] [Invalid=840 /-]

Value	Label	Cases	Percentage
1	Semaine	5	1.5%
2	Mois	76	22.1%
3	Année	260	75.6%
9	NSP/NR/A oublié	3	0.9%
Sysmiss		840	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : PS_TEST

Q209_2_DUR: Q209_2 DUREE

Information

[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W]

[Valid=344 /-] [Invalid=840 /-] [Mean=5.331 /-] [StdDev=9.754 /-]

Q210_CLI_MAR: Q210 CLIENT AVANT MARI

Information

[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W]

[Valid=344 /-] [Invalid=840 /-]

Value

Label

Cases

Percentage

1

Oui

77

22.4%

2

Non

262

76.2%

9

Non réponse

5

1.5%

Sysmiss

840

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q211_MAR_ACT: Q211 MARI AU COURANT ACTIVITE

Information

[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W]

[Valid=344 /-] [Invalid=840 /-]

Value

Label

Cases

Percentage

1

Oui

195

56.7%

2

Non

144

41.9%

8

Ne sait pas

3

0.9%

9

Non réponse

2

0.6%

Sysmiss

840

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q212_NB_UN: Q212 NOMBRE UNIONS

Information

[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-]

Value

Label

Cases

Percentage

0

472

39.9%

1

520

43.9%

2

147

12.4%

3

34

2.9%

4

9

0.8%

5

2

0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q213A_AGE_RS_ARG: Q213A AGE RAPPORT AVEC ARGENT

Information

[Type= continuous] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W]

[Valid=1184 /-] [Invalid=0 /-] [Mean=22.003 /-] [StdDev=12.115 /-]

Q213B1_UNITE: Q213B1 UNITE

Information

[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W]

[Valid=0 /-] [Invalid=1184 /-]

Value

Label

Cases

Percentage

1

Mois

0

2

Année

0

File : PS_TEST			
# Q213B1_UNITE: Q213B1 UNITE			
Value	Label	Cases	Percentage
9	NSP/NR	0	
Sysmiss		1184	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q213B_DUREE_PS: Q213B DUREE PS			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1184 /-]		
Value	Label	Cases	Percentage
Sysmiss		1184	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q214_AUT_ACT: Q214 AUTRES ACTIVITES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	736	62.2%
2	Non	448	37.8%
9	Non réponse	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q215A: Q215A PETIT COMMERCE AU MARCHÉ			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	493	67.0%
1	Oui	243	33.0%
Sysmiss		448	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q215B: Q215B PETIT COMMERCE AMBULANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	449	61.0%
1	Oui	287	39.0%
Sysmiss		448	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Q215C: Q215C TRAVAIL AU BAR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	673	91.4%
1	Oui	63	8.6%
Sysmiss		448	

File : PS_TEST

Q215C: Q215C TRAVAIL AU BAR

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215D: Q215D TRAVAIL A HOTEL

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=736 /-] [Invalid=448 /-]

Value	Label	Cases	Percentage
0	Non	723	98.2%
1	Oui	13	1.8%
Sysmiss		448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215E: Q215E COIFFURES

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=736 /-] [Invalid=448 /-]

Value	Label	Cases	Percentage
0	Non	619	84.1%
1	Oui	117	15.9%
Sysmiss		448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q215F: Q215F VEND BOISSON A LA MAISON

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=736 /-] [Invalid=448 /-]

Value	Label	Cases	Percentage
0	Non	720	97.8%
1	Oui	16	2.2%
Sysmiss		448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q215G: Q215G DOMESTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	718	97.6%
1	Oui	18	2.4%
Sysmiss		448	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215H: Q215H PORTEFAIX			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	723	98.2%
1	Oui	13	1.8%
Sysmiss		448	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215I: Q215I AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	656	89.1%
1	Oui	80	10.9%
Sysmiss		448	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215J: Q215J NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	736	100.0%
1	Oui	0	
Sysmiss		448	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q215K: Q215K NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=736 /-] [Invalid=448 /-]		
Value	Label	Cases	Percentage
0	Non	736	100.0%
1	Oui	0	
Sysmiss		448	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q216_EXCISEE: Q216_EXCISEE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q216_EXCISEE: Q216_EXCISEE			
Value	Label	Cases	Percentage
1	Oui	39	3.3%
2	Non	1145	96.7%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q217_AGE_EXCISEE: Q217_AGE_EXCISEE			
Information		[Type= discrete] [Format=numeric] [Range= 2-17] [Missing=*]	
Statistics [NW/ W]		[Valid=39 /-] [Invalid=1145 /-]	
Value	Label	Cases	Percentage
2		1	2.6%
3		3	7.7%
4		5	12.8%
5		7	17.9%
6		6	15.4%
7		1	2.6%
8		3	7.7%
9		3	7.7%
10		2	5.1%
11		1	2.6%
13		1	2.6%
14		1	2.6%
15		3	7.7%
17		2	5.1%
Sysmiss		1145	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q218_BATTUE: Q218_BATTUE			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	208	17.6%
2	Non	976	82.4%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q219_POUR_BAT: Q219_POURQUOI_BATTUE			
Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=208 /-] [Invalid=976 /-]	
Value	Label	Cases	Percentage
0	Pas de réponse	4	1.9%
1	Je ne voulais pas faire ce qu'il voulait	102	49.0%
2	Il trouvait que c'est trop cher	35	16.8%
3	Il ne voulait pas porter de condom	36	17.3%
8	Autre	31	14.9%
Sysmiss		976	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q220_NB_BAT: Q220_NBRE_BATTUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=208 /-] [Invalid=976 /-]		
Value	Label	Cases	Percentage
0		80	38.5%
1		64	30.8%
2		29	13.9%
3		11	5.3%
4		7	3.4%
5		5	2.4%
6		3	1.4%
7		9	4.3%
Sysmiss		976	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q221: Q221 TENTER UNE ACTION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=1056 /-]		
Value	Label	Cases	Percentage
1	Oui	23	18.0%
2	Non	105	82.0%
9	Non réponse	0	
Sysmiss		1056	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q222A: Q222A LIEU DE PLAINTÉ 1			
Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=1161 /-]		
Value	Label	Cases	Percentage
0	Nulle part	1	4.3%
1	Organisation de défense des droits de l'individu	1	4.3%
2	Police/Gendarmerie	18	78.3%
3	Justice	0	
4	Chef traditionnel	0	
5	Famille	2	8.7%
7	Affaires sociales	0	
9	Amie/voisine	0	
10	Chef religieux	0	
96	Autre	1	4.3%
Sysmiss		1161	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q222B: Q222B LIEU DE PLAINTÉ 2			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1182 /-]		
Value	Label	Cases	Percentage
1	Nulle part	0	

# Q222B: Q222B LIEU DE PLAINTÉ 2			
Value	Label	Cases	Percentage
2	Organisation de défense des droits de l'individu	0	
3	Police/Gendarmerie	0	
4	Justice	0	
5	Chef traditionnel	0	
7	Famille	0	
8	Affaires sociales	0	
9	Amie/voisine	0	
10	Chef religieux	0	
96	Autre	2	100.0%
Sysmiss		1182	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q222C: Q222C LIEU DE PLAINTÉ 3			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1184 /-]		
Value	Label	Cases	Percentage
1	Nulle part	0	
2	Organisation de défense des droits de l'individu	0	
3	Police/Gendarmerie	0	
4	Justice	0	
5	Chef traditionnel	0	
7	Famille	0	
8	Affaires sociales	0	
9	Amie/voisine	0	
10	Chef religieux	0	
96	Autre	0	
Sysmiss		1184	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q223: Q223 SUITE FINALE DONNEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=1161 /-]		
Value	Label	Cases	Percentage
0	Aucune	3	13.0%
1	Réparation des dégâts causés	8	34.8%
2	Admonestation de l'auteur	2	8.7%
3	Poursuite de l'auteur	4	17.4%
4	Retrait de la plainte	2	8.7%
5	Admonestation de la femme battue	0	
6	Affaire en cours	2	8.7%
9	Autre	2	8.7%
Sysmiss		1161	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q224: Q224 UNE COLLEGUE BATTUE PAR UN CLIENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q224: Q224 UNE COLLEGUE BATTUE PAR UN CLIENT			
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	377	31.8%
2	Non	807	68.2%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q301_RS_COND: Q301_RS_CONDOM			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1150	97.1%
2	Non	34	2.9%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q302_AGE_UTI_COND: Q302_AGE_UTILISATION_CONDOM			
Information		[Type= continuous] [Format=numeric] [Range= 11-50] [Missing=*]	
Statistics [NW/ W]		[Valid=1150 /-] [Invalid=34 /-] [Mean=21.277 /-] [StdDev=6.806 /-]	
# Q303_UT_LUB: Q303_UT_LUBRIFIANT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	745	62.9%
2	Non	438	37.0%
9	Non réponse	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q304_PRODUIT: Q304_PRODUIT			
Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=745 /-] [Invalid=439 /-]	
Value	Label	Cases	Percentage
0	Pas de réponse	0	
1	Lubrifiant	617	82.8%
2	Vaseline	34	4.6%
3	Beurre de karité	25	3.4%
4	Pommade Jet	39	5.2%
5	Pénicilline pommade	14	1.9%
8	Autres	16	2.1%
Sysmiss		439	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q305_LIEU_AP: Q305_LIEU_APPROVISIONNEMENT			
Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=745 /-] [Invalid=439 /-]	

# Q305_LIEU_AP: Q305_LIEU_APPROVISIONNEMENT			
Value	Label	Cases	Percentage
0	Pas de réponse	1	0.1%
1	Pharmacie	146	19.6%
2	Centre de santé	9	1.2%
3	Marché	101	13.6%
4	Dans la rue	36	4.8%
5	Pairs éducateurs	385	51.7%
8	Autres	67	9.0%
Sysmiss		439	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q306_PRE: Q306_PRECAUTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Aucune	36	3.0%
1	Condom	1047	88.4%
2	Antibiotique	7	0.6%
3	Combinaison condom/antibiotique	86	7.3%
8	Autre	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307_NB_CL_SEM: Q307_NBRE_CLIENTS_SEMAINE			
Information	[Type= continuous] [Format=numeric] [Range= 1-80] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=11.638 /-] [StdDev=11.168 /-]		
# Q308_NB_SEM_AN: Q308_NBRE_SEMAINE_ANNEE			
Information	[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=45.193 /-] [StdDev=12.271 /-]		
# Q309A_PRIX_COND: Q309A_PRIX_CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-950] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		739	62.4%
25		10	0.8%
50		60	5.1%
100		288	24.3%
150		4	0.3%
200		34	2.9%
300		3	0.3%
400		4	0.3%
500		32	2.7%
600		1	0.1%
700		1	0.1%
800		4	0.3%
900		2	0.2%

# Q309A_PRIX_COND: Q309A_PRIX_CONDOM			
Value	Label	Cases	Percentage
950		2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309B_LIEU_RDV: Q309B_LIEU_RENDEZ-VOUS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Domicile/maison close	307	25.9%
2	Bars	427	36.1%
3	Hôtels	117	9.9%
4	Rue	295	24.9%
5	Boîte de nuit	29	2.4%
8	Autres	9	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309C_UT_RS: Q309C_UTILISATION A CH_RS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1095	92.5%
2	Non	89	7.5%
8	Ne sait pas	0	
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309D_TYPE_CL: Q309D_TYPE DRE CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Les plus jeunes	200	16.9%
2	Les adultes	900	76.0%
3	Les personnes âgées	62	5.2%
8	Ne sait pas	20	1.7%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309E_PROFIL_CL: Q309E_PROFIL_CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Cadres/fonctionnaires	595	50.3%
2	Les élèves/étudiants/apprentis	180	15.2%
3	Les corps habillés	42	3.5%
4	Les routiers/camionneurs	137	11.6%
5	Autres	103	8.7%
8	Ne sait pas	125	10.6%

# Q309E_PROFIL_CL: Q309E_PROFIL_CLIENTS			
Value	Label	Cases	Percentage
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q309EAUTRE: Q309EAUTRE			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=98 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
6000		1	1.0%
ARTISAN		3	3.1%
CHEF MACON		1	1.0%
COIFFEUR		1	1.0%
COMMERCANT		12	12.2%
COMMERCANT		1	1.0%
COMMERCANT		32	32.7%
COMMERçANTI		1	1.0%
CULTIVATEUR		1	1.0%
ETRANGERS		1	1.0%
GRAND COMMER		2	2.0%
H. AFFAIRES		1	1.0%
H.AFFAIRE		1	1.0%
HOMME AFFAIR		1	1.0%
LES Z MEN		1	1.0%
LES"Z" MENS		1	1.0%
MACON		2	2.0%
MACON;MENUIS		1	1.0%
MARIN		1	1.0%
MENUSIER		1	1.0%
PARTCULIERS		1	1.0%
PARTICULIER		1	1.0%
PARTICULIERS		2	2.0%
RETRAITE		1	1.0%
RETRAITES		2	2.0%
REVENDEUR		1	1.0%
REVENDEURS		1	1.0%
TAILLEURS		1	1.0%
TAXI MOTO		1	1.0%
TOURISTE		1	1.0%
TRANSITAIRE		1	1.0%
VENDEUR		5	5.1%
ZEMIDJAMEN		1	1.0%
ZEMIDJAN MEN		1	1.0%
ZEMIDJANMEN		2	2.0%
commerçant		5	5.1%

# Q309EAUTRE: Q309EAUTRE			
Value	Label	Cases	Percentage
homme d'affa		2	2.0%
les particul		1	1.0%
zedman		1	1.0%
zimidjan man		1	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q310_SOMME_DER_CL: Q310_SOMME DERNIER CLIENT			
Information	[Type= continuous] [Format=numeric] [Range= 0-35000] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=4569.934 /-] [StdDev=4782.866 /-]		
# Q311_UT_COND_D_RS: Q311_UTILISATION CONDOM DER RS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1110	93.8%
2	Non	74	6.2%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q312_PROPOS: Q312_PROPOSITION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1110 /-] [Invalid=74 /-]		
Value	Label	Cases	Percentage
1	Moi	882	79.5%
2	Le client	228	20.5%
9	Non réponse	0	
Sysmiss		74	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q313_RAISON_N_UT: Q313_RAISON NON UTILISATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=74 /-] [Invalid=1110 /-]		
Value	Label	Cases	Percentage
1	Condom non proposé	20	27.0%
2	Refus du client	37	50.0%
8	Autre	17	23.0%
Sysmiss		1110	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q314_PROP_UT: Q314_PROPOSITION UTILISATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=1164 /-]		
Value	Label	Cases	Percentage
1	Je n'avais pas de condom	2	10.0%
2	Pour plus de confort	7	35.0%
3	Confiance dans le partenaire	9	45.0%
4	Refus appréhendé	1	5.0%

# Q314_PROP_UT: Q314_PROPOSITION UTILISATION			
Value	Label	Cases	Percentage
5	Violence appréhendée	0	
8	Autre	1	5.0%
Sysmiss		1164	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q315_N_EX_COND: Q315_NON EXISTENCE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1182 /-]		
Value	Label	Cases	Percentage
1	Préservatif / Condom trop cher	0	
2	Préservatif / Condom non disponible sur le site	2	100.0%
8	Autre	0	
Sysmiss		1182	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q316_REF_CL: Q316_REFUS CLIENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=938 /-] [Invalid=246 /-]		
Value	Label	Cases	Percentage
1	Avec violence	38	4.1%
2	Sans violence	900	95.9%
Sysmiss		246	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q317_ARG_REF: Q317_ARGUMENT DU REFUS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=1146 /-]		
Value	Label	Cases	Percentage
1	Prêt à payer pls cher sans condom	16	42.1%
2	Condom empêche la jouissance	19	50.0%
8	Autres	3	7.9%
Sysmiss		1146	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q319_NB_CL_D_J: Q319_NBRE CLIENTS DERNIER JOUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		101	8.5%
1		246	20.8%
2		330	27.9%
3		216	18.2%
4		118	10.0%
5		76	6.4%
6		33	2.8%
7		26	2.2%

# Q319_NB_CL_D_J: Q319_NBRE CLIENTS DERNIER JOUR			
Value	Label	Cases	Percentage
8		18	1.5%
9		2	0.2%
10		12	1.0%
11		2	0.2%
12		1	0.1%
13		2	0.2%
15		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q320_CL_UT_C: Q320_NBRE CLIENTS UYILISENT CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=1083 /-] [Invalid=101 /-]		
Value	Label	Cases	Percentage
0		34	3.1%
1		241	22.3%
2		323	29.8%
3		205	18.9%
4		115	10.6%
5		71	6.6%
6		31	2.9%
7		25	2.3%
8		18	1.7%
9		2	0.2%
10		12	1.1%
11		2	0.2%
12		1	0.1%
13		2	0.2%
15		1	0.1%
Sysmiss		101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q321_CL_N_UT_C: Q321_NBRE CLIENTS NON UTILISE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1083 /-] [Invalid=101 /-]		
Value	Label	Cases	Percentage
0		1011	93.4%
1		47	4.3%
2		18	1.7%
3		4	0.4%
4		2	0.2%
5		1	0.1%
Sysmiss		101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q322_NB_CL_D_S: Q322_NBRE CLIENTS DERNIERE SEMAINE			
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]		

# Q322_NB_CL_D_S: Q322_NBRE CLIENTS DERNIERE SEMAINE			
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-] [Mean=10.498 /-] [StdDev=10.124 /-]	
# Q323_N_CL: Q323_NBRE NOUVEAUX CLIENTS			
Information		[Type= continuous] [Format=numeric] [Range= 0-67] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-] [Mean=4.839 /-] [StdDev=8.296 /-]	
# Q324_A_CL: Q324_NBRE ANCIENTS CLIENTS			
Information		[Type= discrete] [Format=numeric] [Range= 0-41] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		381	32.2%
1		166	14.0%
2		164	13.9%
3		139	11.7%
4		80	6.8%
5		71	6.0%
6		34	2.9%
7		28	2.4%
8		31	2.6%
9		10	0.8%
10		26	2.2%
11		7	0.6%
12		12	1.0%
13		7	0.6%
15		9	0.8%
16		1	0.1%
17		3	0.3%
20		9	0.8%
22		2	0.2%
23		1	0.1%
26		1	0.1%
40		1	0.1%
41		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q325_FREQ_UT: Q325_FREQUENCE UTILISATION			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Chaque fois/toujours	1060	89.5%
2	Au moins 4 jours par semaine	60	5.1%
3	A l'occasion	31	2.6%
4	Jamais	22	1.9%
5	Ne sait pas	2	0.2%
9	Non réponse	9	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q327_NB_N_CL: Q327_NBRE NON_CLIENTS LES 3 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		614	51.9%
1		467	39.4%
2		55	4.6%
3		27	2.3%
4		5	0.4%
5		5	0.4%
6		3	0.3%
7		2	0.2%
8		3	0.3%
10		2	0.2%
12		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q328_CL_A: Q328_NBRE CLIENTS AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=570 /-] [Invalid=614 /-]		
Value	Label	Cases	Percentage
0		61	10.7%
1		465	81.6%
2		31	5.4%
3		10	1.8%
4		1	0.2%
5		1	0.2%
6		1	0.2%
Sysmiss		614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q329_A_CL: Q329_NBRE AMIS CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		934	78.9%
1		219	18.5%
2		24	2.0%
3		5	0.4%
4		1	0.1%
6		1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q330_A_N_CL: Q330_NBRE AMIS NOUVEAUX CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

Q330_A_N_CL: Q330_NBRE AMIS NOUVEAUX CLIENTS

Value	Label	Cases	Percentage
0		1042	88.0%
1		116	9.8%
2		14	1.2%
3		7	0.6%
4		3	0.3%
5		1	0.1%
6		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Q331_FR_UT: Q331_FREQUENCE UTILISATION CONDOM AVEC AMIS

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Pas de réponse	502	42.4%
1	Jamais	218	18.4%
2	Parfois (1 à 4 fois sur 10)	147	12.4%
3	Souvent	39	3.3%
4	Toujours	278	23.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q332_UT_COND: Q332_UTILISATION CONDOM AVEC CONJOINT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	355	30.0%
2	Non	299	25.3%
9	Non réponse	530	44.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q333_PROP: Q333 QUI A PROPOSE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=355 /-] [Invalid=829 /-]		
Value	Label	Cases	Percentage
1	Moi	311	87.6%
2	Mnn mari/conjoint	43	12.1%
9	Non réponse	1	0.3%
Sysmiss		829	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q334_N_UT: Q334_NON UTILISATION CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=829 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Condom non proposé	119	14.4%
2	Refus du mari/conjoint/boyfriend	114	13.8%
8	Autres	596	71.9%
Sysmiss		355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q335_R_N_UT: Q335_RAISON NON UTILISATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=1065 /-]		
Value	Label	Cases	Percentage
1	Je n'avais pas de condom	7	5.9%
2	Pour plus de confort	39	32.8%
3	Confiance dans le partenaire	69	58.0%
4	Refus appréhendé	1	0.8%
5	Violence appréhendée	0	
8	Autre	3	2.5%
Sysmiss		1065	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q336: Q336_POURQUOI PAS DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=1177 /-]		
Value	Label	Cases	Percentage
1	Condom trop cher	1	14.3%
2	Condom non disponible	4	57.1%

# Q336: Q336_POURQUOI PAS DE CONDOM				
Value	Label	Cases	Percentage	
3	N'utilise jamais de condom	1		14.3%
8	Autres	1		14.3%
Sysmiss		1177		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# Q337_ARG_REF: Q337_ARGUMENT DU REFUS				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=829 /-] [Invalid=355 /-]			
Value	Label	Cases	Percentage	
1	Condom trop cher	75		9.0%
2	Condom non disponible	177		21.4%
3	N'utilise jamais le condom avec lui	0		
8	Autres	577		69.6%
Sysmiss		355		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# Q342_GAYS: Q342_EXISTENCE DES GAYS				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]			
Value	Label	Cases	Percentage	
1	Oui	675		57.0%
2	Non	509		43.0%
8	Ne sait pas	0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# Q343_H_F: Q343_HOMME OU FEMME				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=675 /-] [Invalid=509 /-]			
Value	Label	Cases	Percentage	
1	Ce sont des hommes	105		15.6%
2	Ce sont des femmes	44		6.5%
3	Les deux	518		76.7%
8	Ne sait pas	8		1.2%
Sysmiss		509		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# Q344_AGES_GAYS: Q344_GROUPES AGES DES GAYS				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=675 /-] [Invalid=509 /-]			
Value	Label	Cases	Percentage	
1	Moins de 20 ans	57		8.4%
2	Entre 20et 29 ans	302		44.7%
3	Entre 30 39 ans	168		24.9%
4	Entre 40 et 49 ans	22		3.3%
5	50 ans et plus	3		0.4%
8	Ne sait pas	123		18.2%

# Q344_AGES_GAYS: Q344_GROUPEs AGES DES GAYS			
Value	Label	Cases	Percentage
Sysmiss		509	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q345_NIV: Q345_NIVEAU INSTRUCTION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=675 /-] [Invalid=509 /-]		
Value	Label	Cases	Percentage
1	Non instruits	71	10.5%
2	Primaire	75	11.1%
3	Secondaire	224	33.2%
4	Supérieur	56	8.3%
8	Ne sait pas	249	36.9%
Sysmiss		509	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q346_S_MAT: Q346_STATUT MATRIMONIAL			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=675 /-] [Invalid=509 /-]		
Value	Label	Cases	Percentage
1	Célibataire	396	58.7%
2	Marié	38	5.6%
3	Divorcé/veuf/séparé	46	6.8%
8	Ne sait pas	195	28.9%
Sysmiss		509	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q347: Q347 RELATIONS SEXUELLES AVEC MEME SEXE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=675 /-] [Invalid=509 /-]		
Value	Label	Cases	Percentage
1	Oui	43	6.4%
2	Non	632	93.6%
9	Non réponse	0	
Sysmiss		509	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348A: Q348A FINGUERS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=1141 /-]		
Value	Label	Cases	Percentage
0	Non	10	23.3%
1	Oui	33	76.7%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348B: Q348B FELLATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q348B: Q348B FELLATION			
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1141 /-]	
Value	Label	Cases	Percentage
0	Non	13	30.2%
1	Oui	30	69.8%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348C: Q348C PENETRATION ACTIVE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1141 /-]	
Value	Label	Cases	Percentage
0	Non	38	88.4%
1	Oui	5	11.6%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348D: Q348D PENETRATION PASSIVE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1141 /-]	
Value	Label	Cases	Percentage
0	Non	38	88.4%
1	Oui	5	11.6%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348E: Q348E ANNULINGUS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1141 /-]	
Value	Label	Cases	Percentage
0	Non	40	93.0%
1	Oui	3	7.0%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q348F: Q348F AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1141 /-]	
Value	Label	Cases	Percentage
0	Non	39	90.7%
1	Oui	4	9.3%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q349: Q349 PROTECTION DE CETTE RELATION			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1141 /-]	

# Q349: Q349 PROTECTION DE CETTE RELATION			
Value	Label	Cases	Percentage
1	Oui	20	46.5%
2	Non	22	51.2%
9	Non réponse	1	2.3%
Sysmiss		1141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q350: Q350 CONNAISSANCE DES TRANSGENRES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	430	36.3%
2	Non	748	63.2%
9	Non réponse	6	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q351: Q351 CONNAISSANCE DES PS MASCULINS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	272	23.0%
2	Non	910	76.9%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q401_EC_VAG: Q401_ECOULEMENT VAGINAL			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	508	42.9%
2	Non	676	57.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402A: Q402A DEJA EU DES CONDYLOMES			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	97	8.2%
2	Non	1087	91.8%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402B: Q402B BOUTONS SUR LE SEXE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q402B: Q402B BOUTONS SUR LE SEXE			
Value	Label	Cases	Percentage
1	Oui	263	22.2%
2	Non	921	77.8%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q402C: Q402C ULCERATION GENITALE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	312	26.4%
2	Non	872	73.6%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q403_LIEU_REC: Q403_LIEU DE RECOURS IST			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=312 /-] [Invalid=872 /-]		
Value	Label	Cases	Percentage
1	Structure de santé publique	153	49.0%
2	Structure de santé privée	44	14.1%
3	Pharmacie	17	5.4%
4	Vendeur amnulant	16	5.1%
5	Guerisseur traditionnel	17	5.4%
6	Ami/parent	4	1.3%
7	Automédication	56	17.9%
8	Autres	5	1.6%
Sysmiss		872	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q404_PREF: Q404_PREFERENCE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=312 /-] [Invalid=872 /-]		
Value	Label	Cases	Percentage
1	Coût	92	29.5%
2	Qualité des soins	99	31.7%
3	Confiance	49	15.7%
4	Distance à parcourir	10	3.2%
5	Connaissance	22	7.1%
6	Confidentialité	24	7.7%
7	Seule option disponible	8	2.6%
8	Autres	8	2.6%
Sysmiss		872	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q405_AP: Q405_APPRECIATION			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		

# Q405_AP: Q405_APPRECIATION			
Statistics [NW/ W]		[Valid=312 /-] [Invalid=872 /-]	
Value	Label	Cases	Percentage
1	Courtois	177	56.7%
2	Avec respect	98	31.4%
3	Avec indifférence	13	4.2%
4	Avec préjugé	1	0.3%
8	Autres	23	7.4%
Sysmiss		872	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q406_UT_C: Q406_UTILISATION CONDOM			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1133	95.7%
2	Non	51	4.3%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407A: Q407A_EVITER IST			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	274	24.2%
1	Oui	859	75.8%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407B: Q407B_EVITER VIH/SIDA			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	37	3.3%
1	Oui	1096	96.7%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407C: Q407C_EVITER GROSSESSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	479	42.3%
1	Oui	654	57.7%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407D: Q407D_DEMANDE PARTENAIREE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	

# Q407D: Q407D_DEMANDE PARTENAIREE			
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	1020	90.0%
1	Oui	113	10.0%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407E: Q407E_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	1123	99.1%
1	Oui	10	0.9%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407F: Q407F_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	1133	100.0%
1	Oui	0	
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q407G: Q407G_NON REPONSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1133 /-] [Invalid=51 /-]	
Value	Label	Cases	Percentage
0	Non	1130	99.7%
1	Oui	3	0.3%
Sysmiss		51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q408_UT_C_L: Q408_UTILISATION CONDOM ET LUBRIFIANT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	671	56.7%
2	Non	508	42.9%
9	Non réponse	5	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409A: Q409A_VASELINE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=671 /-] [Invalid=513 /-]	

# Q409A: Q409A_VASELINE			
Value	Label	Cases	Percentage
0	Non	606	90.3%
1	Oui	65	9.7%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409B: Q409B_GLYCERINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 -] [Invalid=513 -]		
Value	Label	Cases	Percentage
0	Non	648	96.6%
1	Oui	23	3.4%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409C: Q409C_GEL LUBRIFIANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 -] [Invalid=513 -]		
Value	Label	Cases	Percentage
0	Non	45	6.7%
1	Oui	626	93.3%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409D: Q409D_MIEL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 -] [Invalid=513 -]		
Value	Label	Cases	Percentage
0	Non	654	97.5%
1	Oui	17	2.5%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409E: Q409E_AUTRE 1			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 -] [Invalid=513 -]		
Value	Label	Cases	Percentage
0	Non	604	90.0%
1	Oui	67	10.0%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409F: Q409F_AUTRE 2			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 -] [Invalid=513 -]		
Value	Label	Cases	Percentage
0	Non	668	99.6%

# Q409F: Q409F_AUTRE 2			
Value	Label	Cases	Percentage
1	Oui	3	0.4%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409G: Q409G_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 /-] [Invalid=513 /-]		
Value	Label	Cases	Percentage
0	Non	670	99.9%
1	Oui	1	0.1%
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q409H: Q409H_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=671 /-] [Invalid=513 /-]		
Value	Label	Cases	Percentage
0	Non	671	100.0%
1	Oui	0	
Sysmiss		513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q410: Q410_NBRE DE CONDOMS			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=641.372 /-] [StdDev=2400.121 /-]		
# Q411_UT1: Q411_UTILISATION DE PLUS D'UN CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	310	26.2%
2	Non	859	72.6%
9	Non réponse	15	1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412A: Q412A_DOUTE DE LA SANTE DU PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		
Value	Label	Cases	Percentage
0	Non	149	48.1%
1	Oui	161	51.9%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412B: Q412B_AVEC LES CLIENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		

# Q412B: Q412B_AVEC LES CLIENTS			
Value	Label	Cases	Percentage
0	Non	225	72.6%
1	Oui	85	27.4%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412C: Q412C_NE CONNAIT PAS LE PARTENAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		
Value	Label	Cases	Percentage
0	Non	252	81.3%
1	Oui	58	18.7%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q412D: Q412D_DOUTE DE LA RESISTANCE DU CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		
Value	Label	Cases	Percentage
0	Non	154	49.7%
1	Oui	156	50.3%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412E: Q412E_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		
Value	Label	Cases	Percentage
0	Non	261	84.2%
1	Oui	49	15.8%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412F: Q412F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		
Value	Label	Cases	Percentage
0	Non	308	99.4%
1	Oui	2	0.6%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q412G: Q412G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=874 /-]		
Value	Label	Cases	Percentage
0	Non	308	99.4%
1	Oui	2	0.6%
Sysmiss		874	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q413: Q413_ENLEVEMENT CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non réponse	7	0.6%
1	Oui	508	42.9%
2	Non	647	54.6%
8	Ne sait pas	4	0.3%
9	Non concerné	18	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q414: Q414_FREQUENCE ENLEVEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# Q414: Q414_FREQUENCE ENLEVEMENT			
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
1	Très souvent	54	10.5%
2	A l'occasion	455	88.7%
3	Jamais	3	0.6%
8	Ne sait pas	1	0.2%
9	Non réponse	0	
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415A: Q415A_MAUVAISE QUALITE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	348	67.8%
1	Oui	165	32.2%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415B: Q415B_CONDOM NON RESISTANT			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	399	77.8%
1	Oui	114	22.2%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415C: Q415C_MAUVAISE CONSERVATION			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	452	88.1%
1	Oui	61	11.9%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415D: Q415D_MANIERE INCORRECTE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	204	39.8%
1	Oui	309	60.2%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415E: Q415E_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	

# Q415E: Q415E_AUTRE			
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	392	76.4%
1	Oui	121	23.6%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415F: Q415F_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	491	95.7%
1	Oui	22	4.3%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q415G: Q415G_NON REPONSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=513 /-] [Invalid=671 /-]	
Value	Label	Cases	Percentage
0	Non	511	99.6%
1	Oui	2	0.4%
Sysmiss		671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q416: Q416_LIEU APPROVISIONNEMENT			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1107	93.5%
2	Non	75	6.3%
9	Non réponse	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417A: Q417A_ALIMENTATION/SUPERMARCHÉ			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	
Value	Label	Cases	Percentage
0	Non	985	89.0%
1	Oui	122	11.0%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417B: Q417B_BOUTIQUE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	

# Q417B: Q417B_BOUTIQUE			
Value	Label	Cases	Percentage
0	Non	269	24.3%
1	Oui	838	75.7%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417C: Q417C_KIOSTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	761	68.7%
1	Oui	346	31.3%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417D: Q417D_STATION ESSENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	1040	93.9%
1	Oui	67	6.1%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417E: Q417E_PHARMACIE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	586	52.9%
1	Oui	521	47.1%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417F: Q417F_DEPOT PHARMACEUTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	1049	94.8%
1	Oui	58	5.2%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417G: Q417G_MARCHE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	975	88.1%

# Q417G: Q417G_MARCHE			
Value	Label	Cases	Percentage
1	Oui	132	11.9%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417H: Q417H_VENDEUR AMBULANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	953	86.1%
1	Oui	154	13.9%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417I: Q417I_VENDEUR DE MEDICAMENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	890	80.4%
1	Oui	217	19.6%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417J: Q417J_FORMATION SANITAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	967	87.4%
1	Oui	140	12.6%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417K: Q417K_HOTEL/MOTEL/AUBERGE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	852	77.0%
1	Oui	255	23.0%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417L: Q417L_RESTAURANT/CAFETARIAT/BOITE DE NUIT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	1034	93.4%
1	Oui	73	6.6%

# Q417L: Q417L_RESTAURANT/CAFETARIAT/BOITE DE NUIT			
Value	Label	Cases	Percentage
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417M: Q417M_ATELIER/LIEU DE TRAVAIL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	1096	99.0%
1	Oui	11	1.0%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417N: Q417N_ECOLE/COLLEGE/UNIVERSITE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	1101	99.5%
1	Oui	6	0.5%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417O: Q417O_AGENT DE VENTE DE PRUDENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	1078	97.4%
1	Oui	29	2.6%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417P: Q417P_ANOMATEUR DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	816	73.7%
1	Oui	291	26.3%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417Q: Q417Q_PAIR EDUCATEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1107 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	Non	546	49.3%
1	Oui	561	50.7%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q417R: Q417R_AMI			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	
Value	Label	Cases	Percentage
0	Non	991	89.5%
1	Oui	116	10.5%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417S: Q417S_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	
Value	Label	Cases	Percentage
0	Non	1024	92.5%
1	Oui	83	7.5%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417T: Q417T_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	
Value	Label	Cases	Percentage
0	Non	1101	99.5%
1	Oui	6	0.5%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q417U: Q417U_NON REPONSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	
Value	Label	Cases	Percentage
0	Non	1084	97.9%
1	Oui	23	2.1%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q418: Q418_TEMPS			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1107 /-] [Invalid=77 /-]	
Value	Label	Cases	Percentage
1	Moins de 15 minutes	811	73.3%
2	15 minutes à une heure	250	22.6%
3	Plus d'une heure	18	1.6%
4	Ne sait pas	18	1.6%
9	Non réponse	10	0.9%
Sysmiss		77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q419: Q419_CONDOM FEMINI			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non réponse	2	0.2%
1	Oui	1079	91.1%
2	Non	103	8.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q420: Q420_UTILISATION DU FEMIDON			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1079 /-] [Invalid=105 /-]		
Value	Label	Cases	Percentage
0	Non réponse	0	
1	Oui	428	39.7%
2	Non	651	60.3%
Sysmiss		105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q421: Q421_LIEU DE VENTE FEMIDON			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1079 /-] [Invalid=105 /-]		
Value	Label	Cases	Percentage
0	Non réponse	0	
1	Oui	771	71.5%
2	Non	308	28.5%
Sysmiss		105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422A: Q422A_ALIMENTATION/SUPERMARCHE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=771 /-] [Invalid=413 /-]		
Value	Label	Cases	Percentage
0	Non	679	88.1%
1	Oui	92	11.9%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422B: Q422B_BOUTIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=771 /-] [Invalid=413 /-]		
Value	Label	Cases	Percentage
0	Non	579	75.1%
1	Oui	192	24.9%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422C: Q422C_PHARMACIE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q422C: Q422C_PHARMACIE			
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	220	28.5%
1	Oui	551	71.5%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422D: Q422D_DEPOT PHARMACEUTIQUE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	716	92.9%
1	Oui	55	7.1%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422E: Q422E_MARCHE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	708	91.8%
1	Oui	63	8.2%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422F: Q422F_FORMATION SANITAIRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	633	82.1%
1	Oui	138	17.9%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422G: Q422G_HOTEL/MOTEL/BOITE DE NUIT			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	720	93.4%
1	Oui	51	6.6%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422H: Q422H_ATELIER/LIEU DE TRAVAIL			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	

# Q422H: Q422H_ATELIER/LIEU DE TRAVAIL			
Value	Label	Cases	Percentage
0	Non	755	97.9%
1	Oui	16	2.1%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422I: Q422I_ECOLE/COLLEGE/UNIVERSITE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=771 /-] [Invalid=413 /-]		
Value	Label	Cases	Percentage
0	Non	764	99.1%
1	Oui	7	0.9%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422J: Q422J_ANIMATEUR DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=771 /-] [Invalid=413 /-]		
Value	Label	Cases	Percentage
0	Non	522	67.7%
1	Oui	249	32.3%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422K: Q422K_AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=771 /-] [Invalid=413 /-]		
Value	Label	Cases	Percentage
0	Non	726	94.2%
1	Oui	45	5.8%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q422L: Q422L_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	656	85.1%
1	Oui	115	14.9%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422M: Q422M_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	767	99.5%
1	Oui	4	0.5%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q422N: Q422N_NON REPONSE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=771 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
0	Non	762	98.8%
1	Oui	9	1.2%
Sysmiss		413	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q501: Q501_ENTENDU PARLER DE SIDA			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1184	100.0%
2	Non	0	
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q502: Q502_CROYANCE DU SIDA			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1179	99.6%
2	Non	5	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503A: Q503A_RS NON PROTEGES AVEC PARTENAIRE INFIDELE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	

# Q503A: Q503A_RS NON PROTEGES AVEC PARTENAIRE INFIDELE			
Value	Label	Cases	Percentage
0	Non	63	5.3%
1	Oui	1121	94.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503B: Q503B_PAR SERINGUE LAME			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	170	14.4%
1	Oui	1014	85.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503C: Q503C_MERE/ENFANT			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	640	54.1%
1	Oui	544	45.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503D: Q503D_SANG CONTAMINE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	670	56.6%
1	Oui	514	43.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503E: Q503E_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1142	96.5%
1	Oui	42	3.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q503F: Q503F_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1174	99.2%
1	Oui	10	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504A: Q504A_CONNAISSANCE DE PERSONNE INFECTEE			
Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	

# Q504A: Q504A_CONNAISSANCE DE PERSONNE INFECTEE			
Value	Label	Cases	Percentage
0		4	0.3%
1	Oui	504	42.6%
2	Non	676	57.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q504B: Q504B_CONNAISSANCE DE PERSONNE MORTE DE SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	399	33.7%
2	Non	785	66.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505A: Q505A_OUI PROCHE PARENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1026	86.7%
1	Oui	154	13.0%
2		4	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505B: Q505B_OUI PROCHE AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	936	79.1%
1	Oui	248	20.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505C: Q505C_NON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	484	40.9%
1	Oui	700	59.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q505D: Q505D_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1166	98.5%
1	Oui	18	1.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q506A: Q506A_UTILISATION CORRECTE D'UN CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	606	51.2%
1	Oui	578	48.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506B: Q506B_UTILISATION D'UN CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	298	25.2%
1	Oui	886	74.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506C: Q506C_AVOIR PEU DE PARTENAIRES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	963	81.3%
1	Oui	221	18.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506D: Q506D_FIDELE A UN PARTENAIRE FIDELE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	944	79.7%
1	Oui	240	20.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506E: Q506E_PARTENAIRE SEXUEL FIDELE NON INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	975	82.3%
1	Oui	209	17.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506F: Q506F_S'ABSTENIR DES RS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	923	78.0%
1	Oui	261	22.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q506G: Q506G_EVITER SERINGUE LAME			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	593	50.1%
1	Oui	591	49.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506H: Q506H_AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1164	98.3%
1	Oui	20	1.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q506I: Q506I_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1161	98.1%
1	Oui	23	1.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507A: Q507A Le risque de transmission du VIH peut-il être réduit par le fait d’avoir des rapports sexuels avec un seul partenaire fidèle et non infecté ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1037	87.6%
2	Non	139	11.7%
8	Ne sait pas	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507B: Q507B Le risque de transmission du VIH peut-il être réduit par l’utilisation du préservatif lors de chaque rapport ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1099	92.8%
2	Non	79	6.7%
8	Ne sait pas	6	0.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507C: Q507C Une personne paraissant en bonne santé peut-elle être séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q507C: Q507C Une personne paraissant en bonne santé peut-elle être séropositive ?			
Value	Label	Cases	Percentage
1	Oui	1095	92.5%
2	Non	77	6.5%
8	Ne sait pas	12	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507D: Q507D Une piqûre de moustique peut-elle transmettre le VIH ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	351	29.6%
2	Non	802	67.7%
8	Ne sait pas	31	2.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q507E: Q507E Peut-on contracter le VIH en partageant un repas avec une personne séropositive ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	253	21.4%
2	Non	923	78.0%
8	Ne sait pas	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q509: Q509_PAR SERINGUE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1096	92.6%
2	Non	86	7.3%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q511: Q511_CONTAMINATION PAR ACCOLADE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	143	12.1%
2	Non	1033	87.2%
8	Ne sait pas	8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q512: Q512_UTILISATION MEME DOUCHE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	193	16.3%

# Q512: Q512_UTILISATION MEME DOUCHE			
Value	Label	Cases	Percentage
2	Non	974	82.3%
8	Ne sait pas	17	1.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q513: Q513_UTILISATION MEME BROSSE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1073	90.6%
2	Non	107	9.0%
8	Ne sait pas	4	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q514: Q514_MANGER DANS LE MEME PLAT			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	173	14.6%
2	Non	1000	84.5%
8	Ne sait pas	11	0.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q515: Q515_TRANSMISSION MERE/ZNFANT			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	971	82.0%
2	Non	197	16.6%
8	Ne sait pas	16	1.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q516: Q516_TRANSMISSION PAR ALLAITEMENT			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1029	86.9%
2	Non	129	10.9%
8	Ne sait pas	26	2.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q517A: Q517A_PRENDRE DES MEDICAMENTS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		348	29.4%
1		836	70.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q517B: Q517B_NE PAS ALLAITER AU SEIN			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		423	35.7%
1		759	64.1%
2		2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q517C: Q517C_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1094	92.4%
1		85	7.2%
2		5	0.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q517D: Q517D_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1114	94.1%
1		62	5.2%
2		8	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q518: Q518_PARTAGER REPAS AVEC PERSONNE INFECTEE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	760	64.2%
2	Non	412	34.8%
8	Ne sait pas	12	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q519: Q519_HEBERGER ET SOIGNER HOMME. INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	979	82.7%
2	Non	204	17.2%
8	Ne sait pas	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q520: Q520_HEBERGER ET SOIGNER FEMME INFECTEE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q520: Q520_HEBERGER ET SOIGNER FEMME INFECTEE			
Value	Label	Cases	Percentage
1	Oui	986	83.3%
2	Non	196	16.6%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q521: Q521_ETUDIANT INFECTE DE CONTINUER			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1062	89.7%
2	Non	120	10.1%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q522: Q522_APPRENTI INFECTE DE CONTINUER			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1067	90.1%
2	Non	115	9.7%
8	Ne sait pas	2	0.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q523: Q523_ENSEIGNANT INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1066	90.0%
2	Non	115	9.7%
8	Ne sait pas	3	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q524: Q524_BOUTQUIER INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	745	62.9%
2	Non	439	37.1%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q525: Q525_PARENT INFECTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	949	80.2%

Q525: Q525_PARENT INFECTE

Value	Label	Cases	Percentage
2	Non	228	19.3%
8	Ne sait pas	7	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q526: Q526_ENTENDU/VU DEPISTAGE VOLONTAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1086	91.7%
2	Non	98	8.3%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q527: Q527_TEST DE VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	879	74.2%
2	Non	305	25.8%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q528: Q528_DEPISTAGE VOLONTAIRE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=883 /-] [Invalid=301 /-]		
Value	Label	Cases	Percentage
1	Test volontaire	849	96.1%
2	Test obligé	31	3.5%
9	Non réponse	3	0.3%
Sysmiss		301	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q529: Q529_TYPE DE STRUCTURE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=883 /-] [Invalid=301 /-]		
Value	Label	Cases	Percentage
1	Structure publique	537	60.8%
2	Structure privée	82	9.3%
3	Structure confidentielle	17	1.9%
4	Clinique mobile	235	26.6%
8	Ne sait pas	12	1.4%
Sysmiss		301	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q530: Q530_CHERCHER LES RESULTATS DU TEST			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=883 /-] [Invalid=301 /-]		
Value	Label	Cases	Percentage
1	Oui	851	96.4%
2	Non	20	2.3%
4		4	0.5%
9	Non réponse	8	0.9%

# Q530: Q530_CHERCHER LES RESULTATS DU TEST			
Value	Label	Cases	Percentage
Sysmiss		301	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q601: Q601_ENTENDU DES MESSAGES SUR LES IST/VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	867	73.2%
2	Non	317	26.8%
8	A oublié	0	
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q602: Q602_FREQUENCE D'ECOUTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	118	13.6%
2	Au moins 4 jours par semaine	96	11.1%
3	Une fois par semaine	187	21.6%
4	A l'occasion	466	53.7%
8	Ne sait pas	0	
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AA: Q603AA_RADIO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	181	20.9%
1	Oui	686	79.1%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AB: Q603AB_TV			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	297	34.3%
1	Oui	570	65.7%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AC: Q603AC_SEANCE DE PROJECTION DE VIDEO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		

# Q603AC: Q603AC_SEANCE DE PROJECTION DE VIDEO			
Value	Label	Cases	Percentage
0	Non	784	90.4%
1	Oui	83	9.6%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AD: Q603AD_JOURNAUX/MAGASINE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	817	94.2%
1	Oui	50	5.8%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AE: Q603AE_DEPLIANTS/PROSPECTUS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	796	91.8%
1	Oui	71	8.2%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AF: Q603AF_AGENT DE SANTE MODERNE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	709	81.8%
1	Oui	158	18.2%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AG: Q603AG_AGENT DE SANTE TRADITIONEL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	847	97.7%
1	Oui	20	2.3%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AH: Q603AH_AGENT SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	798	92.0%

# Q603AH: Q603AH_AGENT SOCIAL			
Value	Label	Cases	Percentage
1	Oui	69	8.0%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AI: Q603AI_ECOLE/ENSEIGNANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	836	96.4%
1	Oui	31	3.6%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AJ: Q603AJ_ECOLE/ELEVE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	829	95.6%
1	Oui	38	4.4%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AK: Q603AK_ECOLE/CONFERENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	852	98.3%
1	Oui	15	1.7%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AL: Q603AL_LIEU DE TRAVAIL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	824	95.0%
1	Oui	43	5.0%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AM: Q603AM_CONFERENCE PLACE PUBLIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	829	95.6%
1	Oui	38	4.4%

# Q603AM: Q603AM_CONFERENCE PLACE PUBLIQUE			
Value	Label	Cases	Percentage
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AN: Q603AN_AUTORITE/LEADER LOCAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	846	97.6%
1	Oui	21	2.4%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AO: Q603AO_EGLISE/MOSQUEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	831	95.8%
1	Oui	36	4.2%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AP: Q603AP_POSTE/AFFICHE/PANCARTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	752	86.7%
1	Oui	115	13.3%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AQ: Q603AQ_LIEU D'APPROVISIONNEMENT DE BIENS DE CONSOMMATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	835	96.3%
1	Oui	32	3.7%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AR: Q603AR_LIEUX/ETABLISSEMENTS DE LOISIRS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	799	92.2%
1	Oui	68	7.8%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q603AS: Q603AS_ABORDS DES RUES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	791	91.2%
1	Oui	76	8.8%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AT: Q603AT_PROCHE PARENT/PERE/MERE/FRERE/SOEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	823	94.9%
1	Oui	44	5.1%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AU: Q603AU_AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	781	90.1%
1	Oui	86	9.9%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AV: Q603AV_ANIMATEUR ONG			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	415	47.9%
1	Oui	452	52.1%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AW: Q603AW_PAIRS EDUCATEURS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	322	37.1%
1	Oui	545	62.9%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AX: Q603AX_MILIEU DE PROSTITUTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		

# Q603AX: Q603AX_MILIEU DE PROSTITUTION			
Value	Label	Cases	Percentage
0	Non	694	80.0%
1	Oui	173	20.0%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AY: Q603AY_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	856	98.7%
1	Oui	11	1.3%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603AZ: Q603AZ_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
0	Non	860	99.2%
1	Oui	7	0.8%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q603B: Q603B_PRINCIPALE SOURCE			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=867 /-] [Invalid=317 /-]		
Value	Label	Cases	Percentage
1	Radio	293	33.8%
2	Télévision	209	24.1%
3	Agent d'un centre de santé	54	6.2%
4	Agent d'une ONG	292	33.7%
8	Autres	19	2.2%
Sysmiss		317	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q604: Q604_VU MESSAGE SUR MALADIES APRES RS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	833	70.4%
2	Non	350	29.6%
8	Ne sait pas	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q605: Q605_VU MESSAGE 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=833 /-] [Invalid=351 /-]		

# Q605: Q605_VU MESSAGE 6 DERNIERS MOIS			
Value	Label	Cases	Percentage
1	Oui	668	80.2%
2	Non	165	19.8%
8	Ne sait pas	0	
Sysmiss		351	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q606: Q606_FREQUENCE 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
1	Tous les jours	59	8.8%
2	Au moins 4 jours par semaine	60	9.0%
3	Une fois par semaine	113	16.9%
4	A l'occasion	435	65.1%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607A: Q607A_CENTRE DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	269	40.3%
1	Oui	399	59.7%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607B: Q607B_CENTRE SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	421	63.0%
1	Oui	247	37.0%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607C: Q607C_ATELIER/LIEU DE TRAVAIL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	586	87.7%
1	Oui	82	12.3%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q607D: Q607D_ECOLE/COLLEGE/UNIVERSITE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	605	90.6%
1	Oui	63	9.4%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607E: Q607E_MARCHE/LIEU APPRO. DE BIENS DE CONSOMMATION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	607	90.9%
1	Oui	61	9.1%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607F: Q607F_MAISON			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	572	85.6%
1	Oui	96	14.4%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607G: Q607G_MAISON D'UN PARENT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	625	93.6%
1	Oui	43	6.4%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607H: Q607H_MAISON D'UN AMI			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	640	95.8%
1	Oui	28	4.2%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607I: Q607I_LIEU/ETABLISSEMENT DE LOISIRS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		

# Q607I: Q607I_LIEU/ETABLISSEMENT DE LOISIRS			
Value	Label	Cases	Percentage
0	Non	613	91.8%
1	Oui	55	8.2%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607J: Q607J_GARE ROUTIERE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	655	98.1%
1	Oui	13	1.9%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607K: Q607K_MAISON DE JEUNES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	657	98.4%
1	Oui	11	1.6%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607L: Q607K_EGLISE/MOSQUEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	644	96.4%
1	Oui	24	3.6%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607M: Q607M_ABORDS DES RUES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 -/] [Invalid=516 -/]		
Value	Label	Cases	Percentage
0	Non	482	72.2%
1	Oui	186	27.8%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q607N: Q607N_MILIEU DE PROSTITUTION			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	448	67.1%
1	Oui	220	32.9%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607O: Q607O_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	579	86.7%
1	Oui	89	13.3%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q607P: Q607P_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=668 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
0	Non	664	99.4%
1	Oui	4	0.6%
Sysmiss		516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q608: Q608_VU MESSAGE 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1019 /-] [Invalid=165 /-]		
Value	Label	Cases	Percentage
1		689	67.6%
2		330	32.4%
Sysmiss		165	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609A: Q609A_SIGNES OU SYMPTOMES D'ITS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	326	47.3%
1	Oui	363	52.7%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609B: Q609B_MOYEN POUR EVITER UNE ITS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		

# Q609B: Q609B_MOYEN POUR EVITER UNE ITS			
Value	Label	Cases	Percentage
0	Non	192	27.9%
1	Oui	497	72.1%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609C: Q609C_MOYEN POUR EVITER UNE VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 -/] [Invalid=495 -/]		
Value	Label	Cases	Percentage
0	Non	116	16.8%
1	Oui	573	83.2%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609D: Q609D_MODE DE TRANSMISSION DES DES ITS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 -/] [Invalid=495 -/]		
Value	Label	Cases	Percentage
0	Non	260	37.7%
1	Oui	429	62.3%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609E: Q609E_MODE DE TRANSMISSION DES DES VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 -/] [Invalid=495 -/]		
Value	Label	Cases	Percentage
0	Non	208	30.2%
1	Oui	481	69.8%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609F: Q609F_UTILISATION CORRECTE DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 -/] [Invalid=495 -/]		
Value	Label	Cases	Percentage
0	Non	297	43.1%
1	Oui	392	56.9%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609G: Q609G_QUALITE DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 -/] [Invalid=495 -/]		
Value	Label	Cases	Percentage
0	Non	558	81.0%

# Q609G: Q609G_QUALITE DE CONDOM			
Value	Label	Cases	Percentage
1	Oui	131	19.0%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609H: Q609H_LIEU D'ACHAT DE CONDOM			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	622	90.3%
1	Oui	67	9.7%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609I: Q609I_CS DE REFERENCE POUR IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	614	89.1%
1	Oui	75	10.9%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609J: Q609J_PRISE EN CHARGE IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	617	89.6%
1	Oui	72	10.4%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609K: Q609K_CONSEQUENCE D'UBE IST MAL TRAITEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	598	86.8%
1	Oui	91	13.2%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609L: Q609L_PRISE EN CHARGE PVVIH			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	580	84.2%
1	Oui	109	15.8%

# Q609L: Q609L_PRISE EN CHARGE PVVIH			
Value	Label	Cases	Percentage
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609M: Q609M_AUTRE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	681	98.8%
1	Oui	8	1.2%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q609N: Q609N_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=689 /-] [Invalid=495 /-]		
Value	Label	Cases	Percentage
0	Non	684	99.3%
1	Oui	5	0.7%
Sysmiss		495	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q610: Q610_VU IMAGES AUDIOVISUELLES			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	828	69.9%
2	Non	356	30.1%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q611: Q611_VU 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=828 /-] [Invalid=356 /-]		
Value	Label	Cases	Percentage
1	Oui	519	62.7%
2	Non	309	37.3%
8	Ne sait pas	0	
Sysmiss		356	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q612: Q612_FREQUENCE SUR LES SIGNES			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=665 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	40	7.7%
2	Au moins 4 jours par semaine	44	8.5%

# Q612: Q612_FREQUENCE SUR LES SIGNES			
Value	Label	Cases	Percentage
3	Une fois par semaine	79	15.2%
4	A l'occasion	356	68.6%
8	Ne sait pas	0	
Sysmiss		665	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q613: Q613_FREQUENCE EVOLUTION			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=665 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	47	9.1%
2	Au moins 4 jours par semaine	37	7.1%
3	Une fois par semaine	68	13.1%
4	A l'occasion	361	69.6%
8	Ne sait pas	5	1.0%
9	Non réponse	1	0.2%
Sysmiss		665	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614A: Q614A_RADIO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	438	37.0%
1	Oui	746	63.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614B: Q614B_TV			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	483	40.8%
1	Oui	701	59.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614C: Q614C_PROJECTIONS VIDEO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1030	87.0%
1	Oui	154	13.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614D: Q614D_JOURNAUX/MAGAZINES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q614D: Q614D_JOURNAUX/MAGAZINES			
Value	Label	Cases	Percentage
0	Non	1133	95.7%
1	Oui	51	4.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614E: Q614E_DEPLIANTS/PROSPECTUS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1091	92.1%
1	Oui	93	7.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614F: Q614F_AGENTS DE SANTE MODERNE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	997	84.2%
1	Oui	187	15.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614G: Q614G_AGENTS DE SANTE DE SANTE TRADITIONNEL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1160	98.0%
1	Oui	24	2.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614H: Q614H_AGENTS SOCIAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1098	92.7%
1	Oui	86	7.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614I: Q614I_ECOLE/ENSEIGNANT			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1136	95.9%
1	Oui	48	4.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614J: Q614J_ECOLE/ELEVE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q614J: Q614J_ECOLE/ELEVE			
Value	Label	Cases	Percentage
0	Non	1142	96.5%
1	Oui	42	3.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614K: Q614K_ECOLE/CONFERENCE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1159	97.9%
1	Oui	25	2.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614L: Q614L_LIEU DE TRAVAIL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1141	96.4%
1	Oui	43	3.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614M: Q614M_PLACE PUBLIQUE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1121	94.7%
1	Oui	63	5.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614N: Q614N_AUTORITE/LEADER LOCAL			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1171	98.9%
1	Oui	13	1.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614O: Q614O_EGLISE/MOSQUEE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1144	96.6%
1	Oui	40	3.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614P: Q614P_POSTERS/AFFICHES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q614P: Q614P_POSTERS/AFFICHES			
Value	Label	Cases	Percentage
0	Non	1037	87.6%
1	Oui	147	12.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614Q: Q614Q_APPROVISIONNEMENT DES BIENS DE CONSO			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1164	98.3%
1	Oui	20	1.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614R: Q614R_ETABLISSEMENT DE LOISIRS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1142	96.5%
1	Oui	42	3.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614S: Q614S_ABORDS DES RUES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1100	92.9%
1	Oui	84	7.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614T: Q614T_PROCHE PARENT/PERE/MERE/FRERE/SOEUR			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1134	95.8%
1	Oui	50	4.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614U: Q614U_AMIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1080	91.2%
1	Oui	104	8.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614V: Q614V_ANIMATEURS ONG			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		

# Q614V: Q614V_ANIMATEURS ONG			
Value	Label	Cases	Percentage
0	Non	639	54.0%
1	Oui	545	46.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614W: Q614W_PAIRS EDUCATEURS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	547	46.2%
1	Oui	637	53.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614X: Q614X_MILIEU DE PROSTITUTION			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	985	83.2%
1	Oui	199	16.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614Y: Q614Y_AUTRE			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1172	99.0%
1	Oui	12	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q614Z: Q614Z_NE SAIT PAS			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	Non	1175	99.2%
1	Oui	9	0.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q615: Q615_VU DEMONSTRATION			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1184 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	1070	90.4%
2	Non	114	9.6%
8	Ne sait pas	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q616: Q616_TYPE DE CONDOM			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	

Q616: Q616_TYPE DE CONDOM**Statistics [NW/ W]** [Valid=1070 /-] [Invalid=114 /-]

Value	Label	Cases	Percentage
1	Masculin	286	26.7%
2	Féminin	13	1.2%
3	Les deux	771	72.1%
Sysmiss		114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# Q617: Q617_VU DEMONSTRATION 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1070 /-] [Invalid=114 /-]		
Value	Label	Cases	Percentage
1	Oui	615	57.5%
2	Non	455	42.5%
8	Ne sait pas	0	
9	Non réponse	0	
Sysmiss		114	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q618: Q618_FREQUENCE VU DEMONSTRATION 6 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=617 /-] [Invalid=567 /-]		
Value	Label	Cases	Percentage
1	Tous les jours	21	3.4%
2	Au moins 4 jours par semaine	23	3.7%
3	Une fois par semaine	114	18.5%
4	A l'occasion	459	74.4%
8	Ne sait pas	0	
Sysmiss		567	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q619: Q619_CENTRE DE SANTEION 12 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	798	67.4%
2	Non	386	32.6%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q620: Q620_NBRE DE FOIS CENTRE DE SANTEION 12 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		
Value	Label	Cases	Percentage
0		1	0.1%
1		193	24.2%
2		210	26.3%
3		131	16.4%
4		100	12.5%
5		33	4.1%
6		36	4.5%
7		10	1.3%
8		2	0.3%
9		4	0.5%
10		10	1.3%

# Q620: Q620_NBRE DE FOIS CENTRE DE SANTEION 12 DERNIERS MOIS			
Value	Label	Cases	Percentage
11		1	0.1%
12		12	1.5%
13		4	0.5%
14		2	0.3%
15		3	0.4%
97		46	5.8%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621A: Q621A_VISITE AUX MALADES			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	548	68.7%
1	Oui	250	31.3%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621B: Q621B_CONSULTATION POUR IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	523	65.5%
1	Oui	275	34.5%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621C: Q621C_CONSULTATION POUR AUTRE QUE IST			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	282	35.3%
1	Oui	516	64.7%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621D: Q621D_AUTRE 1			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	626	78.4%
1	Oui	172	21.6%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621F: Q621F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

# Q621F: Q621F_NE SAIT PAS			
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		
Value	Label	Cases	Percentage
0	Non	794	99.5%
1	Oui	4	0.5%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q621G: Q621G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		
Value	Label	Cases	Percentage
0	Non	791	99.1%
1	Oui	7	0.9%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622A: Q622A_CENTRE DE SANTE PUBLIC			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		
Value	Label	Cases	Percentage
0	Non	103	12.9%
1	Oui	695	87.1%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622B: Q622B_CENTRE DE SANTE PRIVE NON CONF.			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		
Value	Label	Cases	Percentage
0	Non	641	80.3%
1	Oui	157	19.7%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622C: Q622C_CENTRE DE SANTE PRIVE CONF.			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		
Value	Label	Cases	Percentage
0	Non	706	88.5%
1	Oui	92	11.5%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622D: Q622D_ONG OFFRANT DES SERVICES DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 /-] [Invalid=386 /-]		

# Q622D: Q622D_ONG OFFRANT DES SERVICES DE SANTE			
Value	Label	Cases	Percentage
0	Non	587	73.6%
1	Oui	211	26.4%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622E: Q622E_FREQUENTE PAS CENTRE DE SANTE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	792	99.2%
1	Oui	6	0.8%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622F: Q622F_NE SAIT PAS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	797	99.9%
1	Oui	1	0.1%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q622G: Q622G_NON REPONSE			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=798 -/] [Invalid=386 -/]		
Value	Label	Cases	Percentage
0	Non	796	99.7%
1	Oui	2	0.3%
Sysmiss		386	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q623: Q623 LIEU DE DEPISTAGE DU VIH			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 -/] [Invalid=0 -/]		
Value	Label	Cases	Percentage
1	Oui	1089	92.0%
2	Non	94	7.9%
9	Non réponse	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624A: Q624A RECU DES PRESERVATIFS LES 12 DERNIERS MOIS			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 -/] [Invalid=0 -/]		
Value	Label	Cases	Percentage
1	Oui	985	83.2%

# Q624A: Q624A RECU DES PRESERVATIFS LES 12 DERNIERS MOIS			
Value	Label	Cases	Percentage
2	Non	198	16.7%
9	Non réponse	1	0.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624BA: Q624BA Pairs éducateurs/paires éducatrices			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	251	21.2%
1	Oui	933	78.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624BB: Q624BB Lors des sensibilisations de masse			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	968	81.8%
1	Oui	216	18.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q624BC: Q624BC Dans les centres de santé ou conviviaux			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	1080	91.2%
1	Oui	104	8.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625A: Q625A_CIGARETTE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	329	27.8%
2	Non	853	72.0%
8	Ne sait pas	2	0.2%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625B: Q625B_ALCOOL			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	913	77.1%
2	Non	270	22.8%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q625C: Q625C_DROGUE INJECTABLE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	18	1.5%
2	Non	1165	98.4%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q625D: Q625D_DROGUE NON INJECTABLE			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	147	12.4%
2	Non	1036	87.5%
8	Ne sait pas	1	0.1%
9	Non réponse	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HEUREFIN: HEURE DE FIN			
Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=13.998 /-] [StdDev=6.964 /-]		
# MINUTE_DE_FIN: MINUTE DE FIN			
Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-] [Mean=28.657 /-] [StdDev=17.496 /-]		
# ACCUEIL: ACCUEIL			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Très bon	405	34.2%
2	Bon	516	43.6%
3	Moyen	235	19.8%
4	Médiocre	24	2.0%
5	Mauvais	4	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IMPRESSION: IMPRESSION			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Enquête facile	738	62.3%
2	Enquête un peu difficile	382	32.3%
3	Enquête difficile	64	5.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# grage: Groupes d'âges			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Moins de 18 ans	58	4.9%
2	18 à 24 ans	481	40.6%
3	25 à 29 ans	264	22.3%
4	30 à 34 ans	131	11.1%
5	35 à 39 ans	94	7.9%
6	40 ans et plus	156	13.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# nivins: Niveau d'instruction			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Sans instruction	243	20.5%
1	Primaire	416	35.1%
2	Secondaire	383	32.3%
3	Lycée et plus	142	12.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# etatm: Etat matrimonial de la PS			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Célibataire	840	70.9%
2	Union libre	188	15.9%
3	Mariée monogame	83	7.0%
4	Mariée polygame	73	6.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_15: Rapport sexuel avec préservatif avant 15 ans			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1150 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
0	Non	1091	94.9%
1	Oui	59	5.1%
Sysmiss		34	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age_18: Rapport sexuel avec préservatif avant 18 ans			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1150 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
0	Non	786	68.3%
1	Oui	364	31.7%
Sysmiss		34	

# age_18: Rapport sexuel avec préservatif avant 18 ans			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q212NBUNION: Nombre d'unions			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Aucune union	472	39.9%
1	1 union	520	43.9%
2	2 unions	147	12.4%
3	3 unions et plus	45	3.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q202NBENF: Nombre d'enfants			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=767 /-] [Invalid=417 /-]		
Value	Label	Cases	Percentage
1	1 enfant	304	39.6%
2	2 enfants	199	25.9%
3	3 enfants	146	19.0%
4	4 enfants et plus	118	15.4%
Sysmiss		417	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q203NBPERS: Nombre de personnes à charge			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Aucune personne	417	35.2%
1	1 personne	247	20.9%
2	2 personnes	178	15.0%
3	3 personnes	132	11.1%
4	4 personnes et plus	210	17.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507A			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		147	12.4%
1		1037	87.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507B			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		85	7.2%
1		1099	92.8%

# SQ507B			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507C			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		89	7.5%
1		1095	92.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507D			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		382	32.3%
1		802	67.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507E			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		261	22.0%
1		923	78.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SQ507: Score sue les connaissances vis à vis du VIH/SIDA			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		2	0.2%
1		17	1.4%
2		64	5.4%
3		159	13.4%
4		376	31.8%
5		566	47.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q307NBCL: Nombre de clients par semaine			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Jusqu'à 7 clients	571	48.2%
2	8 à 14 clients	281	23.7%
3	15 clients et plus	332	28.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# I9: PS qui ont répondu «oui» aux deux questions précédentes Q623=1 et Q624a=1			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		239	20.2%
1		945	79.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age1_15: Premier rapport sexuel avant 15 ans			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	939	79.3%
1	Oui	245	20.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# age1_18: Premier rapport sexuel avant 18 ans			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Non	413	34.9%
1	Oui	771	65.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MODE: Mode de transmission			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		22	1.9%
1		481	40.6%
2		345	29.1%
3		336	28.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Conclusion: Séroprévalence			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Positive	138	11.7%
2	Négative	1046	88.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# Q306PRECAUTION: Précaution de prévention des IST/VIH			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Aucune précaution	36	3.0%
1	Utilisation du préservatif	1148	97.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# Q325_UTILISE: Utilisation du préservatif à chaque rapport sexuel			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1060	89.5%
2	Non	124	10.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# NBCL_SP			
Information	[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]		
Statistics [NW/ W]	[Valid=89 /-] [Invalid=1095 /-]		
Value	Label	Cases	Percentage
1		4	4.5%
2		17	19.1%
3		13	14.6%
4		6	6.7%
5		12	13.5%
6		6	6.7%
7		8	9.0%
8		2	2.2%
9		1	1.1%
10		5	5.6%
12		2	2.2%
13		1	1.1%
15		3	3.4%
17		1	1.1%
20		1	1.1%
21		1	1.1%
25		1	1.1%
28		2	2.2%
30		3	3.4%
Sysmiss		1095	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CNBCL_SP: Nombre de clients sans préservatifs			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=89 /-] [Invalid=1095 /-]		
Value	Label	Cases	Percentage
1	1 à 3 clients	34	38.2%

# CNBCL_SP: Nombre de clients sans prédervatifs			
Value	Label	Cases	Percentage
2	4-6 clients	24	27.0%
3	7 clients & +	31	34.8%
Sysmiss		1095	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			